


ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

KEY NOTES:

- 1 NO STORAGE OF MATERIALS OR STAGING ON COURTHOUSE GROUNDS (SHADED).
- 2 ALL STORAGE AND STAGING ACTIVITIES SHALL BE INSIDE COURTHOUSE OR AS APPROVED BY OWNER.
- 3 CONTRACTOR TO COORDINATE DUMPSTER LOCATIONS WITHIN CURBSIDE PARKING AREA ONLY WITH CITY OF INDEPENDENCE. PERIODIC TEMPORARY REMOVAL OF DUMPSTER FOR WEEKEND EVENTS TO BE COORDINATED WITH CITY OF INDEPENDENCE.
- 4 CONTRACTOR TO COORDINATE FIELD OFFICE LOCATION INSIDE COURTHOUSE WITH OWNER.
- 5 NO CONTRACTOR PARKING IN ANY CURBSIDE PARKING SPACES AROUND THE SQUARE.
- 6 EXISTING LIGHT POLE.
- 7 EXISTING MONUMENT.
- 8 EXISTING FLAG POLE.
- 9 EXISTING WINDOW WELL, TYP.
- 10 EXISTING ACCESSIBLE RAMP.
- 11 EXISTING ACCESSIBLE PARKING SIGN.
- 12 LOCATION OF NEW FIRE DEPARTMENT CONNECTION, TEST PUMP HEADER CONNECTION, AND SYSTEM DRAIN CONNECTION FOR AUTOMATIC SPRINKLER SYSTEM.
- 13 NEW POST MOUNTED BUTTON TO ACTIVATE AUTOMATIC DOOR OPENER.



1 | ARCHITECTURAL SITE PLAN
 1/16" = 1'-0"
 0 5 10 20 30

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISION DATE	DESCRIPTION

SHEET TITLE & NUMBER
 ARCHITECTURAL
 SITE PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

AS-101

J:\AutoCAD\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\AS-101
 5/31/2012 11:42 AM
 Piper-Wind Architects, Inc.

GENERAL NOTES

- A. WHERE DOORS ARE SHOWN AS DEMOLITION, CAREFULLY REMOVE AND SALVAGE DOOR, FRAME, CASING, AND HARDWARE UNLESS NOTED OTHERWISE. INVENTORY AND TRACK ORIGINAL LOCATION OF ALL ITEMS.
- B. GC SHALL RETRIEVE CLOCK WEIGHTS AND CABLING FROM UNDER BUILDING AND STORE PER OWNER'S DIRECTION.
- C. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.

KEY NOTES

- 1 REMOVE, REFURBISH, AND REPAINT EXISTING METAL GATE, INCLUDING TRACKS, TO BE REINSTALLED IN ORIGINAL POSITION.
- 2 REMOVE ELEC BOXES, PANELS, AND ASSOCIATED CONDUIT. RE: ELEC DRAWINGS.
- 3 EXISTING FIRE HOSE STATION TO REMAIN.
- 4 REMOVE AND SALVAGE FIRE EXTINGUISHER TO BE REINSTALLED.
- 5 REMOVE ALL MISCELLANEOUS HARDWARE AND BRACKETS INSIDE CLOSET. CLEAN AND REPAIR 1x LEDGER AND CLOTHES ROD TO BE REPAINTED. SAND AND RESTAIN WOOD SHELF TO MATCH EXISTING.
- 6 DEMO OPENING AS NEEDED TO CREATE 3'-0" W X 7'-0" H FINISH CASSED OPENING WITH F.O. JAMB 6" FROM EAST WALL. CAREFULLY REMOVE TRIM AT EXISTING DOOR BEING REMOVED AT THIS LOCATION AND REINSTALL AROUND CASSED OPENING.
- 7 REMOVE TELCOM EQUIPMENT, BOARDS, AND WIRING. RE: ELEC DRAWINGS.


- 8 REMOVE WOOD BOX.
- 9 REMOVE 1x FROM WALL.
- 10 REMOVE HVAC UNIT. RE: MECH DRAWINGS.
- 11 REMOVE 1x BOARDS AT PLASTER JAMBS, TYP.
- 12 REMOVE ALL ACCESSORIES INCLUDING, BUT NOT LIMITED TO, MIRRORS, PAPER TOWEL DISPENSERS, AIR FRESHENERS, TOILET PAPER DISPENSERS, SOAP DISPENSERS, ETC.
- 13 LAVATORY REMOVED AND SALVAGED DURING ABATEMENT AND SELECTIVE DEMOLITION. DISPOSE OF FAUCET. RESTORE LAVATORY AND PEDESTAL TO LIKE NEW CONDITIONS FOR REINSTALLATION.
- 14 REMOVE AND RESTORE TOILET TOLIKENEN CONDITIONS FOR REINSTALLATION.
- 15 REMOVE FLOOR OUTLETS AND SURFACE RACEWAY.
- 16 REMOVE WALL MOUNTED DEVICE.

- 17 DEMO MASONRY WALL AS SHOWN UP TO STRUCTURE ABOVE. MAINTAIN 3'-0" LENGTH OF WALL AT WEST SIDE MEASURED PERPENDICULAR FROM WALL WITH TUNNEL DOOR. MAINTAIN BOTTOM OF WALL TO FORM CURB AT SOUTH EDGE OF LANDING. PROTECT STAIRS AND LANDING FROM DAMAGE DURING DEMOLITION. RE: 2/A-401 FOR ADDITIONAL INFORMATION.
- 18 REMOVE EQUIPMENT BOARD AND ALL ASSOCIATED EQUIPMENT.
- 19 REMOVE METERS. RE: ELEC DRAWINGS.
- 20 RE: ELEC DRAWINGS FOR SCOPE RELATED TO WIRE DUCT AND ELECTRICAL BOXES.
- 21 DEMO SHOWER FINISHES, PLUMBING, AND RAISED CONG FLOOR.
- 22 DEMO MASONRY WALL UP TO CLOSEST COURSE TO 8'-0". LEAVE 8" MIN EACH END FOR BEARING OF NEW STL LINTEL TO SUPPORT REMAINING WALL ABOVE.
- 23 REMOVE AND SALVAGE DOOR AND HARDWARE. FRAME AND CASING TO REMAIN. REMOVE PAINT FROM FRAME AND TRIM AND PREPARE FOR STAINED FINISH.

- 24 REMOVE FLOOR DRAIN. RE: PLUMBING DRAWINGS.
- 25 REMOVE AND DISPOSE OF DOORS. SCRAPE PAINT OFF TRANSOM GLASS. REMOVE PAINT FROM INTERIOR SIDE OF FRAME AND TRIM AT DOOR TO VESTIBULE 014.
- 26 REMOVE WOOD SHELVING AND 1x LEDGER SUPPORTS.
- 27 REMOVE AND SALVAGE LOUVER TO BE REINSTALLED AT CURRENT WINDOW LOCATION. RE: DETAIL #/A-###.
- 28 REMOVE AND SALVAGE WINDOW TO BE REINSTALLED AT CURRENT LOUVER LOCATION. RE: DETAIL #/A-###.
- 29 EXISTING WALL MOUNTED FIRE EXTINGUISHER TO REMAIN.
- 30 DEMO MASONRY WALLS AT CLOSET AND SHOWER AS SHOWN FROM FLOOR TO STRUCTURE ABOVE. DEMO ± 8'-0" HIGH MASONRY OPENING AT WEST WALL TO ACCOMMODATE 3'-6" WIDE FINISHED OPENING CASSED WITH WOOD TRIM TO MATCH EXISTING DOORWAYS. INSTALL NEW STL LINTEL TO SUPPORT REMAINING WALL ABOVE.

- 31 RE: PLUMB DRAWINGS FOR SCOPE RELATED TO WASTE LINES.
- 32 REMOVE (6) EXISTING STEEL POSTS IN BOILER ROOM.
- 33 TEMPORARILY RELOCATE CONDENSATE RECEIVER TO INSTALL NEW RAISED CONCRETE HOUSEKEEPING SLAB.
- 34 EXISTING BOILER AND RAISED CONCRETE SLAB TO REMAIN.
- 35 EXCAVATE EARTH IN THIS AREA TO ACCOMMODATE NEW SLAB ON GRADE FOR NEW STORAGE ROOM. RE: NEW FLOOR PLAN A-100.
- 36 REMOVE WATER HEATER. RE: MECH DRAWINGS.
- 37 REMOVE ALL TRASH AND LOOSE DEBRIS/CONSTRUCTION MATERIALS FROM ACCESSIBLE CRAWL SPACES AND PIPE CHASES.
- 38 REMOVE CELL SINK AND TOILET. DOCUMENT ORIGINAL INSTALLATION AND STORE FIXTURES PER OWNER'S DIRECTION. CAP OFF PLUMBING. DISPOSE OF BROKEN SINK IN EAST CELL.

- 39 DEMO BLANK OFF PANEL AND EXISTING WINDOW FRAME TO ACCOMMODATE INSTALLATION OF NEW WINDOW AND ARCHITECTURAL LOUVER. REMOVE AND STORE DECORATIVE EXTERIOR METAL GRILLE AS NECESSARY TO ACCOMMODATE WORK.
- 40 CONFIRM AREA OF SLAB REMOVED (HATCHED) TO ACCOMMODATE NEW ELEVATOR PIT. INNER HEAVY DASHED LINE REPRESENTS INTERIOR CLEAR DIMENSIONS OF HOISTWAY.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051



HISTORIC TRUMAN COURTHOUSE
INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAK/MDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
LOWER LEVEL DEMOLITION PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.



1 LOWER LEVEL DEMOLITION PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CORE_Sheet\AD-100
 5/31/2012 11:42 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMBR
CHECKED BY	EP
REVISOR	
REVISION	

SHEET TITLE & NUMBER
**FIRST FLOOR
 DEMOLITION PLAN**

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

AD-101

GENERAL NOTES

- A. WHERE DOORS ARE SHOWN AS DEMOLITION, CAREFULLY REMOVE AND SALVAGE DOOR, FRAME, CASING, AND HARDWARE UNLESS NOTED OTHERWISE. INVENTORY AND TRACK ORIGINAL LOCATION OF ALL ITEMS.
- B. CAREFULLY REMOVE WOOD SHOE AT ALL WOOD BASE THROUGHOUT THE BUILDING FOR REFINISHING AND REINSTALLATION UNLESS NOTED OTHERWISE. PROTECT BASE FROM DAMAGE.
- C. CAREFULLY REMOVE ALL SURFACE MOUNTED POWER OUTLETS, DATA JACKS, TELEPHONE JACKS, JUNCTION BOXES, AND ASSOCIATED CONDUIT AND RACEWAYS THROUGHOUT THE BUILDING UNLESS NOTED OTHERWISE. PROTECT PLASTER AND WOOD DOORS AND TRIM FROM DAMAGE DURING REMOVAL. RE: ELEC DRAWINGS FOR ADDITIONAL SCOPE.
- D. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.


KEY NOTES

- 1. WALL MOUNTED PLAQUE SIGN, OR ARTWORK REMOVED AND STORED FOR REINSTALLATION DURING PRIOR PHASE.
- 2. REMOVE AND SALVAGE WALL MOUNTED DIRECTORY.
- 3. REMOVE RADIATOR, TYP. RE: MECH DRAWINGS. REMOVE HEAT PROTECTION BOARD FROM WALL AS THEY OCCUR.
- 4. ORIGINAL PATH OF RADIATOR SUPPLY AND RETURN LINES, TYP.
- 5. REMOVE AND SALVAGE SAFE. RELOCATE PER OWNER.
- 6. REMOVE ALL SHELVING. REMOVE AND SALVAGE WALL MOUNTED PLAQUE AND PHONE BOARD. STORE PER OWNER.
- 7. REPAIR BUCKLING WOOD FLOOR. REMOVE, MODIFY, AND REINSTALL EXISTING BOARDS AS APPLICABLE.
- 8. REMOVE ALL SURFACE MOUNTED BOXES AND EQUIPMENT THROUGHOUT ROOM. RE: ELEC DRAWINGS FOR ADDITIONAL INFORMATION.

- 9. REMOVE DOOR AND FRAME.
- 10. REMOVE AND SALVAGE DIGITAL MASTER CLOCK AND CHIME CONTROL EQUIPMENT.
- 11. REMOVE SECURITY EQUIPMENT.
- 12. LAVATORY REMOVED AND SALVAGED DURING ABATEMENT AND SELECTIVE DEMOLITION. DISPOSE OF FAUCET. RESTORE LAVATORY AND PEDESTAL FOR REINSTALLATION.
- 13. REMOVE AND RESTORE TOILET FOR REINSTALLATION.
- 14. REMOVE AND DISPOSE OF TOILET.
- 15. REMOVE ALL RESTROOM ACCESSORIES AND SHELVES.
- 16. DEMO WALLS BETWEEN RESTROOM AND JANITOR CLOSET TO ALLOW FOR EXPANSION OF RESTROOM. REMOVE AND SALVAGE MARBLE WALL PANELS FOR REUSE. COORDINATE WITH NEW PLAN.
- 17. DEMO OPENING IN WALL FOR NEW DOOR. COORDINATE WITH NEW PLAN.
- 18. REMOVE CASEWORK.


- 19. REMOVE FIRE ALARM PANELS. RE: FIRE PROTECTION DRAWINGS.
- 20. DEMO MECH SYSTEM SERVING TRUMAN COURTROOM. RE: MECH DRAWINGS.
- 21. REMOVE WALL MOUNTED BOX.
- 22. REMOVE AND SALVAGE SURFACE MOUNTED MEDICINE CABINET FOR REINSTALLATION AT SECOND FLOOR RESTROOM.
- 23. SALVAGE EXISTING CABINETRY TO BE RESITUATED IN THIS ROOM. COORDINATE WITH NEW PLAN.
- 24. EXISTING SHELVING TO REMAIN.
- 25. REMOVE MASONRY INFILL OF ORIGINAL STRUCTURE OPENING FROM PREVIOUS RENOVATION. WIDTH SHOULD BE APPROXIMATELY 5'-0". FIELD VERIFY LOCATION OF EXISTING HEADER.
- 26. DEMO OPENING IN WALL FOR NEW DOOR. EXAMINE EXISTING CONSTRUCTION TO UTILIZE ORIGINAL DOOR OPENING THAT HAS BEEN WALLED IN.

- 27. DEMO SLAB FOR NEW ELEVATOR HOISTWAY (HATCHED). RE: STRUCTURAL FOR CLEARANCE AROUND NEW HOISTWAY. TEMPORARY SHORING, AND BRACING OF SLAB TO NEW HOISTWAY.



1 FIRST FLOOR DEMOLITION PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet-AD-101
 5/31/2012 11:43 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES


- A. WHERE DOORS ARE SHOWN AS DEMOLITION, CAREFULLY REMOVE AND SALVAGE DOOR, FRAME, CASING, AND HARDWARE UNLESS NOTED OTHERWISE. INVENTORY AND TRACK ORIGINAL LOCATION OF ALL ITEMS.
- B. CAREFULLY REMOVE WOOD SHOE AT ALL WOOD BASE THROUGHOUT THE BUILDING FOR REFINISHING AND REINSTALLATION UNLESS NOTED OTHERWISE. PROTECT BASE FROM DAMAGE.
- C. CAREFULLY REMOVE ALL SURFACE MOUNTED POWER OUTLETS, DATA JACKS, TELEPHONE, JACKS, JUNCTION BOXES, AND ASSOCIATED CONDUIT AND RACEWAYS THROUGHOUT THE BUILDING UNLESS NOTED OTHERWISE. PROTECT PLASTER AND WOOD DOORS AND TRIM FROM DAMAGE DURING REMOVAL. RE: ELEC DRAWINGS FOR ADDITIONAL NOTES.
- D. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.

KEY NOTES

- 1 WALL MOUNTED PLAQUE, SIGN, OR ARTWORK REMOVED AND STORED FOR REINSTALLATION DURING PRIOR PHASE.
- 2 REMOVE RADIATOR, TYP. RE: MECH DRAWINGS. REMOVE HEAT PROTECTION BOARD FROM WALL AS THEY OCCUR.
- 3 ORIGINAL PATH OF RADIATOR SUPPLY AND RETURN LINES, TYP.
- 4 REMOVE WOOD SHELVING.
- 5 REMOVE DRINKING FOUNTAIN.
- 6 REMOVE TELECOMMUNICATIONS PANELS.
- 7 REMOVE 1x TRIM BOARD.
- 8 SINK REMOVED AND SALVAGED DURING ABATEMENT AND SELECTIVE DEMOLITION. DISPOSE OF FAUCET. RESTORE LAVATORY AND PEDESTAL FOR REINSTALLATION.
- 9 REMOVE AND RESTORE TOILET FOR REINSTALLATION.
- 10 REMOVE BROKEN STONE SILL.
- 11 REMOVE WALL MOUNTED BOX.
- 12 REMOVE UPPER SUPPLY AND LOWER RETURN AIR GRILLE. OPENINGS TO BE WALLED-IN.
- 13 REMOVE ALL RESTROOM ACCESSORIES AND SHELVES.
- 14 REMOVE CHAIR RAIL.
- 15 REMOVE AND DISPOSE OF DOOR.
- 16 REMOVE PAINTED WOOD MOLDING ABOVE ACCESS DOOR.
- 17 REMOVE WOOD SHELF AT TOP OF STALL PARTITION.
- 18 REMOVE 2x4 FROM TOP EDGE OF STONE VENEER.
- 19 STONE STILES, TOP RAIL, SOME WALL PANELS, AND WOOD STALL DOORS HAVE BEEN REMOVED DURING ABATEMENT AND ARE STORED IN PLACE. PROTECT FROM DAMAGE FOR REUSE.

- 20 REMOVE WOOD STILE.
- 21 REMOVE RACEWAY.
- 22 REMOVE BASE FROM COLUMN.
- 23 EXISTING CASEWORK TO REMAIN.
- 24 REMOVE REFRIGERANT LINE FOR AHU SERVING TRUMAN COURTROOM BELOW.
- 25 REMOVE THRU-FLOOR CONDUIT.
- 26 REMOVE CASEWORK.
- 27 REMOVE POWER POLE.
- 28 REMOVE PARTIAL HEIGHT WOOD WALL.
- 29 REMOVE 1x EQUIPMENT PANEL AND ATTACHED EQUIPMENT.
- 30 EXISTING RADIATOR TO REMAIN FOR DISPLAY ONLY.
- 31 REMOVE AND DISPOSE OF DOOR, FRAME AND TRIM TO REMAIN FOR INSTALLATION OF NEW DOOR.

- 32 REMOVE DETERIORATING WOOD STEPS TO BE REBUILT.
- 33 DEMO OPENING IN MASONRY WALL TO ACCOMMODATE T-6" WIDE FINISHED OPENING CASED WITH WOOD TRIM TO MATCH EXISTING DOORWAYS. DEMO UP TO CLOSEST COURSE TO 8'-0".
- 34 DEMO OPENING IN MASONRY WALL TO ACCOMMODATE NEW 3'-0" x 7'-0" CASED OPENING. INSTALL STL LINTEL TO SUPPORT REMAINING WALL ABOVE.
- 35 DEMO SLAB FOR NEW ELEVATOR HOISTWAY (HATCHED). RE: STRUCTURAL FOR CLEARANCE AROUND NEW HOISTWAY, TEMPORARY SHORING, AND BRACING OF SLAB TO NEW HOISTWAY.



1 SECOND FLOOR DEMOLITION PLAN
 1/8" = 1'-0"


HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
 SECOND FLOOR DEMOLITION PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.



J:\Autocad\Projects\Jackson City Trm Cthse\COND\DOC\CORE\SHEET\AD-102
 5/31/2012 11:43 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051


GENERAL NOTES

A. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.

KEY NOTES

- 1 REMOVE RADIATOR, TYP. RE: MECH DRAWINGS. REMOVE HEAT PROTECTION BOARD FROM WALL AS THEY OCCUR.
- 2 ORIGINAL PATH OF RADIATOR SUPPLY AND RETURN LINES, TYP.
- 3 EXISTING SHELVING TO REMAIN.
- 4 REMOVE WOOD WALL AND STORAGE CABINET.
- 5 REMOVE WINDOW TO ACCOMMODATE NEW FRESH AIR DUCT AND LOUVER. RE: DETAIL.
- 6 DEMO OPENING IN MASONRY WALL TO ACCOMMODATE NEW EXHAUST DUCT AND LOUVER. COORDINATE LOCATION WITH EXTERIOR TRIM. RE: DETAIL.
- 7 REMOVE ROOF VENTILATOR. CURB TO REMAIN. RE: MECH DRAWINGS.
- 8 DEMO VERTICAL PATH THROUGH EXISTING SHELVING TO ACCOMMODATE NEW DUCTWORK. RE: MECHANICAL DRAWINGS.
- 9 EXISTING WOOD PLANK WALKING PATH OVER JOISTS.

- 10 EXISTING 2x CRIPPLE WALL SUPPORTING ROOF RAFTERS.
- 11 EXISTING ROUND WINDOW OPENING ACCESS TO PORTICO ATTIC SPACE.
- 12 EXISTING 1x8 FLOOR BOARDS OVER 2x6 CEILING JOISTS.
- 13 EXISTING GLAZED OPENINGS IN CEILING JOISTS FOR PORTICO LIGHTS.
- 14 EXISTING LIGHT FIXTURE AND 2x SUPPORT BEAM (SHOWN DASHED) HANGING ABOVE CEILING JOISTS. THREE PER PORTICO ATTIC.
- 15 DOUBLE 2x TOP PLATE ON TOP OF EXISTING MASONRY WALL.



1 | ATTIC DEMOLITION PLAN
 1/8" = 1'-0"


HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISD DATE	DESCRIPTION

SHEET TITLE & NUMBER
ATTIC DEMOLITION PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.






ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES

- A. LIGHT FIXTURES TO REMAIN MAY NEED TO BE REMOVED ON AN AS NEEDED BASIS TO ACCOMPLISH ANY RELAMPING PER THE ELEC DRAWINGS. RE: ELEC DRAWINGS.
- B. REMOVE ALL SURFACE MOUNTED ELECTRICAL RACEWAY ASSOCIATED WITH FIXTURES BEING REMOVED AND THAT WHICH IS NOT REQUIRED FOR FIXTURES TO REMAIN. PROTECT PLASTER AND WOOD TRIM FROM DAMAGE DURING REMOVAL.
- C. CAREFULLY REMOVE PLASTER CEILING AS REQUIRED TO INSTALL NEW MEP AND FIRE PROTECTION DEVICES AND ROUTING OF INFRASTRUCTURE TO SUPPORT THESE DEVICES. COORDINATE SYSTEMS PRIOR TO BEGINNING WORK TO MINIMIZE EXTENT OF EXISTING PLASTER CEILING THAT NEEDS TO BE REMOVED.
- D. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.

KEY NOTES

- 1 REMOVE LIGHT FIXTURE.
- 2 NOT USED.
- 3 REMOVE CEILING MOUNTED RADIATOR OR HEATER.
- 4 CROSS HATCHED AREA INDICATES AREA OF OVERHEAD FLOOR SLAB DEMO TO ACCOMMODATE NEW ELEVATOR. COORDINATE ADDITIONAL SELECTIVE DEMOLITION OF SLAB ON SOUTH AND WEST SIDES OF ELEVATOR FOR DUCTWORK WITH MECHANICAL DRAWINGS. DUCTWORK SLAB DEMO TO OCCUR BETWEEN CONCRETE JOISTS.
- 5 REMOVE CEILING MOUNTED SMOKE DETECTOR.
- 6 REMOVE WALL MOUNTED SMOKE DETECTOR.
- 7 REMOVE WALL MOUNTED FIRE ALARM HORN.



J:\Autocad\Projects\Jackson City Trm Ctr\Sheet\COND\CORE\Sheet AD-110

5/31/2012 11:44 AM

Piper-Wind Architects, Inc.


1 LOWER LEVEL CEILING DEMOLITION PLAN
 1/8" = 1'-0"


HISTORIC TRUMAN COURTHOUSE
INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISOR	
REVISION DATE	
DESCRIPTION	

SHEET TITLE & NUMBER
LOWER LEVEL CEILING DEMOLITION PLAN
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.





ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES


- A. LIGHT FIXTURES TO REMAIN MAY NEED TO BE REMOVED ON AN AS NEEDED BASIS TO ACCOMPLISH ANY RELAMPING PER THE ELEC DRAWINGS. RE: ELEC DRAWINGS.
- B. REMOVE ALL SURFACE MOUNTED ELECTRICAL RACEWAY ASSOCIATED WITH FIXTURES BEING REMOVED AND THAT WHICH IS NOT REQUIRED FOR FIXTURES TO REMAIN. PROTECT PLASTER AND WOOD TRIM FROM DAMAGE DURING REMOVAL.
- C. CAREFULLY REMOVE PLASTER CEILING AS REQUIRED TO INSTALL NEW MEP AND FIRE PROTECTION DEVICES AND ROUTING OF INFRASTRUCTURE TO SUPPORT THESE DEVICES. COORDINATE SYSTEMS PRIOR TO BEGINNING WORK TO MINIMIZE EXTENT OF EXISTING PLASTER CEILING THAT NEEDS TO BE REMOVED.
- D. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.

E. RESTRICTED ACCESS OVER CEILING AREAS:

APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES

- 1 REMOVE LIGHT FIXTURE.
- 2 LIGHT FIXTURE TO REMAIN.
- 3 REMOVE SUPPLY/RETURN AIR GRILLE.
- 4 REMOVE AND SALVAGE LIGHT FIXTURE LENS TO BE REFINISHED AND REINSTALLED.
- 5 REMOVE CEILING MOUNTED EXIT LIGHT.
- 6 REMOVE WALL MOUNTED SMOKE DETECTOR.
- 7 REMOVE WALL MOUNTED FIRE ALARM HORN.
- 8 EXISTING CEILING PLENUM ACCESS TO REMAIN.
- 9 CROSS HATCHED AREA INDICATES AREA OF OVERHEAD FLOOR SLAB DEMO TO ACCOMMODATE NEW ELEVATOR. COORDINATE ADDITIONAL SELECTIVE DEMOLITION OF SLAB ON SOUTH AND WEST SIDES OF ELEVATOR FOR DUCTWORK WITH MECHANICAL DRAWINGS. DUCTWORK SLAB DEMO TO OCCUR BETWEEN CONCRETE JOISTS.



1 FIRST FLOOR CEILING DEMOLITION PLAN
 1/8" = 1'-0"

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMBR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**FIRST FLOOR
 CEILING
 DEMOLITION PLAN**
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

AD-111

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\AD-111
 5/31/2012 11:46 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**SECOND FLOOR
 CEILING
 DEMOLITION PLAN**
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

AD-112

GENERAL NOTES


- A. LIGHT FIXTURES TO REMAIN MAY NEED TO BE REMOVED ON AN AS NEEDED BASIS TO ACCOMPLISH ANY RELAMPING PER THE ELEC DRAWINGS. RE: ELEC DRAWINGS.
- B. REMOVE ALL SURFACE MOUNTED ELECTRICAL RACEWAY ASSOCIATED WITH FIXTURES BEING REMOVED AND THAT WHICH IS NOT REQUIRED FOR FIXTURES TO REMAIN. PROTECT PLASTER AND WOOD TRIM FROM DAMAGE DURING REMOVAL.
- C. CAREFULLY REMOVE PLASTER CEILING AS REQUIRED TO INSTALL NEW MEP AND FIRE PROTECTION DEVICES AND ROUTING OF INFRASTRUCTURE TO SUPPORT THESE DEVICES. COORDINATE SYSTEMS PRIOR TO BEGINNING WORK TO MINIMIZE EXTENT OF EXISTING PLASTER CEILING THAT NEEDS TO BE REMOVED.
- D. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.

E. RESTRICTED ACCESS OVER CEILING AREAS:

APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.


KEY NOTES

- 1 REMOVE LIGHT FIXTURE.
- 2 LIGHT FIXTURE TO REMAIN.
- 3 REMOVE WALL MOUNTED SMOKE DETECTOR.
- 4 REMOVE WALL MOUNTED FIRE ALARM HORN.
- 5 EXISTING CEILING PLENUM ACCESS TO REMAIN.
- 6 CROSS HATCHED AREA INDICATES AREA OF OVERHEAD PLASTER CEILING DEMO TO ACCOMMODATE NEW ELEVATOR. COORDINATE ADDITIONAL SELECTIVE DEMOLITION OF SLAB ON SOUTH AND WEST SIDES OF ELEVATOR FOR DUCTWORK WITH MECHANICAL DRAWINGS. DUCTWORK SLAB DEMO TO OCCUR BETWEEN CONCRETE JOISTS.
- 7 REMOVE LIGHT FIXTURE IN ORDER TO RESTORE TO ORIGINAL CONDITION. REPLICATE MISSING PARTS TO EMULATE EXISTING FIXTURE AT CENTER OF BRADY COURTROOM.
- 8 EXISTING WALL MOUNTED EXIT LIGHT TO REMAIN.
- 9 REMOVE WALL MOUNTED ELECTRIC HEATER.



1 SECOND FLOOR CEILING DEMOLITION PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\AD-112
 5/31/2012 11:45 AM
 Piper-Wind Architects, Inc.




ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES

- A. LIGHT FIXTURES TO REMAIN MAY NEED TO BE REMOVED ON AN AS NEEDED BASIS TO ACCOMPLISH ANY RELAMPING PER THE ELEC DRAWINGS. RE: ELEC DRAWINGS.
- B. REMOVE ALL SURFACE MOUNTED ELECTRICAL RACEWAY ASSOCIATED WITH FIXTURES BEING REMOVED AND THAT WHICH IS NOT REQUIRED FOR FIXTURES TO REMAIN.
- C. CAREFULLY REMOVE PLASTER CEILING AS REQUIRED TO INSTALL NEW MEP AND FIRE PROTECTION DEVICES AND ROUTING OF INFRASTRUCTURE TO SUPPORT THESE DEVICES. COORDINATE SYSTEMS PRIOR TO BEGINNING WORK TO MINIMIZE EXTENT OF EXISTING PLASTER CEILING THAT NEEDS TO BE REMOVED.
- D. ADDITIONAL DEMOLITION, NOT SHOWN, MAY BE REQUIRED TO COMPLETE INSTALLATION OF NEW WORK.

KEY NOTES

- ① REMOVE LIGHT FIXTURE.
- ② LIGHT FIXTURE TO REMAIN.
- ③ REMOVE CEILING MOUNTED SMOKE DETECTOR.



J:\Autocad\Projects\Jackson_City_Trmn_Ctr\sheet\COND\CC\CORE_Sheet\AD-113

5/31/2012 11:45 AM

Piper-Wind Architects, Inc.

1 | ATTIC CEILING DEMOLITION PLAN
 1/8" = 1'-0"
 0 4 8 16

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISION DATE	DESCRIPTION


SHEET TITLE & NUMBER
 ATTIC CEILING DEMOLITION PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.



GENERAL NOTES

- A. REFER TO QUADRANT PLANS FOR DETAILED SCOPE NOTES.
- B. REFERENCES TO ENLARGED PLANS, ELEVATIONS, SECTIONS, DOOR TAGS, ETC. ARE FOUND ON QUADRANT PLANS.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER

LOWER LEVEL
 FLOOR PLAN


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-100



1 LOWER LEVEL FLOOR PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Cthse\COND\DOC\CORE_Sheet\A-100
 5/16/2012 10:25 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL FLOOR PLAN
NE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-100.1

GENERAL NOTES

- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.


KEY NOTES

- 1 CLEAN AND PAINT ALL EXPOSED WALL SURFACES IN TUNNEL.
- 2 INSTALL NEW ROLLER SHADES. RE: DETAILS. SHADE IN RESTROOM TO BE FIXED IN DOWN POSITION WITH HOLD DOWN CLIPS.
- 3 REFINISH AND REINSTALL DECORATIVE GRILLE OVER WINDOW.
- 4 THRESHOLD RAMP UP TO RAISED FLOOR FOR HIGH DENSITY FILING SYSTEM.
- 5 FLOOR RAILS FOR HIGH DENSITY FILING SYSTEM. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. PROVIDE NEW RAILS AS NEEDED TO SPLIT FILES INTO TWO LOCATIONS AS SHOWN.
- 6 INSTALL OWNER PROVIDED HIGH DENSITY FILING SYSTEM. MODIFY FIXED CARRIAGE TO PROVIDE STATIONARY SHELVING ON NORTH WALL OF STORAGE 002A AS SHOWN.
- 7 NEW ALL GLASS WALL PARTITION AND DOOR(S). RE: ELEVATION.
- 8 REFINISH STEEL ACCORDION SECURITY GATE. REINSTALL IN FIXED OPEN POSITION AS SHOWN.
- 9 PROVIDE FLOORING BORDER SIM TO FIRST FLOOR CORRIDORS. RFT-1 BORDER WITH RFT-2 FIELD.
- 10 SOLID SURFACE COUNTER TOP OVER PLASTIC LAMINATE BASE CABINET. RE: ELEVATIONS.
- 11 NOFIRNO OR APPROVED EQUAL PIPE PENETRATION CLOSURE SYSTEM.
- 12 REINSTALL WINDOW SALVAGED FROM DEMOLITION. MATCH ORIGINAL INSTALLATION.
- 13 REPAIR PLASTER WALL. PROVIDE NEW FURRING AND MESH WHERE EXISTING IS DAMAGED AND/OR MISSING.
- 14 INSTALL NEW FRESH AIR INTAKE LOUVER. RE: MECH DRAWINGS.
- 15 REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- 16 RESILIENT FLOOR TILE. RFT-1 BORDER WITH RFT-3 FIELD.
- 17 NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
- 18 DOOR TO BE LOCKED IN CLOSED POSITION.
- 19 REPAIR PLASTER WALL WHERE SHOWER WAS REMOVED.
- 20 REPAIR CONCRETE FLOOR WHERE RAISED CONCRETE SHOWER FLOOR WAS REMOVED.
- 21 FURR WALL WITH 5/8" GYP BOARD OVER MTL STUDS TO BE FLUSH WITH EXISTING WALL.
- 22 REFINISH STEEL BUNKS.
- 23 NOT USED.
- 24 ENCLOSURE AROUND DUCT AND GRILLE PER MECHANICAL. INSIDE FACE FLUSH WITH FACE OF EXISTING WALL. 5/8" GYP BOARD OVER 1-1/2" MTL STUDS. EXISTING 1/2" MARBLE SILL OVERHANG TO REMAIN EXPOSED. PROVIDE AND INSTALL NEW WINDOW TO FILL IN REMAINDER OF EXISTING OPENING. REINSTALL EXISTING EXTERIOR DECORATIVE METAL GRILLE ACROSS OPENING.



1 LOWER LEVEL FLOOR PLAN - NE QUAD
 1/4" = 1'-0"

5/16/2012 10:25 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\sheet\COND\DOC\CORE_Sheet\A-100.1
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL FLOOR PLAN SE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-100.2

GENERAL NOTES


- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.

KEY NOTES

- 1 CLEAN AND PAINT ALL EXPOSED WALL SURFACES IN TUNNEL.
- 2 INSTALL NEW ROLLER SHADES. RE: DETAILS. SHADE IN RESTROOM TO BE FIXED IN DOWN POSITION WITH HOLD DOWN CLIPS.
- 3 REFINISH AND REINSTALL DECORATIVE GRILLE OVER WINDOW.
- 4 THRESHOLD RAMP UP TO RAISED FLOOR FOR HIGH DENSITY FILING SYSTEM.
- 5 FLOOR RAILS FOR HIGH DENSITY FILING SYSTEM. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. PROVIDE NEW RAILS AS NEEDED TO SPLIT FILES INTO TWO LOCATIONS AS SHOWN.
- 6 INSTALL OWNER PROVIDED HIGH DENSITY FILING SYSTEM. MODIFY FIXED CARRIAGE TO PROVIDE STATIONARY SHELVING ON NORTH WALL OF STORAGE 002A AS SHOWN.
- 7 NEW ALL GLASS WALL PARTITION AND DOOR(S). RE: ELEVATION.
- 8 REFINISH STEEL ACCORDION SECURITY GATE. REINSTALL IN FIXED OPEN POSITION AS SHOWN.
- 9 PROVIDE FLOORING BORDER SIM TO FIRST FLOOR CORRIDORS. RFT-1 BORDER WITH RFT-2 FIELD.
- 10 SOLID SURFACE COUNTER TOP OVER PLASTIC LAMINATE BASE CABINET. RE: ELEVATIONS.
- 11 NOFRINO OR APPROVED EQUAL PIPE PENETRATION CLOSURE SYSTEM.
- 12 REINSTALL WINDOW SALVAGED FROM DEMOLITION. MATCH ORIGINAL INSTALLATION.
- 13 REPAIR PLASTER WALL. PROVIDE NEW FURRING AND MESH WHERE EXISTING IS DAMAGED AND/OR MISSING.
- 14 INSTALL NEW FRESH AIR INTAKE LOUVER. RE: MECH DRAWINGS.
- 15 REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- 16 RESILIENT FLOOR TILE. RFT-1 BORDER WITH RFT-3 FIELD.
- 17 NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
- 18 DOOR TO BE LOCKED IN CLOSED POSITION.
- 19 REPAIR PLASTER WALL WHERE SHOWER WAS REMOVED.
- 20 REPAIR CONCRETE FLOOR WHERE RAISED CONCRETE SHOWER FLOOR WAS REMOVED.
- 21 FURR WALL WITH 5/8" GYP BOARD OVER MTL STUDS TO BE FLUSH WITH EXISTING WALL.
- 22 REFINISH STEEL BUNKS.
- 23 NOT USED.
- 24 ENCLOSURE AROUND DUCT AND GRILLE PER MECHANICAL. INSIDE FACE FLUSH WITH FACE OF EXISTING WALL. 5/8" GYP BOARD OVER 1-1/2" MTL STUDS. EXISTING 1/2" MARBLE SILL OVERHANG TO REMAIN EXPOSED. PROVIDE AND INSTALL NEW WINDOW TO FILL IN REMAINDER OF EXISTING OPENING. REINSTALL EXISTING EXTERIOR DECORATIVE METAL GRILLE ACROSS OPENING.



5/31/2012 11:57 AM I:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\DOC\CORE_Sheet\A-100.2 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL FLOOR PLAN
SW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-100.3

GENERAL NOTES

- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.


KEY NOTES

- 1 CLEAN AND PAINT ALL EXPOSED WALL SURFACES IN TUNNEL.
- 2 INSTALL NEW ROLLER SHADES. RE: DETAILS. SHADE IN RESTROOM TO BE FIXED IN DOWN POSITION WITH HOLD DOWN CLIPS.
- 3 REFINISH AND REINSTALL DECORATIVE GRILLE OVER WINDOW.
- 4 THRESHOLD RAMP UP TO RAISED FLOOR FOR HIGH DENSITY FILING SYSTEM.
- 5 FLOOR RAILS FOR HIGH DENSITY FILING SYSTEM. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. PROVIDE NEW RAILS AS NEEDED TO SPLIT FILES INTO TWO LOCATIONS AS SHOWN.
- 6 INSTALL OWNER PROVIDED HIGH DENSITY FILING SYSTEM. MODIFY FIXED CARRIAGE TO PROVIDE STATIONARY SHELVING ON NORTH WALL OF STORAGE 002A AS SHOWN.
- 7 NEW ALL GLASS WALL PARTITION AND DOOR(S). RE: ELEVATION.
- 8 REFINISH STEEL ACCORDION SECURITY GATE. REINSTALL IN FIXED OPEN POSITION AS SHOWN.
- 9 PROVIDE FLOORING BORDER SIM TO FIRST FLOOR CORRIDORS. RFT-1 BORDER WITH RFT-2 FIELD.
- 10 SOLID SURFACE COUNTER TOP OVER PLASTIC LAMINATE BASE CABINET. RE: ELEVATIONS.
- 11 NOFIRNO OR APPROVED EQUAL PIPE PENETRATION CLOSURE SYSTEM.
- 12 REINSTALL WINDOW SALVAGED FROM DEMOLITION. MATCH ORIGINAL INSTALLATION.
- 13 REPAIR PLASTER WALL. PROVIDE NEW FURRING AND MESH WHERE EXISTING IS DAMAGED AND/OR MISSING.
- 14 INSTALL NEW FRESH AIR INTAKE LOUVER. RE: MECH DRAWINGS.
- 15 REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- 16 RESILIENT FLOOR TILE. RFT-1 BORDER WITH RFT-3 FIELD.
- 17 NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
- 18 DOOR TO BE LOCKED IN CLOSED POSITION.
- 19 REPAIR PLASTER WALL WHERE SHOWER WAS REMOVED.
- 20 REPAIR CONCRETE FLOOR WHERE RAISED CONCRETE SHOWER FLOOR WAS REMOVED.
- 21 FURR WALL WITH 5/8" GYP BOARD OVER MTL STUDS TO BE FLUSH WITH EXISTING WALL.
- 22 REFINISH STEEL BUNKS.
- 23 NOT USED.
- 24 ENCLOSURE AROUND DUCT AND GRILLE PER MECHANICAL. INSIDE FACE FLUSH WITH FACE OF EXISTING WALL. 5/8" GYP BOARD OVER 1-1/2" MTL STUDS. EXISTING 1/2" MARBLE SILL OVERHANG TO REMAIN EXPOSED. PROVIDE AND INSTALL NEW WINDOW TO FILL IN REMAINDER OF EXISTING OPENING. REINSTALL EXISTING EXTERIOR DECORATIVE METAL GRILLE ACROSS OPENING.



1 LOWER LEVEL FLOOR PLAN - SW QUAD
 1/4" = 1'-0"

5/31/2012 11:56 AM
 J:\Autocad\Projects\Jackson City Trm Courthouse\CONDOCC\CORE\Sheet\A-100.3
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL FLOOR PLAN
NW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-100.4

GENERAL NOTES

- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.

KEY NOTES


- 1 CLEAN AND PAINT ALL EXPOSED WALL SURFACES IN TUNNEL.
- 2 INSTALL NEW ROLLER SHADES. RE: DETAILS. SHADE IN RESTROOM TO BE FIXED IN DOWN POSITION WITH HOLD DOWN CLIPS.
- 3 REFINISH AND REINSTALL DECORATIVE GRILLE OVER WINDOW.
- 4 THRESHOLD RAMP UP TO RAISED FLOOR FOR HIGH DENSITY FILING SYSTEM.
- 5 FLOOR RAILS FOR HIGH DENSITY FILING SYSTEM. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. PROVIDE NEW RAILS AS NEEDED TO SPLIT FILES INTO TWO LOCATIONS AS SHOWN.
- 6 INSTALL OWNER PROVIDED HIGH DENSITY FILING SYSTEM. MODIFY FIXED CARRIAGE TO PROVIDE STATIONARY SHELVING ON NORTH WALL OF STORAGE 002A AS SHOWN.
- 7 NEW ALL GLASS WALL PARTITION AND DOOR(S). RE: ELEVATION.
- 8 REFINISH STEEL ACCORDION SECURITY GATE. REINSTALL IN FIXED OPEN POSITION AS SHOWN.
- 9 PROVIDE FLOORING BORDER SIM TO FIRST FLOOR CORRIDORS. RFT-1 BORDER WITH RFT-2 FIELD.
- 10 SOLID SURFACE COUNTER TOP OVER PLASTIC LAMINATE BASE CABINET. RE: ELEVATIONS.
- 11 NOFIRNO OR APPROVED EQUAL PIPE PENETRATION CLOSURE SYSTEM.
- 12 REINSTALL WINDOW SALVAGED FROM DEMOLITION. MATCH ORIGINAL INSTALLATION.
- 13 REPAIR PLASTER WALL. PROVIDE NEW FURRING AND MESH WHERE EXISTING IS DAMAGED AND/OR MISSING.
- 14 INSTALL NEW FRESH AIR INTAKE LOUVER. RE: MECH DRAWINGS.
- 15 REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- 16 RESILIENT FLOOR TILE. RFT-1 BORDER WITH RFT-3 FIELD.
- 17 NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
- 18 DOOR TO BE LOCKED IN CLOSED POSITION.
- 19 REPAIR PLASTER WALL WHERE SHOWER WAS REMOVED.
- 20 REPAIR CONCRETE FLOOR WHERE RAISED CONCRETE SHOWER FLOOR WAS REMOVED.
- 21 FURR WALL WITH 5/8" GYP BOARD OVER MTL STUDS TO BE FLUSH WITH EXISTING WALL.
- 22 REFINISH STEEL BUNKS.
- 23 NOT USED.
- 24 ENCLOSURE AROUND DUCT AND GRILLE PER MECHANICAL. INSIDE FACE FLUSH WITH FACE OF EXISTING WALL. 5/8" GYP BOARD OVER 1-1/2" MTL STUDS. EXISTING 1/2" MARBLE SILL OVERHANG TO REMAIN EXPOSED. PROVIDE AND INSTALL NEW WINDOW TO FILL IN REMAINDER OF EXISTING OPENING. REINSTALL EXISTING EXTERIOR DECORATIVE METAL GRILLE ACROSS OPENING.



1 LOWER LEVEL FLOOR PLAN - NW QUAD
 1/4" = 1'-0"

5/31/2012 11:55 AM J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\CCORE_Sheet\A-100.4
 Piper-Wind Architects, Inc.

- GENERAL NOTES
- A. REFER TO QUADRANT PLANS FOR DETAILED SCOPE NOTES.
 - B. REFERENCES TO ENLARGED PLANS, ELEVATIONS, SECTIONS, DOOR TAGS, ETC. ARE FOUND ON QUADRANT PLANS.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
FIRST FLOOR PLAN


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-101



1 FIRST FLOOR PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\A-101
 5/16/2012 10:26 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISOR	
REVISION	

SHEET TITLE & NUMBER
FIRST FLOOR PLAN
NE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-101.1

GENERAL NOTES


- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- E. ALL WINDOWS TO RECEIVE NEW ROLLER SHADES. RE: DETAILS.

KEY NOTES

- ◆ REINSTALL WALL MOUNTED DIRECTORY MODIFIED PER SIGNAGE SCHEDULE.
- ◆ REINSTALL WALL MOUNTED PLAQUE, SIGN, OR ARTWORK PROVIDED BY OWNER. RE: ELEVATIONS.
- ◆ NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH VISIBLE HOLES IN MARBLE VENEER.
- ◆ NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- ◆ NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOARD OVER 3-5/8" MTL STUDS.
- ◆ REMOVE PAINT FROM STAINED WOOD WALL PLATE. REFINISH TO MATCH EXISTING IF STAINED FINISH IS DAMAGED DURING PAINT REMOVAL.
- ◆ NEW ALL GLASS WALL PARTITION AND DOUBLE DOORS. RE: ELEVATION.
- ◆ PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.


- ◆ REINSTALL EXISTING FRAME AND DOOR ROTATED 180°. REINSTALL CASING.
- ◆ WALL-IN OLD ELEG PANEL LOCATION.
- ◆ 1'-6" x 3'-0" STAINED WOOD ACCESS PANEL IN NEW 2-1/2" MTL STUD WALL WITH 5/8" GYP BOARD VENEER. RE: DETAILS.
- ◆ MODIFY REMOVED FLOOR BOARDS IN THIS AREA AS NECESSARY TO REPAIR BUCKLE IN FLOORING. REINSTALL TO PROVIDE A FLAT, TIGHT INSTALLATION.
- ◆ DOOR TO BE LOCKED IN CLOSED POSITION.
- ◆ REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.
- ◆ RELOCATE CABINET UNIT SALVAGED FROM THIS ROOM TO THIS LOCATION. INSTALL WITH DOORS AND DRAWERS FACING SOUTH. THOROUGHLY CLEAN UNIT INSIDE AND OUT. REMOVE CABLES AND ALL HOOKS/FASTENERS FROM EXPOSED SURFACES. ADJUST HARDWARE AS NEEDED TO SQUARE DOORS IN OPENINGS AND ENSURE SMOOTH DRAWER OPERATION. CUT AND REMOVE BASE AT WEST WALL TO ACCOMMODATE INSTALLATION.

- ◆ REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- ◆ RAISED FLOOR WITH RAILING AT EXPOSED EDGES. RE: ELEVATIONS AND DETAILS.
- ◆ SOLID SURFACE TRANSACTION COUNTER AND EMPLOYEE WORK SURFACE. RE: ELEVATIONS AND DETAILS.
- ◆ NEW TIME LOCK VAULT DOOR.
- ◆ NEW FIRE ALARM PANEL. RE: FIRE ALARM DRAWINGS.
- ◆ NOT USED.
- ◆ PAINTED WOOD ADJUSTABLE SHELVES.
- ◆ NEW BASE CABINET AND SINK.
- ◆ NEW FAN COIL UNIT PER MECH DRAWINGS WITH DECORATIVE COVER. RE: /A-5_ FOR DETAILS.
- ◆ NEW RECESSED FAN COIL UNIT BELOW FIRE HOSE CABINET PER MECH DRAWINGS. RE: /A-5_ FOR DETAILS.



1 FIRST FLOOR PLAN - NE QUAD
 1/4" = 1'-0"

5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\A-101.1
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES


- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- E. ALL WINDOWS TO RECEIVE NEW ROLLER SHADES. RE: DETAILS.

KEY NOTES

- 1 REINSTALL WALL MOUNTED DIRECTORY MODIFIED PER SIGNAGE SCHEDULE.
- 2 REINSTALL WALL MOUNTED PLAQUE, SIGN, OR ARTWORK PROVIDED BY OWNER. RE: ELEVATIONS.
- 3 NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH VISIBLE HOLES IN MARBLE VENEER.
- 4 NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- 5 NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOAR OVER 3-5/8" MTL STUDS.
- 6 REMOVE PAINT FROM STAINED WOOD WALL PLATE. REFINISH TO MATCH EXISTING IF STAINED FINISH IS DAMAGED DURING PAINT REMOVAL.
- 7 NEW ALL GLASS WALL PARTITION AND DOUBLE DOORS. RE: ELEVATION.
- 8 PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.

- 9 REINSTALL EXISTING FRAME AND DOOR ROTATED 180°. REINSTALL CASING.
- 10 WALL-IN OLD ELEG PANEL LOCATION.
- 11 1'-6" W x 3'-0" H STAINED WOOD ACCESS PANEL IN NEW 2-1/2" MTL STUD WALL WITH 5/8" GYP BOARD VENEER. RE: DETAILS.
- 12 MODIFY REMOVED FLOOR BOARDS IN THIS AREA AS NECESSARY TO REPAIR BUCKLE IN FLOORING. REINSTALL TO PROVIDE A FLAT, TIGHT INSTALLATION.
- 13 DOOR TO BE LOCKED IN CLOSED POSITION.
- 14 REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.
- 15 RELOCATE CABINET UNIT SALVAGED FROM THIS ROOM TO THIS LOCATION. INSTALL WITH DOORS AND DRAWERS FACING SOUTH. THOROUGHLY CLEAN UNIT INSIDE AND OUT. REMOVE CABLES AND ALL HOOKS/FASTENERS FROM EXPOSED SURFACES. ADJUST HARDWARE AS NEEDED TO SQUARE DOORS IN OPENINGS AND ENSURE SMOOTH DRAWER OPERATION. CUT AND REMOVE BASE AT WEST WALL TO ACCOMMODATE INSTALLATION.

- 16 REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- 17 RAISED FLOOR WITH RAILING AT EXPOSED EDGES. RE: ELEVATIONS AND DETAILS.
- 18 SOLID SURFACE TRANSACTION COUNTER AND EMPLOYEE WORK SURFACE. RE: ELEVATIONS AND DETAILS.
- 19 NEW TIME LOCK VAULT DOOR.
- 20 NEW FIRE ALARM PANEL. RE: FIRE ALARM DRAWINGS.
- 21 NOT USED.
- 22 PAINTED WOOD ADJUSTABLE SHELVES.
- 23 NEW BASE CABINET AND SINK.
- 24 NEW FAN COIL UNIT PER MECH DRAWINGS WITH DECORATIVE COVER. RE: A-5_ FOR DETAILS.
- 25 NEW RECESSED FAN COIL UNIT BELOW FIRE HOSE CABINET PER MECH DRAWINGS. RE: A-5_ FOR DETAILS.



1 FIRST FLOOR PLAN - SE QUAD
 1/4" = 1'-0"

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
FIRST FLOOR PLAN SE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-101.2

5/16/2012 10:26 AM
 I:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\DOC\CORE\Sheet\A-101.2
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES


- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- E. ALL WINDOWS TO RECEIVE NEW ROLLER SHADES. RE: DETAILS.

KEY NOTES

- 1. REINSTALL WALL MOUNTED DIRECTORY MODIFIED PER SIGNAGE SCHEDULE.
- 2. REINSTALL WALL MOUNTED PLAQUE, SIGN, OR ARTWORK PROVIDED BY OWNER. RE: ELEVATIONS.
- 3. NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH VISIBLE HOLES IN MARBLE VENEER.
- 4. NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- 5. NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOAR OVER 3-5/8" MTL STUDS.
- 6. REMOVE PAINT FROM STAINED WOOD WALL PLATE. REFINISH TO MATCH EXISTING IF STAINED FINISH IS DAMAGED DURING PAINT REMOVAL.
- 7. NEW ALL GLASS WALL PARTITION AND DOUBLE DOORS. RE: ELEVATION.
- 8. PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.

- 9. REINSTALL EXISTING FRAME AND DOOR ROTATED 180°. REINSTALL CASING.
- 10. WALL-IN OLD ELEG PANEL LOCATION.
- 11. 1'-6" x 3'-0" STAINED WOOD ACCESS PANEL IN NEW 2-1/2" MTL STUD WALL WITH 5/8" GYP BOARD VENEER. RE: DETAILS.
- 12. MODIFY REMOVED FLOOR BOARDS IN THIS AREA AS NECESSARY TO REPAIR BUCKLE IN FLOORING. REINSTALL TO PROVIDE A FLAT, TIGHT INSTALLATION.
- 13. DOOR TO BE LOCKED IN CLOSED POSITION.
- 14. REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.
- 15. RELOCATE CABINET UNIT SALVAGED FROM THIS ROOM TO THIS LOCATION. INSTALL WITH DOORS AND DRAWERS FACING SOUTH. THOROUGHLY CLEAN UNIT INSIDE AND OUT. REMOVE CABLES AND ALL HOOKS/FASTENERS FROM EXPOSED SURFACES. ADJUST HARDWARE AS NEEDED TO SQUARE DOORS IN OPENINGS AND ENSURE SMOOTH DRAWER OPERATION. CUT AND REMOVE BASE AT WEST WALL TO ACCOMMODATE INSTALLATION.

- 16. REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- 17. RAISED FLOOR WITH RAILING AT EXPOSED EDGES. RE: ELEVATIONS AND DETAILS.
- 18. SOLID SURFACE TRANSACTION COUNTER AND EMPLOYEE WORK SURFACE. RE: ELEVATIONS AND DETAILS.
- 19. NEW TIME LOCK VAULT DOOR.
- 20. NEW FIRE ALARM PANEL. RE: FIRE ALARM DRAWINGS.
- 21. NOT USED.
- 22. PAINTED WOOD ADJUSTABLE SHELVES.
- 23. NEW BASE CABINET AND SINK.
- 24. NEW FAN COIL UNIT PER MECH DRAWINGS WITH DECORATIVE COVER. RE: /A-5_ FOR DETAILS.
- 25. NEW RECESSED FAN COIL UNIT BELOW FIRE HOSE CABINET PER MECH DRAWINGS. RE: /A-5_ FOR DETAILS.



1 FIRST FLOOR PLAN - SW QUAD

1/4" = 1'-0"




HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISY BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
FIRST FLOOR PLAN SW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-101.3



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAM/SAK/MDB
CHECKED BY	EP
REVISD DATE	DESCRIPTION

SHEET TITLE & NUMBER
FIRST FLOOR PLAN
NW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-101.4

GENERAL NOTES


- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- E. ALL WINDOWS TO RECEIVE NEW ROLLER SHADES. RE: DETAILS.

KEY NOTES

- 1 REINSTALL WALL MOUNTED DIRECTORY MODIFIED PER SIGNAGE SCHEDULE.
- 2 REINSTALL WALL MOUNTED PLAQUE, SIGN, OR ARTWORK PROVIDED BY OWNER. RE: ELEVATIONS.
- 3 NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH VISIBLE HOLES IN MARBLE VENEER.
- 4 NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- 5 NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOARD OVER 3-5/8" MTL STUDS.
- 6 REMOVE PAINT FROM STAINED WOOD WALL PLATE. REFINISH TO MATCH EXISTING IF STAINED FINISH IS DAMAGED DURING PAINT REMOVAL.
- 7 NEW ALL GLASS WALL PARTITION AND DOUBLE DOORS. RE: ELEVATION.
- 8 PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.

- 9 REINSTALL EXISTING FRAME AND DOOR ROTATED 180°. REINSTALL CASING.
- 10 WALL-IN OLD ELEG PANEL LOCATION.
- 11 1'-6" x 3'-0" H STAINED WOOD ACCESS PANEL IN NEW 2-1/2" MTL STUD WALL WITH 5/8" GYP BOARD VENEER. RE: DETAILS.
- 12 MODIFY REMOVED FLOOR BOARDS IN THIS AREA AS NECESSARY TO REPAIR BUCKLE IN FLOORING. REINSTALL TO PROVIDE A FLAT, TIGHT INSTALLATION.
- 13 DOOR TO BE LOCKED IN CLOSED POSITION.
- 14 REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.
- 15 RELOCATE CABINET UNIT SALVAGED FROM THIS ROOM TO THIS LOCATION. INSTALL WITH DOORS AND DRAWERS FACING SOUTH. THOROUGHLY CLEAN UNIT INSIDE AND OUT. REMOVE CABLES AND ALL HOOKS/FASTENERS FROM EXPOSED SURFACES. ADJUST HARDWARE AS NEEDED TO SQUARE DOORS IN OPENINGS AND ENSURE SMOOTH DRAWER OPERATION. CUT AND REMOVE BASE AT WEST WALL TO ACCOMMODATE INSTALLATION.

- 16 REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- 17 RAISED FLOOR WITH RAILING AT EXPOSED EDGES. RE: ELEVATIONS AND DETAILS.
- 18 SOLID SURFACE TRANSACTION COUNTER AND EMPLOYEE WORK SURFACE. RE: ELEVATIONS AND DETAILS.
- 19 NEW TIME LOCK VAULT DOOR.
- 20 NEW FIRE ALARM PANEL. RE: FIRE ALARM DRAWINGS.
- 21 NOT USED.
- 22 PAINTED WOOD ADJUSTABLE SHELVES.
- 23 NEW BASE CABINET AND SINK.
- 24 NEW FAN COIL UNIT PER MECH DRAWINGS WITH DECORATIVE COVER. RE: /A-5_ FOR DETAILS.
- 25 NEW RECESSED FAN COIL UNIT BELOW FIRE HOSE CABINET PER MECH DRAWINGS. RE: /A-5_ FOR DETAILS.




1 FIRST FLOOR PLAN - NW QUAD
 1/4" = 1'-0"

J:\Autocad\Projects\Jackson City Trm Crhs\1-COND\CORE SHEET\A-101.4
 5/16/2012 10:26 AM
 Piper-Wind Architects, Inc.

GENERAL NOTES

- A. REFER TO QUADRANT PLANS FOR DETAILED SCOPE NOTES.
- B. REFERENCES TO ENLARGED PLANS, ELEVATIONS, SECTIONS, DOOR TAGS, ETC. ARE FOUND ON QUADRANT PLANS.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER

SECOND FLOOR PLAN


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-102



1 SECOND FLOOR PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_CtHse\COND\DOC\CORE_Sheet\A-102
 5/16/2012 10:26 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	EP
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
SECOND FLOOR PLAN
NE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-102.1

GENERAL NOTES

- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- E. ALL WINDOWS TO RECEIVE NEW ROLLER SHADES EXCEPT (3) WINDOWS IN CIRCUIT COURTROOM 217 AND (5) WINDOWS IN LOBBY 201. RE: DETAILS.


KEY NOTES

- ◇ NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
- ◇ NOT USED.
- ◇ NEW ALL GLASS PARTITION AND DOOR(S). RE: ELEVATIONS.
- ◇ REPAIR PLASTER WALL WHERE DRINKING FOUNTAIN WAS REMOVED.
- ◇ NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH HOLES IN MARBLE VENEER.
- ◇ NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- ◇ NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOAR OVER 3-5/8" MTL STUDS.
- ◇ PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.
- ◇ WALL-IN OLD TELEPHONE PANEL LOCATION.
- ◇ REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- ◇ REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.



1 SECOND FLOOR PLAN - NE QUAD
 1/4" = 1'-0"

5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\DOC\CORE_Sheet\A-102.1
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051


GENERAL NOTES

- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- E. ALL WINDOWS TO RECEIVE NEW ROLLER SHADES EXCEPT (3) WINDOWS IN CIRCUIT COURTROOM 217 AND (5) WINDOWS IN LOBBY 201. RE: DETAILS.

KEY NOTES

- ◇ NEW ALL GLASS PARTITION AND DOOR(S). RE: ELEVATIONS.
- ◇ REPAIR PLASTER WALL WHERE DRINKING FOUNTAIN WAS REMOVED.
- ◇ NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH HOLES IN MARBLE VENEER.
- ◇ NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- ◇ NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOAR OVER 3-5/8" MTL STUDS.
- ◇ PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.
- ◇ WALL-IN OLD TELEPHONE PANEL LOCATION.
- ◇ REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- ◇ REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.

- ◇ NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
- ◇ NOT USED.



HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
SECOND FLOOR PLAN SE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-102.2

5/16/2012 10:26 AM J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\DOC\CORE_Sheet\A-102.2
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051



GENERAL NOTES

- A. KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
- B. REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
- C. REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
- D. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- E. ALL WINDOWS TO RECEIVE NEW ROLLER SHADES EXCEPT (3) WINDOWS IN CIRCUIT COURTROOM 217 AND (5) WINDOWS IN LOBBY 201. RE: DETAILS.

KEY NOTES

- ◆ NEW ALL GLASS PARTITION AND DOOR(S). RE: ELEVATIONS.
- ◆ REPAIR PLASTER WALL WHERE DRINKING FOUNTAIN WAS REMOVED.
- ◆ NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH HOLES IN MARBLE VENEER.
- ◆ NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- ◆ NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOAR OVER 3-5/8" MTL STUDS.
- ◆ PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.
- ◆ WALL-IN OLD TELEPHONE PANEL LOCATION.
- ◆ REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
- ◆ REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.

- ◆ NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
- ◆ NOT USED.



1 SECOND FLOOR PLAN - SW QUAD
 1/4" = 1'-0"

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
SECOND FLOOR PLAN SW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-102.3

J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\DOC\CORE_Sheet\A-102.3
 5/16/2012 10:26 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
SECOND FLOOR PLAN
NW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-102.4

- GENERAL NOTES**
- KEY NOTES ARE CONSISTENT FOR ALL QUADRANT PLANS OF THIS FLOOR. NOT ALL KEY NOTES MAY BE APPLICABLE TO THIS QUADRANT PLAN.
 - REFER TO INTERIOR ELEVATIONS FOR PLACEMENT OF WALL MOUNTED ITEMS AND ADDITIONAL SCOPE NOTES.
 - REFINISH WOOD BASE SHOE SALVAGED FROM DEMOLITION TO MATCH EXISTING WOOD BASE FINISH AND REINSTALL. PROVIDE NEW SHOE IN SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WHERE EXISTING QUANTITIES ARE NOT SUFFICIENT.
 - ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
 - ALL WINDOWS TO RECEIVE NEW ROLLER SHADES EXCEPT (3) WINDOWS IN CIRCUIT COURTROOM 211 AND (5) WINDOWS IN LOBBY 201. RE: DETAILS.
- KEY NOTES**
- ◇ NEW ALL GLASS PARTITION AND DOOR(S). RE: ELEVATIONS.
 - ◇ REPAIR PLASTER WALL WHERE DRINKING FOUNTAIN WAS REMOVED.
 - ◇ NEW WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. PATCH HOLES IN MARBLE VENEER.
 - ◇ NEW FAN COIL UNIT. RE: MECH DRAWINGS.
 - ◇ NEW ACCESSIBLE COMPLIANT WALL MOUNTED DRINKING FOUNTAIN. RE: PLUMBING DRAWINGS. FURR OVER EXISTING WALL WITH 5/8" GYP BOAR OVER 3-5/8" MTL STUDS.
 - ◇ PROVIDE FLOORING BORDER IN NEW ELEV LOBBY. RE: FINISH SCHEDULE.
 - ◇ WALL-IN OLD TELEPHONE PANEL LOCATION.
 - ◇ REFURBISH AND REINSTALL EXISTING SINK. RE: PLUMBING DRAWINGS.
 - ◇ REMOVE HARDWARE FROM ACCESS PANEL AND STRIP PAINT OFF. PAINT PANEL AND FRAME TO MATCH WALL. REINSTALL HARDWARE.
 - ◇ NEW WALL AND BASE CABINETS WITH SINK. RE: ELEVATION.
 - ◇ NOT USED.



1 SECOND FLOOR PLAN - NW QUAD
 1/4" = 1'-0"


5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\sheet\COND\DOC\CORE_Sheet\A-102.4
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL: (816) 474-3050
 FAX: (816) 474-3051

KEY NOTES:

- 1 NEW FAN COIL UNIT. RE: MECH DRAWINGS.
- 2 NEW ERV UNIT. RE: MECH DRAWINGS.
- 3 NEW SUPPLY AND RETURN DUCTWORK. RE: MECH DRAWINGS.
- 4 COORDINATE VERTICAL DUCT PENETRATIONS WITH CONCRETE JOISTS AND FLOOR PLAN LAYOUT BELOW. RE: MECH DRAWINGS AND SECOND FLOOR FLOOR AND CEILING PLANS.
- 5 NEW INTAKE LOUVER FOR ERV UNIT. RE: DETAIL.
- 6 NEW EXHAUST LOUVER FOR ERV UNIT. RE: DETAIL.
- 7 RUN DUCTWORK OVER TOP OF EXISTING SLOPED ROOF.
- 8 NEW ROOFTOP CONDENSING UNITS. RE: MECH DRAWINGS.
- 9 NEW ROOFTOP EMERGENCY GENERATOR. RE: ELEC DRAWINGS.
- 10 NEW CONDENSING UNIT FOR TELCOM ROOM MECH SYSTEM. RE: MECH DRAWINGS.
- 11 NEW 1" PLYWOOD DECKING SERVICE PATH (SHADED) SECURED TO EXISTING JOISTS.
- 12 BRIDGE EXISTING CRIPPLE WALL AND TOP OF STUD WALL WITH 1" PLYWOOD DECKING (SHADED). SHIM LOWER OF TWO ELEMENTS AS NEEDED TO PROVIDE LEVEL SURFACE.
- 13 NEW PLATFORM (SHADED) AT PORTICO SIDE OF CIRCULAR WINDOW OPENING WITH LADDER DOWN TO PORTICO CEILING JOISTS.
- 14 CLEAN EXISTING GLAZED OPENING - (3) EACH PORTICO ATTIC. PROVIDE FOAM GASKET ON TOP EDGE OF 1x WOOD FRAME AND INSTALL TEMPERED GLASS. LOOSE LAID LID ON TOP OF FRAME TO KEEP DIRT AND INSECTS FROM BUILDING UP WITHIN FRAME.



1 ATTIC FLOOR PLAN
 1/8" = 1'-0"

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
 ATTIC FLOOR PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-103

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\COND\CORE_Sheet\A-103
 5/16/2012 10:27 AM
 Piper-Wind Architects, Inc.

◇ PROTECT EXISTING SLATE ROOFING FROM DAMAGE FROM ANY NECESSARY SCAFFOLDING REQUIRED TO COMPLETE GUFOLA RESTORATION.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAM/SAK/MDR
CHECKED BY	EP
REVISOR	
REVISION	
REVISION	
REVISION	
REVISION	

SHEET TITLE & NUMBER
ROOF PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-104




1 | **ROOF PLAN**
 1/8" = 1'-0"
 0 4 8 16

J:\AutoCAD\Projects\Jackson City Trm Ctr\Sheet\COND\CC CORE Sheet A-104
 5/16/2012 10:28 AM
 Piper-Wind Architects, Inc.

GENERAL NOTES

- A. REFER TO QUADRANT PLANS FOR DETAILED SCOPE NOTES.
- B. REFERENCES TO ENLARGED PLANS, ELEVATIONS, SECTIONS, DOOR TAGS, ETC. ARE FOUND ON QUADRANT PLANS.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL CEILING PLAN


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-110



1 LOWER LEVEL CEILING PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\CCORE_Sheet\A-110
 5/8/2012 4:53 PM
 Piper-Wind Architects, Inc.




ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMS/AMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL CEILING PLAN
NE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.




GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.


KEY NOTES

- 1 NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 2 NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3 NEW LINEAR FLUORESCENT INDUSTRIAL LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4 NEW WALL SCONCE LIGHT FIXTURE, CENTER OVER LAVATORY. RE: ELEC DRAWINGS.
- 5 NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 6 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7 NEW 2x4 RECESSED FLUORESCENT TROFFER. RE: ELEC DRAWINGS.
- 8 NOT USED.
- 9 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS. UTILIZE EXISTING FIXTURE LOCATION.
- 10 INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11 INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 12 INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 13 INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 14 INSTALL NEW WALL MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 15 CLEAN AND RELAMP EXISTING CAGED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 16 NEW CEILING MOUNTED FAN COIL UNIT WITH OVAL AND CIRCULAR SPIRAL DUCT DISTRIBUTION. RE: MECH DRAWINGS.
- 17 EXHAUST GRILLE. RE: MECH DRAWINGS.



1 LOWER LEVEL CEILING PLAN - NE QUAD
 1/4" = 1'-0"

5/16/2012 10:25 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\A-110.1
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**LOWER LEVEL
 CEILING PLAN
 SE QUAD**
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-110.2


GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.


KEY NOTES

- 1 NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 2 NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3 NEW LINEAR FLUORESCENT INDUSTRIAL LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4 NEW WALL SCONCE LIGHT FIXTURE, CENTER OVER LAVATORY. RE: ELEC DRAWINGS.
- 5 NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 6 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7 NEW 2x4' RECESSED FLUORESCENT TROFFER.
- 8 NOT USED.
- 9 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS. UTILIZE EXISTING FIXTURE LOCATION.
- 10 INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11 INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 12 INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 13 INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 14 INSTALL NEW WALL MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 15 CLEAN AND RELAMP EXISTING CAGED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 16 NEW CEILING MOUNTED FAN COIL UNIT WITH OVAL AND CIRCULAR SPIRAL DUCT DISTRIBUTION. RE: MECH DRAWINGS.
- 17 EXHAUST GRILLE. RE: MECH DRAWINGS.



1 LOWER LEVEL CEILING PLAN - SE QUAD
 1/4" = 1'-0"

5/31/2012 11:57 AM I:\AutoCAD\Projects\Jackson_City_Trmn_Ctrse\COND\DOC\CORE_Sheet\A-110.2
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051


GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.

KEY NOTES

- 1 NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 2 NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3 NEW LINEAR FLUORESCENT INDUSTRIAL LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4 NEW WALL SCONCE LIGHT FIXTURE. CENTER OVER LAVATORY. RE: ELEC DRAWINGS.
- 5 NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 6 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7 NEW 2x4 RECESSED FLUORESCENT TROFFER. RE: ELEC DRAWINGS.
- 8 NOT USED.
- 9 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS. UTILIZE EXISTING FIXTURE LOCATION.
- 10 INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11 INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 12 INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 13 INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 14 INSTALL NEW WALL MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 15 CLEAN AND RELAMP EXISTING CAGED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 16 NEW CEILING MOUNTED FAN COIL UNIT WITH OVAL AND CIRCULAR SPIRAL DUCT DISTRIBUTION. RE: MECH DRAWINGS.
- 17 EXHAUST GRILLE. RE: MECH DRAWINGS.



1 LOWER LEVEL CEILING PLAN - SW QUAD
 1/4" = 1'-0"

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL CEILING PLAN SW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-110.3

J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\CONDOC\CORE_Sheet\A-110.3
 5/31/2012 11:56 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVIS DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL CEILING PLAN
NW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-110.4


GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.

KEY NOTES

- 1 NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 2 NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3 NEW LINEAR FLUORESCENT INDUSTRIAL LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4 NEW WALL SCONCE LIGHT FIXTURE, CENTER OVER LAVATORY. RE: ELEC DRAWINGS.
- 5 NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 6 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7 NEW 2x4 RECESSED FLUORESCENT TROFFER. RE: ELEC DRAWINGS.
- 8 NOT USED.
- 9 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS. UTILIZE EXISTING FIXTURE LOCATION.
- 10 INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11 INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 12 INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 13 INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 14 INSTALL NEW WALL MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 15 CLEAN AND RELAMP EXISTING CAGED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 16 NEW CEILING MOUNTED FAN COIL UNIT WITH OVAL AND CIRCULAR SPIRAL DUCT DISTRIBUTION. RE: MECH DRAWINGS.
- 17 EXHAUST GRILLE. RE: MECH DRAWINGS.




1 LOWER LEVEL CEILING PLAN - NW QUAD
 1/4" = 1'-0"

5/31/2012 11:55 AM J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CCO\CORE_Sheet\A-110.4
 Piper-Wind Architects, Inc.

GENERAL NOTES

- A. REFER TO QUADRANT PLANS FOR DETAILED SCOPE NOTES.
- B. REFERENCES TO ENLARGED PLANS, ELEVATIONS, SECTIONS, DOOR TAGS, ETC. ARE FOUND ON QUADRANT PLANS.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
FIRST FLOOR CEILING PLAN


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-111



1 | **FIRST FLOOR CEILING PLAN**
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctrhs\COND\CCORE_SheetA-111
 5/8/2012 4:53 PM
 Piper-Wind Architects, Inc.




ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
FIRST FLOOR CEILING PLAN NE QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.



GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.


F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.

- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES


- 1 EXISTING LIGHT FIXTURE. RE: ELEC DRAWINGS FOR RELATED SCOPE.
- 2 NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3 NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4 NEW PENDANT STYLE TRACK LIGHTING. RE: ELEC DRAWINGS.
- 5 NEW WALL SCONCE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 6 NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8 RESTORE LENS COVER TO LIGHT FIXTURE ABOVE TO LIKE NEW CONDITION AND REINSTALL.
- 9 INSTALL NEW WALL MOUNTED SMOKE DETECTOR AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.

- 10 INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11 INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 12 INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 13 INSTALL NEW CEILING MOUNTED EXIT SIGN AT OLD DEVICE LOCATION. RE: ELEC DRAWINGS.
- 14 PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 15 LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 16 SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.



1 FIRST FLOOR CEILING PLAN - NE QUAD
 1/4" = 1'-0"

I:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE\Sheet\A-111.1
 5/16/2012 10:26 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**FIRST FLOOR
 CEILING PLAN
 SE QUAD**
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-111.2

GENERAL NOTES


- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEG DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.
- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.


KEY NOTES

- 1 EXISTING LIGHT FIXTURE. RE: ELEG DRAWINGS FOR RELATED SCOPE.
- 2 NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEG DRAWINGS.
- 3 NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEG DRAWINGS.
- 4 NEW PENDANT STYLE TRACK LIGHTING. RE: ELEG DRAWINGS.
- 5 NEW WALL SCONCE LIGHT FIXTURE. RE: ELEG DRAWINGS.
- 6 NEW UNDER CABINET LIGHT FIXTURE. RE: ELEG DRAWINGS.
- 7 NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEG DRAWINGS.
- 8 RESTORE LENS COVER TO LIGHT FIXTURE ABOVE TO LIKE NEW CONDITION AND REINSTALL.
- 9 INSTALL NEW WALL MOUNTED SMOKE DETECTOR AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.

- 10 INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11 INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 12 INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 13 INSTALL NEW CEILING MOUNTED EXIT SIGN AT OLD DEVICE LOCATION. RE: ELEG DRAWINGS.
- 14 PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 15 LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 16 SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.



5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\CORE\Sheet\A-111.2
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.





KEY NOTES

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.
- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES

- 1. EXISTING LIGHT FIXTURE. RE: ELEC DRAWINGS FOR RELATED SCOPE.
- 2. NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3. NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4. NEW PENDANT STYLE TRACK LIGHTING. RE: ELEC DRAWINGS.
- 5. NEW WALL SCONCE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 6. NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7. NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8. RESTORE LENS COVER TO LIGHT FIXTURE ABOVE TO LIKE NEW CONDITION AND REINSTALL.
- 9. INSTALL NEW WALL MOUNTED SMOKE DETECTOR AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.

- 10. INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11. INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 12. INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 13. INSTALL NEW CEILING MOUNTED EXIT SIGN AT OLD DEVICE LOCATION. RE: ELEC DRAWINGS.
- 14. PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 15. LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 16. SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.



1 | FIRST FLOOR CEILING PLAN - SW QUAD
 1/4" = 1'-0"


HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAM/SAK/MDB
CHECKED BY	EP
REVISOR	
REVISION	

SHEET TITLE & NUMBER
FIRST FLOOR CEILING PLAN SW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-111.3



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL: (816) 474-3050
 FAX: (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVIS DATE	DESCRIPTION

SHEET TITLE & NUMBER
FIRST FLOOR CEILING PLAN
NW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-111.4

GENERAL NOTES


- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.
- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES

- 1. EXISTING LIGHT FIXTURE. RE: ELEC DRAWINGS FOR RELATED SCOPE.
- 2. NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3. NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4. NEW PENDANT STYLE TRACK LIGHTING. RE: ELEC DRAWINGS.
- 5. NEW WALL SCONCE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 6. NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7. NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8. RESTORE LENS COVER TO LIGHT FIXTURE ABOVE TO LIKE NEW CONDITION AND REINSTALL.
- 9. INSTALL NEW WALL MOUNTED SMOKE DETECTOR AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.

- 10. INSTALL NEW WALL MOUNTED SMOKE DETECTOR. RE: FIRE ALARM DRAWINGS.
- 11. INSTALL NEW WALL MOUNTED HORN STROBE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
- 12. INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.
- 13. INSTALL NEW CEILING MOUNTED EXIT SIGN AT OLD DEVICE LOCATION. RE: ELEC DRAWINGS.
- 14. PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 15. LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 16. SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.




1 FIRST FLOOR CEILING PLAN - NW QUAD
 1/4" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CCORE_Sheet\A-111.4
 5/16/2012 10:26 AM
 Piper-Wind Architects, Inc.

GENERAL NOTES

- A. REFER TO QUADRANT PLANS FOR DETAILED SCOPE NOTES.
- B. REFERENCES TO ENLARGED PLANS, ELEVATIONS, SECTIONS, DOOR TAGS, ETC. ARE FOUND ON QUADRANT PLANS.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**SECOND FLOOR
 CEILING PLAN**

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-112



1 SECOND FLOOR CEILING PLAN

1/8" = 1'-0"





ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE


INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**SECOND FLOOR
 CEILING PLAN
 NE QUAD**
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.



GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

KEY NOTES

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.
- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES


- 1. EXISTING LIGHT FIXTURE. RE: ELEC DRAWINGS FOR RELATED SCOPE.
- 2. NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3. NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4. NEW PENDANT STYLE TRACK LIGHTING. RE: ELEC DRAWINGS.
- 5. NEW WALL SCONCE LIGHT FIXTURE. CENTER BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURES. RE: ELEC DRAWINGS.
- 6. NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7. NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8. INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.

KEY NOTES

- 9. INSTALL NEW CEILING MOUNTED HORN STROBE. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.
- 10. INSTALL NEW CEILING MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 11. PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 12. INSTALL NEW WALL SCONCE CENTERED OVER LAVATORY. RE: ELEC DRAWINGS.
- 13. INSTALL NEW WALL SCONCE CENTERED BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURE AND END OF CORRIDOR.
- 14. INSTALL NEW WALL SCONCE CENTERED BETWEEN DOORS IN EAST CORRIDOR. USE THIS DIMENSION TO LOCATE NEW WALL SCONCE IN WEST CORRIDOR. RE: ELEC DRAWINGS.
- 15. INSTALL NEW WALL SCONCE CENTERED OVER DOORS. RE: ELEC DRAWINGS.
- 16. NEW WALL SCONCE CENTERED ON STAIR RUNS. MOUNT AT SAME HEIGHT AS ORIGINAL WALL SCONCE. RE: ELEC DRAWINGS.


KEY NOTES

- 17. INSTALL REFURBISHED AND RECONSTRUCTED PENDANT LIGHT FIXTURE.
- 18. LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 19. SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.
- 20. REPLACE EXISTING WALL SCONCE WITH NEW SCONCE. RE: ELEC DRAWINGS.



1 SECOND FLOOR CEILING PLAN - NE QUAD
 1/4" = 1'-0"

5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\COND\CORE\Sheet\A-112.1
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION
SHEET TITLE & NUMBER	
SECOND FLOOR CEILING PLAN	
SE QUAD	
COPYRIGHT © 2012 PIPER-WIND ARCHITECTS, INC.	

A-112.2

GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.


- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.
- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES

- 1. EXISTING LIGHT FIXTURE. RE: ELEC DRAWINGS FOR RELATED SCOPE.
- 2. NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3. NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4. NEW PENDANT STYLE TRACK LIGHTING. RE: ELEC DRAWINGS.
- 5. NEW WALL SCONCE LIGHT FIXTURE. CENTER BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURES. RE: ELEC DRAWINGS.
- 6. NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7. NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8. INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.


- 9. INSTALL NEW CEILING MOUNTED HORN STROBE. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.
- 10. INSTALL NEW CEILING MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 11. PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 12. INSTALL NEW WALL SCONCE CENTERED OVER LAVATORY. RE: ELEC DRAWINGS.
- 13. INSTALL NEW WALL SCONCE CENTERED BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURE AND END OF CORRIDOR.
- 14. INSTALL NEW WALL SCONCE CENTERED BETWEEN DOORS IN EAST CORRIDOR. USE THIS DIMENSION TO LOCATE NEW WALL SCONCE IN WEST CORRIDOR. RE: ELEC DRAWINGS.
- 15. INSTALL NEW WALL SCONCE CENTERED OVER DOORS. RE: ELEC DRAWINGS.
- 16. NEW WALL SCONCE CENTERED ON STAIR RUNS. MOUNT AT SAME HEIGHT AS ORIGINAL WALL SCONCE. RE: ELEC DRAWINGS.

- 17. INSTALL REFURBISHED AND RECONSTRUCTED PENDANT LIGHT FIXTURE.
- 18. LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 19. SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.
- 20. REPLACE EXISTING WALL SCONCE WITH NEW SCONCE. RE: ELEC DRAWINGS.



1 SECOND FLOOR CEILING PLAN - SE QUAD
 1/4" = 1'-0"

5/16/2012 10:26 AM J:\Autocad\Projects\Jackson City Trm Ctr\se\COND\DOC\CORE\Sheet A-112.2
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
SECOND FLOOR CEILING PLAN SW QUAD
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-112.3



GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.

- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS, LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.
- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.


KEY NOTES

- 1. EXISTING LIGHT FIXTURE. RE: ELEC DRAWINGS FOR RELATED SCOPE.
- 2. NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3. NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4. NEW PENDANT STYLE TRACK LIGHTING. RE: ELEC DRAWINGS.
- 5. NEW WALL SCONCE LIGHT FIXTURE. CENTER BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURES. RE: ELEC DRAWINGS.
- 6. NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7. NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8. INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.
- 9. INSTALL NEW CEILING MOUNTED HORN STROBE. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.
- 10. INSTALL NEW CEILING MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 11. PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 12. INSTALL NEW WALL SCONCE CENTERED OVER LAVATORY. RE: ELEC DRAWINGS.
- 13. INSTALL NEW WALL SCONCE CENTERED BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURE AND END OF CORRIDOR.
- 14. INSTALL NEW WALL SCONCE CENTERED BETWEEN DOORS IN EAST CORRIDOR. USE THIS DIMENSION TO LOCATE NEW WALL SCONCE IN WEST CORRIDOR. RE: ELEC DRAWINGS.
- 15. INSTALL NEW WALL SCONCE CENTERED OVER DOORS. RE: ELEC DRAWINGS.
- 16. NEW WALL SCONCE CENTERED ON STAIR RUNS. MOUNT AT SAME HEIGHT AS ORIGINAL WALL SCONCE. RE: ELEC DRAWINGS.
- 17. INSTALL REFURBISHED AND RECONSTRUCTED PENDANT LIGHT FIXTURE.
- 18. LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 19. SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.
- 20. REPLACE EXISTING WALL SCONCE WITH NEW SCONCE. RE: ELEC DRAWINGS.



1 SECOND FLOOR CEILING PLAN - SW QUAD
 1/4" = 1'-0"

5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson City Trm Courthouse\COND\CCORE\Sheet A-112.3
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMS/AMDR
CHECKED BY	EP
REVISY DATE	DESCRIPTION

SHEET TITLE & NUMBER
**SECOND FLOOR
 CEILING PLAN
 NW QUAD**

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-112.4

GENERAL NOTES

- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.
- E. RE: INTERIOR ELEVATIONS FOR ADDITIONAL MOUNTING DIMENSIONS OF WALL MOUNTED ITEMS.


- F. ALL AREAS WITH STIPPLED CEILING TO RECEIVE 1/4" GYP BOARD LAMINATED TO EXISTING PLASTER CEILING. PROVIDE METAL SUPPORTS AND FURRING WHERE NEEDED TO PROVIDE CONTINUOUS LEVEL SUBSTRATE TO SECURE GYP BOARD TO WHERE EXISTING PLASTER CEILING IS DAMAGED OR MISSING.
- G. RESTRICTED ACCESS OVER CEILING AREAS: APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES

- 1. EXISTING LIGHT FIXTURE. RE: ELEC DRAWINGS FOR RELATED SCOPE.
- 2. NEW PENDANT SCHOOL HOUSE LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3. NEW PENDANT LINEAR FLUORESCENT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 4. NEW PENDANT STYLE TRACK LIGHTING. RE: ELEC DRAWINGS.
- 5. NEW WALL SCONCE LIGHT FIXTURE. CENTER BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURES. RE: ELEC DRAWINGS.
- 6. NEW UNDER CABINET LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 7. NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8. INSTALL NEW CEILING MOUNTED SMOKE DETECTOR. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.


- 9. INSTALL NEW CEILING MOUNTED HORN STROBE. CENTER IN CORRIDOR. RE: FIRE ALARM DRAWINGS.
- 10. INSTALL NEW CEILING MOUNTED STROBE. RE: FIRE ALARM DRAWINGS.
- 11. PAINT EXISTING CEILING ACCESS DOOR AND TRIM TO MATCH CEILING.
- 12. INSTALL NEW WALL SCONCE CENTERED OVER LAVATORY. RE: ELEC DRAWINGS.
- 13. INSTALL NEW WALL SCONCE CENTERED BETWEEN EXISTING SCHOOL HOUSE LIGHT FIXTURE AND END OF CORRIDOR.
- 14. INSTALL NEW WALL SCONCE CENTERED BETWEEN DOORS IN EAST CORRIDOR. USE THIS DIMENSION TO LOCATE NEW WALL SCONCE IN WEST CORRIDOR. RE: ELEC DRAWINGS.
- 15. INSTALL NEW WALL SCONCE CENTERED OVER DOORS. RE: ELEC DRAWINGS.
- 16. NEW WALL SCONCE CENTERED ON STAIR RUNS. MOUNT AT SAME HEIGHT AS ORIGINAL WALL SCONCE. RE: ELEC DRAWINGS.

- 17. INSTALL REFURBISHED AND RECONSTRUCTED PENDANT LIGHT FIXTURE.
- 18. LINEAR RETURN AIR GRILLE ACROSS WIDTH OF CORRIDOR. RE: MECH DRAWINGS.
- 19. SUPPLY DIFFUSER FOR FRESH AIR. RE: MECH DRAWINGS.
- 20. REPLACE EXISTING WALL SCONCE WITH NEW SCONCE. RE: ELEC DRAWINGS.



1 SECOND FLOOR CEILING PLAN - NW QUAD
 1/4" = 1'-0"

5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\sheet\COND\DOC\CORE_Sheet\A-112.4
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES


- A. EXISTING LIGHT FIXTURES TO REMAIN SHALL BE THOROUGHLY CLEANED AND NEW LAMPS INSTALLED. RE: ELEC DRAWINGS FOR ANY ADDITIONAL SCOPE.
- B. LIGHT FIXTURES AND DEVICES ARE DIMENSIONED TO THEIR CENTERLINES UNLESS NOTED OTHERWISE WHERE DIMENSIONS ARE PROVIDED.
- C. WHERE LIGHT FIXTURES AND DEVICES ARE TO BE CENTERED ON EXISTING DOORS, WINDOWS, ETC., CENTERLINES HAVE BEEN PROVIDED INTERSECTING BOTH THE FIXTURE/DEVICE AND THE EXISTING ELEMENT.
- D. WHERE LIGHT FIXTURES ARE NOT DIMENSIONALLY TIED DOWN TO WALLS, THE FIXTURE (OR GROUP OF FIXTURES) IS ASSUMED TO BE CENTERED IN THE ROOM.

E. RESTRICTED ACCESS OVER CEILING AREAS:

APPLIED CONSTRUCTION LOADS OVER EXISTING PLASTER CEILINGS SHALL BE LIMITED TO NOT MORE THAN 175 POUNDS. THIS LOAD SHALL BE APPLIED DIRECTLY TO THE EXISTING CEILING JOISTS. NO LOAD SHALL BE PERMITTED TO BE IN DIRECT CONTACT WITH THE CEILING GRID BETWEEN JOISTS. IF LOADS IN EXCESS OF 175 POUNDS MUST BE APPLIED ABOVE THE CEILING, THE CONTRACTOR SHALL PROVIDE A TEMPORARY PLATFORM FRAMING BACK TO THE EXISTING VERTICAL STUDS THAT PRESENTLY SUPPORT THE EXISTING CEILING JOISTS. CONSTRUCTION DOCUMENTS FOR SUCH A PLATFORM SHALL BE DESIGNED BY THE CONTRACTOR'S PROFESSIONAL ENGINEER AND SHALL BEAR HIS MISSOURI SEAL. THESE PLANS SHALL BE SUBMITTED TO THE PROJECT ARCHITECT AND STRUCTURAL ENGINEER FOR REVIEW.

KEY NOTES

- 1 EXISTING LIGHT FIXTURE TO REMAIN.
- 2 NEW LINEAR FLUORESCENT INDUSTRIAL LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 3 INSTALL NEW SMOKE DETECTOR TO REPLACE EXISTING DEVICE. RE: FIRE ALARM DRAWINGS.
- 4 INSTALL NEW WALL MOUNTED HORN STROBE. RE: FIRE ALARM DRAWINGS.



1 | ATTIC CEILING PLAN



J:\Autocad\Projects\Jackson_City_Trmn_Ctr\sheet\COND\DOC\CORE_Sheet_A-113
 5/16/2012 10:27 AM
 Piper-Wind Architects, Inc.

HISTORIC TRUMAN COURTHOUSE
INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISD DATE	DESCRIPTION

SHEET TITLE & NUMBER
ATTIC CEILING PLAN

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-113



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAK/MDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
LOWER LEVEL FURNITURE PLAN


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-120



1 LOWER LEVEL FURNITURE PLAN
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson City Trm Ctr\Sheet\COND\CORE\Sheet A-120
 5/16/2012 10:25 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**FIRST FLOOR
 FURNITURE PLAN**


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-121



1 FIRST FLOOR FURNITURE PLAN
 1/8" = 1'-0"

5/16/2012 10:26 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\sheet\COND\DOC\CORE_Sheet\A-121
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**SECOND FLOOR
 FURNITURE PLAN**


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-122



J:\Autocad\Projects\Jackson_City_Trmn_Ct\Sheet\COND\DOC\CORE_Sheet\A-122
 5/16/2012 10:26 AM
 Piper-Wind Architects, Inc.

1 | **SECOND FLOOR FURNITURE PLAN**
 1/8" = 1'-0"



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**BUILDING
 SECTIONS**


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-201



7/2/2012 10:55 AM
 J:\AutoCAD\Projects\Jackson City Trm Courthouse\COND\CCORE_SheetA-201
 Piper-Wind Architects, Inc.

1 EAST/WEST BUILDING SECTION LOOKING NORTH
 1/8" = 1'-0"



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
BUILDING SECTIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-202




2 NORTH/SOUTH BUILDING SECTION LOOKING WEST
 1/8" = 1'-0"



1 NORTH/SOUTH BUILDING SECTION LOOKING WEST
 1/8" = 1'-0"

7/2/2012 10:54 AM J:\AutoCAD\Projects\Jackson_City_Trim_Ct\Sheet\COND\DOC\CORE_Sheet\A-202
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
BUILDING SECTIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-203



1 NORTH/SOUTH BUILDING SECTION LOOKING WEST
 1/8" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ct\Sheet\COND\CC\CORE_Sheet\A-203
 7/2/2012 10:56 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
 ENLARGED
 CUPOLA PLANS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-301

- GENERAL NOTES**
- PROVIDE A WEATHERPROOF BARRIER AT ALL TIMES AS REQUIRED TO MAINTAIN A DRY CONDITION IN CLOCKWORK ROOM.
 - ALL NEW TRIM TO BE HIGH DENSITY POLYURETHANE TO EXACTLY MATCH EXISTING TRIM (HAVE NEW KNIVES CUT AS REQUIRED TO ACHIEVE THIS).
 - PROVIDE SCAFFOLDING AS REQUIRED. PROVIDE PROPER PROTECTION OF EXISTING SLATE ROOF AND UNDERLAYMENT AND RETURN TO EXISTING, "LIKE NEW" CONDITION. REMOVE, STORE, PROTECT, AND REINSTALL ROOFING COMPONENTS AS REQUIRED TO ENSURE SCAFFOLDING DOES NOT DAMAGE ANY EXISTING SLATE TILES.


- KEY NOTES**
- REMOVE, CLEAN, REFINISH, AND REINSTALL BELL AND STRIKING MECHANISM..
 - REMOVE AND REPLACE ALL EXISTING FINIALS, BALUSTRADE, RAIL, CAP, PANEL TRIM, AND OTHER MISC. TRIM WITH HIGH DENSITY POLYURETHANE SHAPED TO EXACTLY MATCH EXISTING PROFILES AND SIZES. PRIME AND PAINT AS SPECIFIED.
 - RESTORE (4) FOUR CLOCK FACES, INCLUDING TAPERED AND POISED HOUR AND MINUTE HANDS, SANDBLAST NUMERALS AND MINUTE MARKERS, SAND, PRIME, AND PAINT BACKGROUND. CUSTOM MAKE HANDS TO FIT PROPORTIONATELY TO MINUTE MARKERS AND PAINT MATTE BLACK. REMOVE NUMERALS AND MINUTE MARKERS FOR DIAL PREPARATION. GOLD LEAF (12) TWELVE ROMAN NUMERALS APPROXIMATELY 1" HIGH ON EACH OF FOUR FACES.
 - REMOVE, SAND, PRIME, PAINT, AND REINSTALL (48) FORTY EIGHT SMALL MINUTE MARKERS PER EACH OF FOUR FACES.
 - REMOVE, SAND, PRIME, GOLD LEAF, AND REINSTALL (12) TWELVE LARGE MINUTE MARKERS (5-MINUTE MARKS) PER EACH OF FOUR FACES.
 - REMOVE ALL WOODEN CLOCK FACE MOLDINGS (ALL MOLDINGS BETWEEN THE CORNER COLUMNS) AND REPLACE WITH REPLICA HIGH DENSITY POLYURETHANE TRIM. NEW TRIM AND TRIM PAINT SHALL CONFORM TO THE FOLLOWING SPECIFICATIONS: CUSTOM FABRICATED, HIGH DENSITY POLYURETHANE (10 LBS OR GREATER, SIGN-ARTS PRODUCTS - RPU-3000-18" OR EQUAL) SHAPED TO EXACTLY MATCH EXISTING WOOD TRIM. PAINT WITH (2) TWO COATS OF "BEST QUALITY" EXTERIOR ACRYLIC PAINT (SATIN FINISH) OVER MANUFACTURER'S RECOMMENDED PRIMER. PREP AND SAND AS REQUIRED TO ACHIEVE A SMOOTH FINISH.
 - SCRAPE, FILL, SAND, PRIME, AND PAINT ALL FLAT CASING TO FULLY RESTORED SMOOTH FINISH (INSIDE BELL TOWER INCLUDED).
 - SCRAPE, SAND, FILL, SAND, PRIME, AND PAINT WOOD TRIM THESE AREAS TO FULLY RESTORED FINISH. IF NOT PRACTICAL TO REFINISH, REPLACE AS NEEDED WITH HIGH DENSITY POLYURETHANE PER NOTE 2.
 - CLEAN COPPER ROOFING AND FLASHINGS TO ORIGINAL PAINTED FINISH AND RE-COAT WITH RECOMMENDED SEALER.
 - REMOVE, CLEAN, SAND, SCRAPE, AND REPAINT WEATHER VAIN.
 - SPRAY FOAM INSULATION WITH IGNITION BARRIER IN ALL STUD CAVITIES (R-19) TO PROVIDE COMPLETE ENCLOSURE. RE: SPECIFICATION.




2 CUPOLA PLAN @ CLOCK



1 CUPOLA PLAN @ BASE




4 CUPOLA ROOF PLAN





3 CUPOLA PLAN @ COLUMNS

5/16/2012 10:23 AM J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet_A-301
 Piper-Wind Architects, Inc.

3/15/2012 1:43 PM
 J:\Autocad\Projects\Jackson City Trm Ctr\sheet\COND\DOC\CORE SHEET A-302
 Piper-Wind Architects, Inc.




2 CUPOLA SECTION
 1/2" = 1'-0"



1 CUPOLA ELEVATION
 1/2" = 1'-0"

- GENERAL NOTES**
- PROVIDE A WEATHERPROOF BARRIER AT ALL TIMES AS REQUIRED TO MAINTAIN A DRY CONDITION IN CLOCKWORK ROOM.
 - ALL NEW TRIM TO BE HIGH DENSITY POLYURETHANE TO EXACTLY MATCH EXISTING TRIM (HAVE NEW KNIVES CUT AS REQUIRED TO ACHIEVE THIS).
 - PROVIDE SCAFFOLDING AS REQUIRED. PROVIDE PROPER PROTECTION OF EXISTING SLATE ROOF AND UNDERLAYMENT AND RETURN TO EXISTING "LIKE NEW" CONDITION. REMOVE, STORE, PROTECT, AND REINSTALL ROOFING COMPONENTS AS REQUIRED TO ENSURE SCAFFOLDING DOES NOT DAMAGE ANY EXISTING SLATE TILES.

- KEY NOTES**
- REMOVE, CLEAN, REFINISH, AND REINSTALL BELL AND STRIKING MECHANISM.
 - REMOVE AND REPLACE ALL EXISTING FINIALS, BALUSTRADE, RAIL, CAP, PANEL TRIM, AND OTHER MISC. TRIM WITH HIGH DENSITY POLYURETHANE SHAPED TO EXACTLY MATCH EXISTING PROFILES AND SIZES. PRIME AND PAINT AS SPECIFIED.
 - RESTORE (4) FOUR CLOCK FACES, INCLUDING TAPERED AND POISED HOUR AND MINUTE HANDS. SANDBLAST NUMERALS AND MINUTE MARKERS. SAND, PRIME, AND PAINT BACKGROUND. CUSTOM MAKE HANDS TO FIT PROPORTIONATELY TO MINUTE MARKERS AND PAINT MATTE BLACK. REMOVE NUMERALS AND MINUTE MARKERS FOR DIAL PREPARATION. GOLD LEAF (12) TWELVE ROMAN NUMERALS APPROXIMATELY 1" HIGH ON EACH OF FOUR FACES.
 - REMOVE, SAND, PRIME, PAINT, AND REINSTALL (46) FORTY EIGHT SMALL MINUTE MARKERS PER EACH OF FOUR FACES.
 - REMOVE, SAND, PRIME, GOLD LEAF, AND REINSTALL (12) TWELVE LARGE MINUTE MARKERS (5-MINUTE MARKS) PER EACH OF FOUR FACES.
 - REMOVE ALL WOODEN CLOCK FACE MOLDINGS (ALL MOLDINGS BETWEEN THE CORNER COLUMNS) AND REPLACE WITH REPLICA HIGH DENSITY POLYURETHANE TRIM. NEW TRIM AND TRIM PAINT SHAL CONFORM TO THE FOLLOWING SPECIFICATIONS: CUSTOM FABRICATED, HIGH DENSITY POLYURETHANE (18 LBS OR GREATER, SIGN-ARTS PRODUCTS - RPU-3000-18# OR EQUAL) SHAPED TO EXACTLY MATCH EXISTING WOOD TRIM. PAINT WITH (2) TWO COATS OF "BEST QUALITY" EXTERIOR ACRYLIC PAINT (SATIN FINISH) OVER MANUFACTURER'S RECOMMENDED PRIMER. PREP AND SAND AS REQUIRED TO ACHIEVE A SMOOTH FINISH.
 - SCRAPE, FILL, SAND, PRIME, AND PAINT ALL FLAT CASING TO FULLY RESTORED SMOOTH FINISH (INSIDE BELL TOWER INCLUDED).
 - SCRAPE, SAND, FILL, SAND, PRIME, AND PAINT WOOD TRIM THESE AREAS TO FULLY RESTORED FINISH. IF NOT PRACTICAL TO REFINISH, REPLACE AS NEEDED WITH HIGH DENSITY POLYURETHANE PER NOTE 2.
 - CLEAN COPPER ROOFING AND FLASHINGS TO ORIGINAL PAINTED FINISH AND RE-COAT WITH RECOMMENDED SEALER.
 - REMOVE, CLEAN, SAND, SCRAPE, AND REPAINT WEATHER VAIN.
 - SPRAY FOAM INSULATION WITH IGNITION BARRIER IN ALL STUD CAVITIES (R-19) AND ALL RAFTER SPACES (R-30) TO PROVIDE COMPLETE ENCLOSURE. RE: SPECIFICATION.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051


HISTORIC TRUMAN COURTHOUSE INTERIOR RENOVATION 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISD DATE	DESCRIPTION

SHEET TITLE & NUMBER
**CUPOLA
 ELEVATION &
 SECTION**
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-302



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

GENERAL NOTES


- A. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- B. REFER TO S & VT SERIES DRAWINGS FOR ADDITIONAL ELEVATOR AND ELEVATOR HOISTWAY INFORMATION.

KEY NOTES


- 1 FLOORING TRANSITION STRIP. RE: FINISH SCHEDULE.
- 2 PATCH CONG FLOOR AS NEEDED WHERE CLAY TILE WALL WAS REMOVED TO PROVIDE SMOOTH SUBSTRATE FOR NEW FLOORING.
- 3 DEMO CLAY TILE WALL FROM 6" ABOVE STAIR LANDING UP TO STRUCTURE ABOVE. CAP WITH WOOD TRIM PER DETAIL #/A-###.
- 4 NEW PAINTED STL GUARDRAIL WITH STAINED WOOD CAP TO MATCH EXISTING. RE: #/A-###.
- 5 NEW STAINED WOOD HAND RAIL WITH POST MOUNT BRACKETS. TURN BACK AND DIE INTO POST AT BOTTOM OF STAIRS.
- 6 ALL EXPOSED STEEL RAILINGS AND STRINGERS AT EXISTING STAIRS SHALL BE REPAINTED. CLEAN AND SEAL CONG TREADS.
- 7 EXISTING FIRE HOSE STATION TO REMAIN.
- 8 EXISTING FIRE EXTINGUISHER TO REMAIN.
- 9 BLACK BOARDER. WIDTH TO MATCH EXISTING BORDER AT FIRST FLOOR CORRIDOR.
- 10 ALIGN VCT JOINT WITH JOINT BTWN EXISTING AND NEW CONG SLAB BELOW.
- 11 FINISH EXPOSED EDGE OF CLAY TILE WALL WITH PLASTER VENEER TO MATCH EXISTING.
- 12 NEW MTL STUD BULK HEAD WITH GYP BOARD VENEER. MATCH WIDTH OF EXISTING CLAY TILE WALL WITH PLASTER VENEER BEYOND.
- 13 EXISTING STAINED WOOD DOOR AND TRIM.
- 14 NEW 1/4" GYP BOARD VENEER CEILING.
- 15 NEW STAINED WOOD PICTURE RAIL. MATCH DISTANCE OF EXISTING PICTURE RAIL FROM CEILING.
- 16 NEW PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 17 PAINT EXISTING PLASTER WALL.
- 18 NEW WOOD BASE. PROFILE AND STAIN TO MATCH EXISTING WOOD BASE.
- 19 STAINED WOOD CASING WITH PLYNTH AROUND ELEVATOR DOOR OPENING SIMILAR TO EXISTING LOWER LEVEL DOOR TRIM.

- 20 FLOOR DESIGNATION EACH JAMB. INCLUDE TACTILE IDENTIFICATION ON SIGN.
- 21 STAINLESS STEEL JAMB AND HEAD PER ELEVATOR MANUFACTURER.
- 22 STAINLESS STEEL ELEVATOR DOOR.
- 23 HALL LANTERN.
- 24 ELEVATOR CALL BUTTON.
- 25 NEW DUPLEX OUTLET. RE: ELEC DRAWINGS.
- 26 NEW PAINTED GYP BOARD WALL.
- 27 PATCH WALL WITH PLASTER TO MATCH EXISTING WHERE CLAY TILE WALL WAS DEMOLISHED.
- 28 BUTT-GLAZED GLASS WALL SYSTEM.
- 29 ALL GLASS DOOR WITH HEADER RAIL TO ACCOMMODATE ELECTRICAL HARDWARE. RE: DOOR SCHEDULE AND DETAILS.
- 30 NEW WOOD CASING OPENING. TRIM PROFILE AND STAIN TO MATCH EXISTING LOWER LEVEL DOOR TRIM.


- 31 RETURN TRIM AROUND CORNER AND DIE INTO GLASS FRAMING CHANNEL.
- 32 HALF PAINTED STEEL BALUSTER AT WALL.
- 33 LOCATE CARD READER FOR GLASS DOOR ON NORTH FACE OF COLUMN. EXTEND SURFACE RACEWAY UP COLUMN AND OVER TO DOOR HEAD.




3 EAST ELEVATION
 1/2" = 1'-0" ELEV LOBBY 008A/EAST STAIR 001




1 ENLARGED LOWER LEVEL PLAN
 1/2" = 1'-0" ELEV LOBBY 008A



5 SOUTH ELEVATION
 1/2" = 1'-0" ELEV LOBBY 008A



4 NORTH ELEVATION
 1/2" = 1'-0" ELEV LOBBY 008A



2 NORTH ELEVATION
 1/2" = 1'-0" ELEV LOBBY 008A

J:\Autocad\Projects\Jackson City Trm Ctr\Sheet\COND\CCORE\Sheet\A-401
 7/2/2012 10:20 AM
 Piper-Wind Architects, Inc.

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISION DATE	DESCRIPTION

SHEET TITLE & NUMBER
ELEVATOR PLAN & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-401



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
ELEVATOR PLANS & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-402

GENERAL NOTES


- A. ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
- B. REFER TO S & VT SERIES DRAWINGS FOR ADDITIONAL ELEVATOR AND ELEVATOR HOISTWAY INFORMATION.

KEY NOTES


- 1 BLACK LINOLEUM BOARDER, WIDTH TO MATCH EXISTING AT 1ST FLOOR CORRIDOR.
- 2 EXISTING DOOR TO BE HELD OPEN AS WIDE AS TRANSOM HARDWARE WILL ALLOW.
- 3 NEW ADA COMPLIANT CHILLED WATER DRINKING FOUNTAIN.
- 4 STAINED WOOD CASING WITH PLYNTH AROUND ELEVATOR DOOR OPENING SIMILAR TO EXISTING 1ST & 2ND FLOOR DOOR TRIM.
- 5 FUR OUT MALL AS INDICATED TO ACCOMMODATE DRINKING FOUNTAIN UNIT.
- 6 DOOR TO BE LOCKED IN CLOSED POSITION.
- 7 EXISTING STAINED WOOD DOOR AND TRIM.
- 8 NEW 1/4" GYP BOARD VENEER CEILING.
- 9 NEW STAINED WOOD PICTURE RAIL. MATCH PROFILE, SPECIES, AND FINISH OF EXISTING PICTURE RAIL.
- 10 NEW PENDANT LIGHT FIXTURE. RE: ELEG DRAWINGS.
- 11 EXISTING WOOD BASE WITH NEW / REFINISHED SHOE PER FLOOR PLAN.
- 12 NEW WOOD BASE. PROFILE AND STAIN TO MATCH EXISTING WOOD BASE.
- 13 PAINT EXISTING PLASTER MALL.
- 14 NEW PAINTED GYP BOARD MALL.
- 15 FLOOR DESIGNATION EACH JAMB. FIRST FLOOR TO RECEIVE STAR INDICATING IT IS THE MAIN ENTRY LEVEL.
- 16 STAINLESS STEEL JAMB AND HEAD PER ELEVATOR MANUFACTURER.
- 17 STAINLESS STEEL ELEVATOR DOOR.
- 18 HALL LANTERN.
- 19 ELEVATOR CALL BUTTON.
- 20 REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD.
- 21 RETURN AIR GRILLE. RE: MECH DRAWINGS.




8 SOUTH ELEVATION
 1/2" = 1'-0" ELEV LOBBY 251




6 WEST ELEVATION
 1/2" = 1'-0" ELEV LOBBY 251




4 NORTH ELEVATION
 1/2" = 1'-0" ELEV LOBBY 251




2 ENLARGED PLAN - ELEV LOBBY 251
 1/2" = 1'-0"




7 SOUTH ELEVATION
 1/2" = 1'-0" ELEV LOBBY 123



5 EAST ELEVATION
 1/2" = 1'-0" ELEV LOBBY 123




3 NORTH ELEVATION
 1/2" = 1'-0" ELEV LOBBY 123



1 ENLARGED PLAN - ELEV LOBBY 123
 1/2" = 1'-0"

Pipe-Wind Architects, Inc. 7/2/2012 10:19 AM J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CCOCCORE_Sheet\A-402



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050









ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
ELEVATOR INTERIORS & SECTIONS
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-403

- GENERAL NOTES**
- ALL DAMAGED PLASTER INCLUDING, BUT NOT LIMITED TO, HOLES, CHIPS, CRACKS, ETC. SHALL BE REPAIRED TO PROVIDE SMOOTH, FLUSH SURFACE WITH SURROUNDING PLASTER.
 - REFER TO S & VT SERIES DRAWINGS FOR ADDITIONAL ELEVATOR AND ELEVATOR HOISTWAY INFORMATION.
 - REFER TO PLANS AND ELEVATIONS FOR FINISHING OF HOISTWAY WALLS AT OCCUPIED AREAS.
- KEY NOTES**
- THIN-SET PORCELAIN FLOOR TILE "TILE-1".
 - THIN-SET PORCELAIN FLOOR TILE BORDER "TILE-2". ADJUST BORDER WIDTH AS NECESSARY TO ALLOW CENTER FIELD OF "TILE-1" TO BE INSTALLED WITHOUT ANY CUTS. BORDER WIDTH SHALL NOT EXCEED WIDTH OF SINGLE "TILE-2" TILE EXCEPT AT ELEVATOR DOOR.
 - SATIN STAINLESS STEEL DOOR.
 - SATIN STAINLESS STEEL FRONT WALL.
 - PLASTIC LAMINATE WALL PANELS AT BACK AND SIDE WALLS.
 - 1-1/2" Ø SATIN STAINLESS STEEL HANDRAIL WITH STRAIGHT ENDS.
 - BRACKET LOCATIONS PER MANUFACTURER STANDARD.
 - ISLAND TYPE CEILING WITH CONCEALED FRAMING AND EMERGENCY HATCH. SATIN STAINLESS STEEL FINISH.
 - HALOGEN OR LED DOWNLIGHTS.
 - SATIN STAINLESS STEEL RETURN WITH INTEGRAL HINGED OPERATING PANEL AND COLUMN.
 - SATIN STAINLESS STEEL FILLER PANEL.
 - NOT USED
 - NOT USED
 - SATIN STAINLESS STEEL RETURN.
 - 4" SATIN STAINLESS STEEL BASE.
 - CONCRETE ELEVATOR PIT. RE: STRUCTURAL DRAWINGS.
 - CONCRETE SHORING FILES. RE: STRUCTURAL DRAWINGS.
 - NEW CONC SLAB AROUND PIT EXCAVATION TO BE FLUSH WITH EXISTING SLAB. RE: STRUCTURAL DRAWINGS.
 - CMU HOISTWAY. RE: STRUCTURAL DRAWINGS.
 - STEEL PIT LADDER. RE: #/A-####.
 - SIZE ROUGH OPENING PER ELEVATOR MANUFACTURER REQUIREMENTS.
 - HOISTWAY BEAM. RE: STRUCTURAL DRAWINGS.
 - SUMP PIT. RE: STRUCTURAL & MECH DRAWINGS.
 - DEMO PLASTER CEILING AND CONCRETE FLOOR STRUCTURE PER PLANS TO ACCOMMODATE ELEVATOR HOISTWAY. CUT SLAB TO PROVIDE 1/4" GAP AROUND CMU HOISTWAY PER STRUCTURAL DRAWINGS. MINIMIZE CEILING DEMO TO GREATEST EXTENT POSSIBLE. PROVIDE TEMPORARY SHORING PER STRUCTURAL DRAWINGS UNTIL EXISTING SLAB CAN BE SECURED TO HOISTWAY.
 - SECURE EXISTING CONCRETE FLOOR STRUCTURE TO HOISTWAY WITH STEEL BRACKETS. RE: STRUCTURAL DRAWINGS.
 - PROVIDE BOND BEAMS AT HOISTWAY LOCATIONS PER STRUCTURAL DRAWINGS.
 - NEW 1/4" GYP BOARD CEILING LAMINATED OVER EXISTING PLASTER CEILING. WHERE LARGE HOLES EXIST OR PLASTER CEILING HAS BEEN DEMOLISHED, INSTALL SUSPENDED METAL CHANNELS AND FURRING STRIPS AS NEEDED TO PROVIDE CONTINUOUS FASTENING SURFACE AT EDGES AND AT 24" O.C. MAX IN CENTER OF GYP BOARD PANELS.
 - NEW MTL STUD WALL WITH GYP BOARD VENEER. SECURE TOP OF WALL TO PLASTER CEILING.
 - CUT 16" BOND BEAM COURSE DOWN TO ± 12" NOMINAL (FIELD VERIFY) TO ALIGN TOP WITH 2ND FLOOR.
 - CONSTRUCT HOISTWAY UP TO UNDERSIDE OF ATTIC / ROOF STRUCTURE. BUILD AROUND CONCRETE JOISTS AS THEY OCCUR.
 - SECURE HOISTWAY TO EXISTING BEAM WITH STEEL BRACKET PER STRUCTURAL DRAWINGS.



J:\Autocad\Projects\Jackson City Trm Crhs\A-COND\CORE SHEET\A-403
 7/2/2012 10:17 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION




PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAK/MDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
STAIR PLAN AND ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-404

- ◇ BUTT GLAZED GLASS WALL SYSTEM. CENTER BETWEEN STAIR RUNS.
- ◇ (3) 3'-0" WIDE GLASS PANELS. CUT BOTTOM AT ANGLE TO MATCH STAIR STRINGER. SECURE BOTTOM TO EXISTING STAIR STRINGER USING STANDOFFS OF LENGTH NEEDED TO ALIGN GLASS WITH HEADER PER DETAIL. SECURE TOP TO NEW STEEL HEADER. PROVIDE 1/2" GAP BETWEEN PANELS.
- ◇ NEW PAINTED STEEL HEADER SECURED TO EXISTING STRINGER AT SOUTH END AND EXISTING WALL AT NORTH END.
- ◇ CARD READER.
- ◇ EMERGENCY EXIT DOOR RELEASE BUTTON.
- ◇ STANDOFFS AT BOTTOM OF GLASS PANEL - (3) PER PANEL.
- ◇ BOTTOM RAIL.
- ◇ HEADER FOR CONCEALED CLOSER AND ROUTING OF ELECTRICAL FOR ACCESS CONTROL DEVICES.
- ◇ PAINTED STEEL BRACKET EACH END OF HEADER.
- ◇ REFINISH EXISTING WOOD HANDRAILS.
- ◇ CLEAN, PREP, AND PAINT ALL EXPOSED STEEL STRINGERS, RAILING, RISERS, ETC. AT EXISTING STAIRS.
- ◇ SURFACE MOUNTED RACEWAY.
- ◇ NEW WALL SCONCE TO BE CENTERED ON STAIR RUN. RE: ELEC DRAWINGS. ROUTE ELECTRICAL IN CEILING PLENUM SPACE BEHIND WALL.
- ◇ NOT USED.
- ◇ DOOR RELEASE MOTION SENSOR MOUNTED TO GLASS WALL/DOOR HEADER.
- ◇ PAINT EXISTING PLASTER WALL.



J:\Autocad\Projects\Jackson City Trm Ctr\Sheet\COND\CCORE_Sheet_A-04
 7/2/2012 10:18 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL: (816) 474-3050
 FAX: (816) 474-3051



HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISION	DESCRIPTION

SHEET TITLE & NUMBER
RESTROOM SCHEDULES & DIAGRAMS
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-405



RESTROOM ACCESSORY SCHEDULE					
TAG	ITEM	PROVIDED BY OWNER	MANUFACTURER	MODEL / PART NO.	DESCRIPTION
A	MIRROR	NO	BOBRICK	B-165 1036	18" W x 36" H STAINLESS STEEL CHANNEL FRAME MIRROR WITH LOCKING DEVICE TO SECURE MIRROR TO CONCEALED WALL HANGER.
B-1	SOAP DISPENSER	YES	GEORGIA-PACIFIC	ENMOTION #52053	BATTERY OPERATED, AUTOMATED TOUCHLESS FOAM SOAP DISPENSER. SMOKE FINISH. INSTALL AT STONE OR TILE WALLS.
B-2	SOAP DISPENSER	YES	GEORGIA-PACIFIC	ENMOTION #52087	BATTERY OPERATED, AUTOMATED TOUCHLESS SOAP DISPENSER. TRANSLUCENT WHITE FINISH. INSTALL AT PAINTED PLASTER WALLS.
C-1	PAPER TOWEL DISPENSER	YES	GEORGIA-PACIFIC	ENMOTION IMPULSE 10 #54428	BATTERY OPERATED, AUTOMATED TOUCHLESS ROLL TOWEL DISPENSER. SMOKE FINISH. INSTALL AT STONE OR TILE WALLS.
C-2	PAPER TOWEL DISPENSER	YES	GEORGIA-PACIFIC	ENMOTION IMPULSE 10 #54447	BATTERY OPERATED, AUTOMATED TOUCHLESS ROLL TOWEL DISPENSER. TRANSLUCENT WHITE FINISH. INSTALL AT PAINTED PLASTER WALLS.
D-1	TOILET PAPER DISPENSER	YES	GEORGIA-PACIFIC	COMPACT #56784	SIDE-BY-SIDE, DOUBLE ROLL, CORELESS BATH TISSUE DISPENSER. SMOKE FINISH. INSTALL AT STONE OR TILE WALLS.
D-2	TOILET PAPER DISPENSER	YES	GEORGIA-PACIFIC	COMPACT #56791	SIDE-BY-SIDE, DOUBLE ROLL, CORELESS BATH TISSUE DISPENSER. TRANSLUCENT WHITE FINISH. INSTALL AT PAINTED PLASTER WALLS.
E-1	TOILET SEAT COVER DISPENSER	YES	GEORGIA-PACIFIC	SAFE-T-GARD #57748	1/2 FOLD SEAT COVER DISPENSER. BLACK FINISH. INSTALL AT STONE OR TILE WALLS.
E-2	TOILET SEAT COVER DISPENSER	YES	GEORGIA-PACIFIC	SAFE-T-GARD #57710	1/2 FOLD SEAT COVER DISPENSER. WHITE FINISH. INSTALL AT PAINTED PLASTER WALLS.
F	SANITARY NAPKIN DISPOSAL	NO	BOBRICK	CONTURA B-270	SURFACE MOUNTED, SATIN STAINLESS STEEL SANITARY NAPKIN DISPOSAL.
G	STAINLESS STEEL GRAB BAR - 36"	NO	BOBRICK	B5806 x 36	1 1/4" DIAMETER, SATIN STAINLESS STEEL GRAB BAR. CONCEALED MOUNTING FLANGE WITH SNAP FLANGE COVER.
H	STAINLESS STEEL GRAB BAR - 42"	NO	BOBRICK	B5806 x 42	1 1/4" DIAMETER, SATIN STAINLESS STEEL GRAB BAR. CONCEALED MOUNTING FLANGE WITH SNAP FLANGE COVER.
J	TRASH CAN	NO	BOBRICK	B-2300	CYLINDRICAL FLOOR STANDING WASTE RECEPTACLE WITH OPEN BOTTOM. SATIN STAINLESS STEEL FINISH. 10-GAL CAPACITY.
K	BABY CHANGING STATION	YES	KOALA KARE	KB-200-01	HORIZONTAL WALL MOUNTED BABY CHANGING STATION. GREY FINISH.
L	SHELF	NO	BOBRICK	B-246x24	6" D x 24" L SATIN STAINLESS STEEL SHELF WITH 3/4" RETURN EDGES. HEMMED FRONT EDGE FOR SAFE HANDLING. MOUNTING BRACKETS WELDED TO SHELF.
M	COAT HOOK	NO	BOBRICK	B-212	COAT HOOK WITH RUBBER BUMPER. SOLID CAST ALUMINUM WITH MATTE FINISH.

- GENERAL NOTES**
- ALL FIXTURES AND ACCESSORIES ARE SURFACE MOUNTED UNLESS NOTED OTHERWISE.
 - OWNER PROVIDED FIXTURES SHALL BE INSTALLED BY CONTRACTOR.
 - PROVIDE BLOCKING WHERE REQUIRED FOR SUPPORT OF FIXTURES AND ACCESSORIES.
 - INSTALL ALL BATHROOM ACCESSORIES TO COMPLY ADA MOUNTING HEIGHT REQUIREMENTS PER 2/A-405.
 - COORDINATE NECESSARY FASTENERS PER SUBSTRATE THAT FIXTURE / ACCESSORY IS BEING MOUNTED TO.
 - REFER TO SPECIFICATIONS FOR FURTHER FIXTURE INFORMATION.

1 RESTROOM FIXTURE & ACCESSORY SCHEDULE



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION










PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-406

- GENERAL NOTES**
- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - B. RE: A/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
 - C. RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
 - D. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- KEY NOTES**
- ◇ RESILIENT TRANSITION STRIP. RE: FINISH SCHEDULE.
 - ◇ INSTALL 12"x12" FLOOR TILES WITH 12"x24" TILE BORDER TO EMULATE MARBLE FLOOR PATTERN IN EXISTING RESTROOMS. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES. BORDER WIDTH SHALL NOT BE WIDER THAN ONE FULL TILE OR NARROWER THAN 4".
 - ◇ NEW ADA COMPLIANT WALL MOUNTED SINK WITH AUTOMATIC SENSOR FAUCET AND TRUEBRO LAY SHIELD PAINTED TO MATCH WALL. RE: PLUMBING DRAWINGS.
 - ◇ NEW ADA COMPLIANT TOILET WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMBING DRAWINGS.
 - ◇ NEW FLOOR DRAIN. RE: PLUMBING DRAWINGS.
 - ◇ 12x24 WALL TILE.
 - ◇ 4"x12" TILE CAP WITH RADIUS TOP EDGE. SAME COLOR AS WALL TILE.
 - ◇ PAINTED GYP BOARD.
 - ◇ WALL SCONCE CENTERED OVER MIRROR. RE: ELEC DRAWINGS.
 - ◇ PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - ◇ RUN TILE CAP ABOVE DOOR AS SHOWN.
 - ◇ FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.
 - ◇ TILE AROUND DOOR TO HAVE RADIUS AT EXPOSED EDGE.
 - ◇ PAINT EXISTING PLASTER WALL.
 - ◇ NEW ROLLER SHADE.
 - ◇ PIPE PENETRATION WALL CLOSURE SYSTEM. "NOFIRNO" OR APPROVED EQUIVALENT.



7/2/2012 10:09 AM J:\Autocad\Projects\Jackson City Trm Courthouse\COND\DOC\CORE\Sheet A-406
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISION DATE	DESCRIPTION

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-407

- GENERAL NOTES**
- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - B. RE: A/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
 - C. RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
 - D. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- KEY NOTES**
- ◇ RESILIENT TRANSITION STRIP. RE: FINISH SCHEDULE.
 - ◇ INSTALL 12"x12" FLOOR TILES WITH 12"x24" TILE BORDER TO EMULATE MARBLE FLOOR PATTERN IN EXISTING RESTROOMS. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES. BORDER WIDTH SHALL NOT BE WIDER THAN ONE FULL TILE OR NARROWER THAN 4".
 - ◇ REINSTALL REFURBISHED EXISTING PEDESTAL SINK WITH NEW AUTOMATIC SENSOR FAUCET AND NEW SUPPLY / WASTE LINES. RE: PLUMBING DRAWINGS.
 - ◇ REINSTALL REFURBISHED EXISTING TOILET WITH NEW AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMBING DRAWINGS.
 - ◇ NEW FLOOR DRAIN. RE: PLUMBING DRAWINGS.
 - ◇ 12x24 WALL TILE.
 - ◇ 4"x12" TILE CAP WITH RADIUSED TOP EDGE. SAME COLOR AS WALL TILE.
 - ◇ EXISTING WOOD DOOR CASING.
- ◇ WALL SCOTCH CENTERED OVER MIRROR. RE: ELEC DRAWINGS.
 - ◇ PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - ◇ BASE CABINET WITH SOLID SURFACE COUNTERTOP AND UNDERMOUNT SINK.
 - ◇ SOLID SURFACE COUNTER TOP. OPEN BELOW.
 - ◇ APPLY TRANSLUCENT WINDOW FILM TO INTERIOR SIDE OF GLAZING AT UNISEX RR 007.
 - ◇ PAINT EXISTING PLASTER WALL.
 - ◇ NEW STAINED WOOD BASE. MATCH SPECIES, PROFILE, AND FINISH OF EXISTING WOOD BASE ON FIRST AND SECOND FLOORS.
 - ◇ CLEAN, PREP, AND PAINT EXTERIOR DECORATIVE STEEL WINDOW GRILLE FROM ONSITE STORAGE ITEMS. RE: WINDOWS ON WEST SIDE OF BUILDING FOR SIMILAR INSTALLATION.
 - ◇ REMOVE DOOR FROM OPENING.



Pipe-Wind Architects, Inc. 7/2/2012 10:07 AM J:\Autocad\Projects\Jackson City Trm Ctr\rest\COND\DOC\CORE_Sheet\A-407



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISOR	
REVISION	

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-408


GENERAL NOTES

- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
- B. RE: A/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
- C. RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
- D. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.

- 10 SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 11 RUN TILE CAP ABOVE DOOR AS SHOWN.
- 12 FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.
- 13 TILE AROUND DOOR TO HAVE RADIUS AT EXPOSED EDGE.
- 14 PAINT EXISTING PLASTER WALL.
- 15 NEW STAINED WOOD BASE. SPECIES, PROFILE, AND FINISH TO MATCH EXISTING WOOD BASE AT FIRST AND SECOND FLOORS.
- 16 PIPE PENETRATION WALL CLOSURE SYSTEM. "NOFIRNO" OR APPROVED EQUIVALENT.
- 17 INSTALL NEW WINDOW AND APPLY TRANSLUCENT WINDOW FILM TO INTERIOR SIDE OF GLAZING AT MEN'S RR 012A.
- 18 NEW STAINED WOOD DOOR AND CASING TO MATCH EXISTING LOWER LEVEL DOORS AND TRIM.
- 19 ENCLOSURE FOR EXHAUST DUCT FLUSH WITH FACE OF WALL. 5/8" GYP BOARD OVER 1-1/2" MTL STUDS. EXISTING 1/2" MARBLE SILL OVERHANG TO REMAIN EXPOSED.


KEY NOTES

- 1 RESILIENT TRANSITION STRIP. RE: FINISH SCHEDULE.
- 2 INSTALL 12"x12" FLOOR TILES WITH 12"x24" TILE BORDER TO EMULATE MARBLE FLOOR PATTERN IN EXISTING RESTROOMS. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES. BORDER WIDTH SHALL NOT BE WIDER THAN ONE FULL TILE OR NARROWER THAN 4".
- 3 REINSTALL REFURBISHED EXISTING WALL MOUNTED SINK WITH NEW AUTOMATIC SENSOR FAUCET AND NEW SUPPLY / WASTE LINES. RE: PLUMBING DRAWINGS.
- 4 REINSTALL REFURBISHED EXISTING TOILET WITH NEW AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMBING DRAWINGS.
- 5 NEW FLOOR DRAIN. RE: PLUMBING DRAWINGS.
- 6 12x24 WALL TILE.
- 7 4"x12" HIGH TILE CAP WITH RADIUSED TOP EDGE. SAME COLOR AS WALL TILE.
- 8 PAINTED GYP BOARD.
- 9 WALL SCONCE CENTERED OVER MIRROR. RE: ELEC DRAWINGS.




10 EAST ELEVATION

1/2" = 1'-0" MEN 012A




7 WEST ELEVATION

1/2" = 1'-0" MEN 012A




4 SOUTH ELEVATION

1/2" = 1'-0" MEN 012A




9 NORTH ELEVATION

1/2" = 1'-0" MEN 012A




6 SOUTH ELEVATION

1/2" = 1'-0" PASSAGE 012




3 NORTH ELEVATION

1/2" = 1'-0" WOMEN 012B




8 WEST ELEVATION

1/2" = 1'-0" WOMEN 012B




5 EAST ELEVATION

1/2" = 1'-0" WOMEN 012B




2 SOUTH ELEVATION

1/2" = 1'-0" WOMEN 012B



1 ENLARGED PLAN - MEN 012A & WOMEN 012B

1/2" = 1'-0"



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO. 3811
 DATE 10-19-2012
 DRAWN BY CAMSAKMDR
 CHECKED BY EP
 SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-409

- GENERAL NOTES**
- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - B. RE: 1/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
 - C. RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
 - D. RE: 3/A-405 FOR TYPICAL TOILET STALL ELEVATIONS.
 - E. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
 - F. THOROUGHLY CLEAN ALL EXISTING MARBLE FLOORING AND WALL PANELS.


- KEY NOTES**
- 1 EXISTING STONE THRESHOLD TO REMAIN.
 - 2 EXISTING MARBLE FLOORING TO REMAIN.
 - 3 INSTALL 8"x8" MARBLE TILES WITH LINEAR BORDER (SHADED) TO EMULATE EXISTING, ADJACENT MARBLE FLOOR PATTERN (NOT SHADED). ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES.
 - 4 REINSTALL REFURBISHED EXISTING PEDESTAL SINK WITH NEW AUTOMATIC SENSOR FAUCET AND NEW SUPPLY / WASTE LINES. RE: PLUMB DRAWINGS.
 - 5 NEW ADA COMPLIANT WALL MOUNTED SINK WITH AUTOMATIC SENSOR FAUCET AND TRUEBRO LAV SHIELD PAINTED TO MATCH WALL. INSTALL AT OLD SINK LOCATION. RE: PLUMB DRAWINGS.
 - 6 REINSTALL REFURBISHED EXISTING TOILET WITH NEW AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS.
 - 7 NEW ADA COMPLIANT TOILET WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS. INSTALL AT OLD TOILET LOCATION.
 - 8 2-10" WIDE OUT-SWING STALL DOOR. STAINED WOOD FINISH TO MATCH EXISTING STALL DOORS.
 - 9 2-0" WIDE IN-SWING STALL DOOR. STAINED WOOD FINISH TO MATCH EXISTING.
 - 10 NEW MARBLE TOILET STALL PARTITIONS TO MATCH EXISTING. PROVIDE 1-1/4" THICK FILASTERS AND HEADERS AND 1" THICK STALL DIVIDERS TO MATCH EXISTING INSTALLATIONS.
 - 11 REINSTALL SALVAGED MARBLE WALL PANELS AT NEW WALL. CUT EXISTING PANELS AS NEEDED TO ACCOMMODATE NEW WALL ARRANGEMENT. REARRANGE PANELS AS NEEDED TO MAXIMIZE REUSE OF EXISTING PANELS. PROVIDE NEW MARBLE WALL PANEL(S) TO MATCH EXISTING IF EXISTING SUPPLY IS NOT ADEQUATE TO PROVIDE COMPLETE COVERAGE.
 - 12 REINSTALL REFURBISHED EXISTING UTILITY SINK WITH NEW FAUCET AND NEW SUPPLY / WASTE LINES AT THIS NEW LOCATION. RE: PLUMB DRAWINGS.
 - 13 WALL-IN REMOVED ELECTRICAL PANEL TO BE FLUSH WITH EXISTING PLASTER WALL.
 - 14 NEW 1-6" x 3-0" STAINED WOOD ACCESS DOOR IN NEW 2-1/2" MTL STUD FROM FLOOR TO CEILING. 5/8" GYP BOARD ON CLOSET SIDE ONLY.
 - 15 MODIFY EXISTING DOOR FRAME TO ALLOW EXISTING IN-SWING DOOR TO BE INSTALL AS AN OUT-SWING DOOR AS SHOWN.
 - 16 EXISTING MARBLE WALL PANELS.
 - 17 EXISTING MARBLE CASING OVER DOOR.
 - 18 EXISTING STAINED WOOD BASE.
 - 19 EXISTING STAINED WOOD DOOR CASING.
 - 20 EXISTING WALL SCONE.
 - 21 NEW EXHAUST GRILLE. RE: MECH DRAWINGS.
 - 22 PAINTED GYP BOARD.
 - 23 PAINT EXISTING PLASTER WALL.
 - 24 FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.




10 WEST ELEV
 1/2" = 1'-0"




8 SOUTH ELEV
 TOILET 126
 1/2" = 1'-0"




6 WEST ELEV
 WOMEN 112
 1/2" = 1'-0"




4 SOUTH ELEV
 WOMEN 112
 1/2" = 1'-0"




2 ENLARGED PLAN - TOILET 126
 1/2" = 1'-0"




9 EAST ELEV
 1/2" = 1'-0"




7 NORTH ELEV
 TOILET 126
 1/2" = 1'-0"



5 EAST ELEV
 WOMEN 112
 1/2" = 1'-0"




3 NORTH ELEV
 WOMEN 112
 1/2" = 1'-0"



1 ENLARGED PLAN - WOMEN 112
 1/2" = 1'-0"

6/14/2012 9:51 AM J:\Autocad\Projects\Jackson City Trm Ctr\Sheet\COND\CCORE\Sheet A-409
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	1381
DATE	10-19-2012
DRAWN BY	CAM/SAK/MDR
CHECKED BY	EP
REVISION DATE	DESCRIPTION


SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-410

- GENERAL NOTES**
- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - B. RE: 1/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
 - C. RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
 - D. RE: 3/A-405 FOR TYPICAL TOILET STALL ELEVATIONS.
 - E. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
 - F. THOROUGHLY CLEAN ALL EXISTING MARBLE FLOORING AND WALL PANELS.
- 1 FURR OUT EXISTING WALL WITH 3-5/8" MTL STUDS. INSTALL CLEAVAGE MEMBRANE OVER 5/8" CEMENT BOARD UP TO 1'-0" A.F.F. AND 5/8" TYPE X GYP BOARD ABOVE THAT.
 - 2 4" HIGH MARBLE CASING OVER DOOR. MATCH WALL PANELS.
 - 3 REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD.
 - 4 EXISTING STAINED WOOD DOOR. PAINT GLASS LITE OPAQUE. COLOR T.B.D.
 - 5 PAINTED GYP BOARD.
 - 6 PAINT EXISTING PLASTER WALL.
 - 7 FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.
 - 8 NEW ROLLER SHADE.
 - 9 NEW PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - 10 NEW STAINED WOOD PICTURE RAIL. MATCH PROFILE, SPECIES, AND FINISH OF EXISTING PICTURE RAIL.


- KEY NOTES**
- 1 NEW MARBLE THRESHOLD.
 - 2 INSTALL 8"X8" MARBLE TILES WITH LINEAR BORDER OF SAME MATERIAL TO EMULATE EXISTING MARBLE RESTROOM FLOORING. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES.
 - 3 NEW ADA COMPLIANT WALL MOUNTED SINK WITH AUTOMATIC SENSOR FAUCET AND TRUEBRO LAV SHIELD PAINTED TO MATCH WALL. INSTALL AT OLD SINK LOCATION. RE: PLUMB DRAWINGS
 - 4 NEW URINAL WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS.
 - 5 NEW ADA COMPLIANT TOILET WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS. INSTALL AT OLD TOILET LOCATION.
 - 6 2'-10" WIDE OUT-SWING STALL DOOR. STAINED WOOD FINISH TO MATCH EXISTING STALL DOORS.
 - 7 NEW MARBLE TOILET STALL PARTITIONS TO MATCH EXISTING. PROVIDE 1-1/4" THICK FILASTERS AND HEADERS AND 1" THICK STALL DIVIDERS TO MATCH EXISTING INSTALLATIONS.
 - 8 NEW T HIGH X 1" THICK STONE WALL PANELS AROUND ENTIRE ROOM TO MATCH EXISTING RESTROOMS. MARBLE TO MATCH EXISTING.
 - 9 REINSTALL REFURBISHED EXISTING UTILITY SINK WITH NEW FAUCET AND NEW SUPPLY / WASTE LINES AT THIS NEW LOCATION. RE: PLUMB DRAWINGS.
 - 10 NEW 1'-8" X 5'-0" X 1" THICK STONE URINAL SCREEN. MARBLE TO MATCH EXISTING.




5 WEST ELEVATION
 1/2" = 1'-0" MEN 134




3 SOUTH ELEVATION
 1/2" = 1'-0" MEN 134



4 EAST ELEVATION
 1/2" = 1'-0" MEN 134




2 NORTH ELEVATION
 1/2" = 1'-0" MEN 134



1 ENLARGED PLAN - MEN 134
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson City Trm Courthouse\COND\CORE\Sheet A-410
 7/2/2012 10:40 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	DESCRIPTION
REVISED DATE	

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-411


- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - RE: 1/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
 - RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
 - RE: 3/A-405 FOR TYPICAL TOILET STALL ELEVATIONS.
 - THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
 - THOROUGHLY CLEAN ALL EXISTING MARBLE FLOORING AND WALL PANELS.
 - REINSTALL MARBLE TOILET PARTITIONS AND WALL PANELS TO ORIGINAL LOCATIONS WHERE THEY HAVE BEEN REMOVED TO COMPLETE ABATEMENT WORK.
- KEY NOTES**
- EXISTING MARBLE THRESHOLD TO REMAIN.
 - EXISTING MARBLE FLOORING TO REMAIN.
 - NEW MARBLE THRESHOLD.
 - INSTALL 8"x8" FLOOR TILES WITH LINEAR TILE BORDER TO EMULATE MARBLE FLOOR PATTERN IN EXISTING RESTROOMS. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES. BORDER WIDTH SHALL NOT BE WIDER THAN ONE FULL TILE OR NARROWER THAN HALF OF ONE TILE.
 - REINSTALL REFURBISHED EXISTING PEDESTAL SINK WITH NEW AUTOMATIC SENSOR FAUCET AND NEW SUPPLY / WASTE LINES. RE: PLUMB DRAWINGS.
 - REINSTALL REFURBISHED EXISTING TOILET WITH NEW AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS.
 - EXISTING MARBLE TOILET PARTITIONS.
 - NEW 2'-2" WIDE IN-SWING STALL DOOR. FIELD VERIFY WIDTH TO FIT EXISTING STALLS. STAINED WOOD FINISH TO MATCH EXISTING.
 - EXISTING MARBLE WALL PANELS.
 - REINSTALL REFURBISHED EXISTING UTILITY SINK WITH NEW FAUCET AND NEW SUPPLY / WASTE LINES. RE: PLUMB DRAWINGS.
 - NEW DRINKING FOUNTAIN. RE: PLUMB DRAWINGS.
 - EXISTING STAINED WOOD ACCESS DOOR TO SHAFT SPACE.
 - EXISTING MARBLE CASING OVER DOOR.
 - EXISTING STAINED WOOD BASE.
 - EXISTING STAINED WOOD DOOR CASING.
 - EXISTING WALL SCIENCE.
 - NEW EXHAUST GRILLE. RE: MECH DRAWINGS.
 - PAINT EXISTING PLASTER WALL.
 - CLEAN EXISTING NON-FUNCTIONING HEATER TO REMAIN.




8 WEST ELEVATION
 1/2" = 1'-0" WOMEN 210




6 SOUTH ELEVATION
 1/2" = 1'-0" WOMEN 210




4 EAST ELEVATION
 1/2" = 1'-0" WOMEN 210




2 NORTH ELEVATION
 1/2" = 1'-0" WOMEN 210




9 WEST ELEVATION
 1/2" = 1'-0" RR 242




7 SOUTH ELEVATION
 1/2" = 1'-0" RR 242



5 EAST ELEVATION
 1/2" = 1'-0" RR 242




3 NORTH ELEVATION
 1/2" = 1'-0" RR 242



1 ENLARGED PLAN - WOMEN 210 & RR 242
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\restroom\COND\DOC\CORE_SheetA-411
 7/2/2012 10:39 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMS/AMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-412

GENERAL NOTES

- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
- B. RE: 1/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
- C. RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
- D. RE: 3/A-405 FOR TYPICAL TOILET STALL ELEVATIONS.
- E. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- F. THOROUGHLY CLEAN ALL EXISTING MARBLE FLOORING AND WALL PANELS.
- G. REINSTALL MARBLE TOILET PARTITIONS WHERE THEY HAVE BEEN REMOVED TO COMPLETE ABATEMENT WORK.


KEY NOTES

- 1. NEW MARBLE THRESHOLD.
- 2. INSTALL 8"x8" MARBLE TILES WITH LINEAR BORDER OF SAME MATERIAL TO EMULATE EXISTING. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES.
- 3. EXISTING MARBLE FLOORING TO REMAIN.
- 4. REMOVE EXISTING MARBLE THRESHOLD AND REINSTALL AT SLOPE TO TRANSITION BTWN EXISTING MARBLE AND NEW MARBLE FLOORS.
- 5. REINSTALL REFURBISHED EXISTING PEDESTAL SINK WITH NEW AUTOMATIC SENSOR FAUCET AND NEW SUPPLY / WASTE LINES. RE: PLUMB DRAWINGS.
- 6. REINSTALL REFURBISHED EXISTING TOILET WITH NEW AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS. INSTALL AT OLD TOILET LOCATION.
- 7. NEW ADA COMPLIANT TOILET WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS.


- 8. NEW URINAL WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS
- 9. NEW 1'-8" x 5'-0" x 1" THICK STONE URINAL SCREEN. MARBLE TO MATCH EXISTING.
- 10. EXISTING MARBLE TOILET PARTITIONS.
- 11. PROVIDE NEW 1-1/4" THICK STILE TO REPLACE MISSING STILE. MARBLE TO MATCH EXISTING.
- 12. SQUARE OFF DAMAGED UPPER CORNER OF STILE AND PATCH WITH MARBLE TO MATCH EXISTING.
- 13. PROPERLY RE-SECURE HEADER TO NEW AND REPAIRED MARBLE STILES TO ELIMINATE NEED FOR WOOD BRACING.
- 14. 2'-2" WIDE IN-SWING STALL DOOR. FIELD VERIFY WIDTH TO FIT EXISTING STALLS. STAINED WOOD FINISH TO MATCH EXISTING.
- 15. NEW 1" THICK SOLID PLASTIC TOILET STALL PARTITIONS WITH METAL HEADRAIL BRACE AND STAINLESS STEEL PILASTER SHOES.
- 16. 2'-10" WIDE IN-SWING STALL DOOR. STAINED WOOD FINISH TO MATCH EXISTING STALL DOORS.

- 17. EXISTING MARBLE WALL PANELS.
- 18. EXISTING MARBLE CASING OVER DOOR.
- 19. FURR OUT EXISTING WALL WITH 3-5/8" MTL STUDS. INSTALL CLEAVAGE MEMBRANE OVER 5/8" CEMENT BOARD UP TO 7'-0" A.F.F AND 5/8" TYPE X GYP BOARD ABOVE THAT.
- 20. NEW MARBLE WALL PANEL TO MATCH EXISTING BETWEEN DOORWAY AND TOILET STALL PARTITION.
- 21. EXISTING STAINED WOOD DOOR AND CASING.
- 22. NEW WALL SCONCE CENTERED OVER MIRROR. RE: ELEG DRAWINGS.
- 23. NEW EXHAUST GRILLE. RE: MECH DRAWINGS.
- 24. PAINTED GYP BOARD.
- 25. PAINT EXISTING PLASTER WALL.
- 26. REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD.
- 27. EXISTING MARBLE CASING OVER DOORWAY.


- 28. 12x24 WALL TILE.
- 29. 4"x12" TILE CAP WITH RADIUS TOP EDGE. SAME COLOR AS WALL TILE.
- 30. RUN TILE CAP ABOVE DOORWAY AS SHOWN.




7 SOUTH ELEVATION
 1/2"=1'-0" MEN 212




5 WEST ELEVATION
 1/2"=1'-0" MEN 212




3 NORTH ELEVATION
 1/2"=1'-0" MEN 212




6 NORTH ELEVATION
 1/2"=1'-0" MEN 212



4 EAST ELEVATION
 1/2"=1'-0" MEN 212




2 SOUTH ELEVATION
 1/2"=1'-0" MEN 212



1 ENLARGED PLAN - MEN 212
 1/2"=1'-0" MEN 212

J:\Autocad\Projects\Jackson City Trm Courthouse\COND\DOC\CORE_Sheet A-412
 7/2/2012 10:39 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-413


- GENERAL NOTES**
- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - B. RE: 1/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
 - C. RE: 2/A-405 FOR ADDITIONAL ADA MOUNTING/INSTALLATION REQUIREMENTS.
 - D. RE: 3/A-405 FOR TYPICAL TOILET STALL ELEVATIONS.
 - E. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- ◇ EXISTING PAINTED WOOD SHAFT ACCESS DOOR.
 - ◇ ANGLE END OF FURRED WALL TO ALIGN WITH OUTSIDE EDGE OF FRAME AROUND SHAFT ACCESS DOOR.
 - ◇ EXISTING STAINED WOOD DOOR. PAINT GLASS LITE OPAQUE. COLOR T.B.D. DO NOT PAINT TRANSOM GLASS.
 - ◇ 12x24 WALL TILE.
 - ◇ 4"x12" TILE CAP WITH RADIUS TOP EDGE. SAME COLOR AS WALL TILE.
 - ◇ RUN TILE CAP ABOVE DOORWAY AS SHOWN.
 - ◇ REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD.
 - ◇ PAINTED GYP BOARD.
 - ◇ PAINT EXISTING PLASTER WALL.
 - ◇ NEW WALL SCONCE CENTERED OVER MIRROR. RE: ELEC DRAWINGS.
 - ◇ NEW ROLLER SHADE.
 - ◇ NEW PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- KEY NOTES**
- ◇ NEW MARBLE THRESHOLD.
 - ◇ INSTALL 8"x8" MARBLE TILES WITH LINEAR BORDER OF SAME MATERIAL TO EMULATE EXISTING MARBLE RESTROOM FLOORING. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES.
 - ◇ NEW ADA COMPLIANT WALL MOUNTED SINK WITH AUTOMATIC SENSOR FAUCET AND TRUEBRO LAV SHIELD PAINTED TO MATCH WALL. RE: PLUMB DRAWINGS.
 - ◇ NEW ADA COMPLIANT TOILET WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS.
 - ◇ NEW STANDARD HEIGHT TOILET WITH AUTOMATIC SENSOR FLUSH VALVE. RE: PLUMB DRAWINGS.
 - ◇ NEW 1" THICK SOLID PLASTIC TOILET STALL PARTITIONS WITH METAL HEADRAIL BRACE AND STAINLESS STEEL PILASTER SHOES.
 - ◇ 2'-10" WIDE OUT-SWING STALL DOOR. STAINED WOOD FINISH TO MATCH EXISTING STALL DOORS.
 - ◇ 2'-2" WIDE IN-SWING STALL DOOR. STAINED WOOD FINISH TO MATCH EXISTING STALL DOORS.
 - ◇ FURR OUT EXISTING WALL WITH 3-5/8" MTL STUDS. INSTALL CLEAVAGE MEMBRANE OVER 5/8" CEMENT BOARD UP TO T-0" A.F.F. AND 5/8" TYPE X GYP BOARD ABOVE THAT.




5 WEST ELEVATION
 1/2"=1'-0" WOMEN 214




3 SOUTH ELEVATION
 1/2"=1'-0" WOMEN 214




6 PARTIAL EAST ELEVATION
 1/2"=1'-0" WOMEN 214



4 EAST ELEVATION
 1/2"=1'-0" WOMEN 214




2 NORTH ELEVATION
 1/2"=1'-0" WOMEN 214



1 ENLARGED PLAN - WOMEN 214
 1/2"=1'-0"

7/2/2012 10:38 AM J:\AutoCAD\Projects\Jackson City Trm Ctr\Sheet\COND\DOC\CORE_Sheet_A-413
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-414


GENERAL NOTES

- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND GL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
- B. RE: 1/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
- C. THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.


KEY NOTES

- ◆ NEW MARBLE THRESHOLD.
- ◆ INSTALL 12"x12" FLOOR TILES WITH 12"x24" TILE BORDER TO EMULATE MARBLE FLOOR PATTERN IN EXISTING RESTROOMS. ADJUST WIDTH OF BORDER AS NEEDED TO PREVENT CUTTING OF FIELD TILES. BORDER WIDTH SHALL NOT BE WIDER THAN ONE FULL TILE OR NARROWER THAN 4".
- ◆ REINSTALL REFURBISHED EXISTING PEDESTAL SINK WITH NEW AUTOMATIC SENSOR FAUCET AND NEW SUPPLY / WASTE LINES. INSTALL AT OLD SINK LOCATION. RE: PLUMB DRAWINGS.
- ◆ REINSTALL REFURBISHED EXISTING TOILET WITH NEW AUTOMATIC SENSOR FLUSH VALVE. INSTALL AT OLD TOILET LOCATION. RE: PLUMB DRAWINGS.
- ◆ NEW EXHAUST GRILLE. RE: MECH DRAWINGS.
- ◆ PAINT EXISTING PLASTER WALL.
- ◆ STAINED WOOD BASE.
- ◆ EXISTING STAINED WOOD DOOR AND CASING.


◆ NEW WALL SCOTCH. RE: ELEC DRAWINGS.




10 WEST ELEVATION
 1/2"=1'-0" RR 233



8 SOUTH ELEVATION
 1/2"=1'-0" RR 233




6 EAST ELEVATION
 1/2"=1'-0" RR 233




4 NORTH ELEVATION
 1/2"=1'-0" RR 233


2 NOT USED




9 WEST ELEVATION
 1/2"=1'-0" RR 232




7 SOUTH ELEVATION
 1/2"=1'-0" RR 232



5 EAST ELEVATION
 1/2"=1'-0" RR 232




3 NORTH ELEVATION
 1/2"=1'-0" RR 232



1 ENLARGED PLAN - RR 232 & RR 233
 1/2"=1'-0"

J:\Autocad\Projects\Jackson City Trm Ctr\Sheet\COND\DOC\CORE_Sheet_A-414
 7/2/2012 10:37 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISY DATE	DESCRIPTION

SHEET TITLE & NUMBER
RESTROOM PLANS & ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-415









- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - RE: 1/A-405 FOR RESTROOM ACCESSORY SCHEDULE.
 - RE: 3/A-405 FOR TYPICAL TOILET STALL ELEVATIONS.
 - THOROUGHLY CLEAN ALL EXISTING PLUMBING FIXTURES TO LIKE-NEW CONDITION BEFORE REINSTALLATION. RE: PLUMB DRAWINGS FOR ADDITIONAL INFORMATION.
 - THOROUGHLY CLEAN ALL EXISTING MARBLE FLOORING AND WALL PANELS.
 - REINSTALL MARBLE TOILET PARTITIONS AND WALL PANELS TO ORIGINAL LOCATIONS WHERE THEY HAVE BEEN REMOVED TO COMPLETE ABATEMENT WORK.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.

H. RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.


- KEY NOTES**
- EXISTING STONE THRESHOLD TO REMAIN.
 - EXISTING MARBLE FLOORING TO REMAIN.
 - REINSTALL REFURBISHED EXISTING PEDESTAL SINK WITH NEW AUTOMATIC SENSOR FAUCET AND NEW SUPPLY / WASTE LINES. INSTALL AT OLD SINK LOCATION. RE: PLUMB DRAWINGS.
 - REINSTALL REFURBISHED EXISTING TOILET WITH NEW AUTOMATIC SENSOR FLUSH VALVE. INSTALL AT OLD SINK LOCATION. RE: PLUMB DRAWINGS.
 - EXISTING MARBLE WALL PANELS.
 - EXISTING MARBLE TOILET PARTITION AND STAINED WOOD STALL DOOR.
 - REINSTALL REFURBISHED EXISTING UTILITY SINK WITH NEW FAUCET AND NEW SUPPLY / WASTE LINES AT OLD SINK LOCATION. RE: PLUMB DRAWINGS.
 - EXISTING MARBLE CASING OVER DOOR.
 - NEW EXHAUST GRILLE. RE: MECH DRAWINGS.

- PAINT EXISTING PLASTER WALL.
- NEW STAINED WOOD BASE. MATCH PROFILE, SPECIES, AND FINISH OF EXISTING WOOD BASE AT FIRST AND SECOND FLOORS.
- SURFACE MOUNTED OUTLETS AND WIREMOLD FOR POWER TO REFRIGERATORS.
- SURFACE MOUNTED WATER LINE FOR ICE MAKER CONNECTIONS TO REFRIGERATORS.
- EXISTING STONE VENEER.
- EXISTING PIPE PENETRATIONS.
- NEW AUTOMATIC SPRINKLER STANDPIPE CONNECTION. RE: FIRE PROTECTION DRAWINGS.
- NEW PUMP TEST CONNECTION. RE: FIRE PROTECTION DRAWINGS.
- NEW PIPE PENETRATION WITH HOSE CONNECTION FOR WATER DISCHARGE FROM FIRE PROTECTION SYSTEM. RE: FIRE PROTECTION DRAWINGS.
- EXISTING WINDOW WELL.

- EXISTING COLUMN (DASHED).
- NEW STAINED WOOD PICTURE RAIL TO MATCH EXISTING.
- NEW PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- NEW DUCTWORK. RE: MECH DRAWINGS.
- NEW MECH GRILLE. RE: STRUCTURAL FOR LINTEL TO SUPPORT EXISTING MASONRY WALL ABOVE NEW PUNCHED OPENING. ALIGN TOP WITH PICTURE RAIL.
- EXISTING STAINED WOOD DOOR AND CASING.
- NEW FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.



6/8/2012 2:02 PM J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\COND\CORE_Sheet\A-415 PIPER-WIND ARCHITECTS, INC.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
INTERIOR ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-416


- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
- KEY NOTES**
- NEW STAINED WOOD BASE. MATCH PROFILE, SPECIES, AND FINISH OF EXISTING WOOD BASE AT FIRST AND SECOND FLOORS.
 - NEW SURFACE MOUNTED LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD.
 - PAINT EXISTING PLASTER WALL.
 - REPAIR PLASTER WALL WITH PLASTER TO MATCH EXISTING WHERE ELECTRICAL PANELS AND DUCT HAVE BEEN REMOVED.
 - BUTT GLAZED GLASS WALL SYSTEM.
 - BOTTOM RAIL.
 - HEADER FOR CONCEALED CLOSER AND ROUTING OF ELECTRICAL FOR ACCESS CONTROL DEVICES.
 - CARD READER.
 - EMERGENCY EXIT DOOR RELEASE BUTTON.
 - DOOR RELEASE MOTION SENSOR MOUNTED TO GLASS WALL/DOOR HEADER.
 - BOTTOM RAIL.
 - NEW FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.
 - NEW EXIT SIGN. RE: ELEC DRAWINGS.
 - REMOVE DOOR LEAF, FRAME AND CASING TO REMAIN. REMOVE PAINT FROM PASSAGE SIDE OF DOOR AND STAIN TO MATCH EXISTING STAINED WOOD.
 - REFINISH EXISTING WOOD HANDRAILS.
 - CLEAN, PREP, AND PAINT ALL EXPOSED STEEL STRINGERS, RAILING, RISERS, ETC. AT EXISTING STAIRS.
 - SURFACE MOUNTED RACEWAY.
 - NEW STAINED WOOD CASING OPENING. MATCH CASING OF LOWER LEVEL DOORS. PROVIDE STEEL LINTEL TO SUPPORT WALL ABOVE PER STRUCTURAL.
 - PAINT ELECTRICAL PANEL TO MATCH WALL.
 - PAINT STEEL DOOR TO MATCH WALL.
 - NEW DUCTWORK. RE: MECH DRAWINGS.
 - NEW UPPER AND LOWER CABINETS.




3 CORRIDOR 016 & VESTIBULE 014 - SOUTH
 1/2" = 1'-0"




2 CORRIDOR 016 & VESTIBULE 014 - NORTH
 1/2" = 1'-0"



5 BREAK ROOM 022 - NORTH
 1/2" = 1'-0"




4 CORRIDOR 016 - WEST
 1/2" = 1'-0"



1 WEST STAIR 016B - WEST
 1/2" = 1'-0"

5/16/2012 10:25 AM
 J:\AutoCAD\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet_A-416
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-417

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
 - THOROUGHLY CLEAN ALL EXISTING MARBLE FLOORING AND WALL PANELS.
 - PAINT SURFACE MOUNTED WIREMOLD TO MATCH COLOR OF SUBSTRATE TO WHICH IT IS APPLIED.

- KEY NOTES**
- EXISTING MARBLE WALLS.
 - EXISTING MARBLE PILASTERS.
 - EXISTING MARBLE BASE.
 - EXISTING DUPLEX OUTLET.
 - CLEAN AND REINSTALL EXISTING DIRECTORY REMOVED DURING PREVIOUS SCOPE.
 - PAINT EXISTING PLASTER WALL.
 - PAINT EXISTING CURVED PLASTER CEILING.
 - PAINT PLASTER CROWN TO MATCH WALL BUT ONE GLOSS LEVEL HIGHER THAN WALL.
 - EXISTING MARBLE PLYNTH BLOCKS.
 - EXISTING STAINED WOOD DOOR AND CASING.




2 LOBBY 101 - SOUTH ELEVATION
 1/2" = 1'-0"



1 LOBBY 101 - NORTH ELEVATION
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CC\CORE_Sheet\A-417
 7/2/2012 10:30 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMS/AMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-418

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
 - THOROUGHLY CLEAN ALL EXISTING MARBLE FLOORING AND WALL PANELS.
 - PAINT SURFACE MOUNTED WIREMOLD TO MATCH COLOR OF SUBSTRATE TO WHICH IT IS APPLIED.

- KEY NOTES**
- 1 EXISTING MARBLE WALLS.
 - 2 EXISTING MARBLE PILASTERS.
 - 3 EXISTING MARBLE BASE.
 - 4 EXISTING STAINED WOOD PANEL JAMB.
 - 5 NEW GLASS PARTITION.
 - 6 PAINT EXISTING PLASTER WALL.
 - 7 PAINT EXISTING CURVED PLASTER CEILING.
 - 8 PAINT PLASTER CROWN TO MATCH WALL BUT ONE GLOSS LEVEL HIGHER THAN WALL.
 - 9 EXISTING MARBLE PLYNTH BLOCKS.
 - 10 EXISTING STAINED WOOD DOOR AND CASING.
 - 11 NEW SURFACE MOUNTED ACTUATOR FOR AUTOMATIC DOOR OPERATOR. ROUTE WIREMOLD DOWN AND OVER TOWARDS VESTIBULE FOR CABLE CONNECTION TO OPERATOR.
 - 12 PENETRATE PANEL JAMB AT AN ANGLE NEAR BASE OF DOOR TO PENETRATE VESTIBULE SIDE OF WALL JUST OUTSIDE THE EDGE OF THE WOOD DOOR CASING. RUN WIREMOLD UP WALL IN VESTIBULE AT EDGE OF CASING. RE: VESTIBULE ELEVATION.




2 LOBBY 101 - WEST ELEVATION
 1/2" = 1'-0"



1 LOBBY 101 - EAST ELEVATION
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet_A-418
 7/2/2012 10:29 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION





SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-419

- GENERAL NOTES**
- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - B. REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - C. RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
 - D. PAINT SURFACE MOUNTED WIREMOLD TO MATCH COLOR OF SUBSTRATE TO WHICH IT IS APPLIED.

- KEY NOTES**
- ① PAINT EXISTING PLASTER WALL.
 - ② EXISTING TILE BASE.
 - ③ DECORATIVE FAN COIL UNIT COVER. RE: 1/A-5#.
 - ④ NEW AUTOMATIC DOOR OPERATOR. RE: DOOR SCHEDULE 4 DETAILS.
 - ⑤ NEW SURFACE MOUNTED ACTUATOR FOR AUTOMATIC DOOR OPERATOR. ROUTE WIREMOLD DOWN, ACROSS TOP OF TILE BASE, AROUND CORNER, AND UP WALL AGAINST EDGE OF DOOR CASING FOR CABLE CONNECTION TO OPERATOR.



5/16/2012 10:25 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet_A-419
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-420

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
 - PAINT SURFACE MOUNTED WIREMOLD TO MATCH COLOR OF SUBSTRATE TO WHICH IT IS APPLIED.

- KEY NOTES**
- PAINT EXISTING PLASTER WALL.
 - EXISTING TILE BASE.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - EXISTING STAINED WOOD PICTURE RAIL. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - BUTT-GLAZED GLASS PARTITION.
 - CARD READER.
 - EMERGENCY EXIT DOOR RELEASE BUTTON.
 - DOOR RELEASE MOTION SENSOR MOUNTED TO CONTINUOUS HEAD RAIL.
 - SURFACE MOUNTED WIREMOLD.
 - EXISTING STAINED WOOD DOOR AND CASING.
 - EXISTING FIRE HOSE STATION.
 - PAINT ELECTRICAL PANEL TO MATCH WALL.
 - REFINISH EXISTING WOOD HANDRAILS.
 - CLEAN, PREP, AND PAINT ALL EXPOSED STEEL STRINGERS, RAILING, RISERS, ETC. AT EXISTING STAIRS.
 - NEW FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.
 - DECORATIVE FAN COIL UNIT COVER. RE: #/A-5#.
 - PAINT UNDERSIDE OF STAIRS TO MATCH CEILING.
 - EXISTING LIGHT SWITCH.
 - NEW FIRE ALARM CONTROL PANEL (ABOVE) AND BATTERY BOX (BELOW). RE: FIRE ALARM DRAWINGS.




2 WEST CORRIDOR 102 - NORTH ELEVATION
 1/2" = 1'-0"



1 WEST CORRIDOR 102 - NORTH ELEVATION
 1/2" = 1'-0"

5/16/2012 10:25 AM
 J:\Autocad\Projects\Jackson City Trm Ctr\Sheet\COND\CLCORE\Sheet A-420
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMS/AMDR
CHECKED BY	EP
REVIS	DESCRIPTION


SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-421

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
 - PAINT SURFACE MOUNTED WIREMOLD TO MATCH COLOR OF SUBSTRATE TO WHICH IT IS APPLIED.

- KEY NOTES**
- PAINT EXISTING PLASTER WALL.
 - EXISTING TILE BASE.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - EXISTING STAINED WOOD PICTURE RAIL. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - BUTT-GLAZED GLASS PARTITION.
 - CARD READER.
 - DOOR RELEASE MOTION SENSOR MOUNTED TO CONTINUOUS HEAD RAIL.
 - EXISTING STAINED WOOD DOOR AND CASING.
 - NEW FIRE ALARM DEVICE INSTALLED AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
 - DECORATIVE FAN COIL UNIT COVER. RE: #/A-5#.
 - EXISTING DUPLEX OUTLET.




2 WEST CORRIDOR 102 - SOUTH ELEVATION
 1/2" = 1'-0"



1 WEST CORRIDOR 102 - SOUTH ELEVATION
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CCORE_SheetA-421
 7/2/2012 10:48 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-422

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
 - THOROUGHLY CLEAN ALL EXISTING MARBLE WALL PANELS AND TRIM.

- KEY NOTES**
- PAINT EXISTING PLASTER WALL.
 - EXISTING TILE BASE.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - EXISTING STAINED WOOD PICTURE RAIL. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - CARD READER.
 - EXISTING STAINED WOOD DOOR AND CASING.
 - EXISTING FIRE HOSE STATION.
 - PAINT ELECTRICAL PANEL TO MATCH WALL.
 - REFINISH EXISTING WOOD HANDRAILS.
 - CLEAN, PREP, AND PAINT ALL EXPOSED STEEL STRINGERS, RAILING, RISERS, ETC. AT EXISTING STAIRS.
 - NEW FIRE ALARM DEVICE. RE: FIRE ALARM DRAWINGS.
 - NEW FIRE ALARM DEVICE AT OLD DEVICE LOCATION. RE: FIRE ALARM DRAWINGS.
 - DECORATIVE FAN COIL UNIT COVER. RE: #/A-5#.
 - PAINT UNDERSIDE OF STAIRS TO MATCH CEILINGS.
 - EXISTING LIGHT SWITCH.
 - PAINT GLASS LITE OPAQUE. COLOR T.B.D.
 - NEW DRINKING FOUNTAIN IN EXISTING MARBLE ALCOVE. RE: PLUMBING DRAWINGS. ORDER WITH EXTENDED WALL PANEL TO COVER HOLES IN MARBLE VENEER. PATCH ANY REMAINING, VISIBLE HOLES IN MARBLE WITH STONE PATCH TO MATCH MARBLE.




2 EAST CORRIDOR 106 - NORTH ELEVATION
 1/2" = 1'-0"



1 EAST CORRIDOR 106 - NORTH ELEVATION
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_CtHse\4\COND\CORE_Sheet\A-422
 7/2/2012 10:48 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-423

GENERAL NOTES

- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
- B. REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
- C. RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
- D. THOROUGHLY CLEAN ALL EXISTING MARBLE WALL PANELS AND TRIM.


KEY NOTES

- 1 PAINT EXISTING PLASTER WALL.
- 2 EXISTING TILE BASE.
- 3 EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
- 4 EXISTING STAINED WOOD PICTURE RAIL. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
- 5 CARD READER.
- 6 EXISTING STAINED WOOD DOOR AND CASING.
- 7 EXISTING DUPLEX OUTLET.
- 8 REINSTALL FRAMED GRAPHIC PROVIDED BY OWNER. GC TO PROVIDE WIRE AND CLIPS TO UTILIZE PICTURE RAIL FOR HANGING OF GRAPHIC.




2 EAST CORRIDOR 106 - SOUTH ELEVATION

1/2" = 1'-0"



1 EAST CORRIDOR 106 - SOUTH ELEVATION

1/2" = 1'-0"



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISOR	
REVISION	

SHEET TITLE & NUMBER
INTERIOR ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-424

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
- KEY NOTES**
- PAINT EXISTING PLASTER WALL.
 - PAINT PLASTER CROWN TO MATCH WALL BUT ONE GLOSS LEVEL HIGHER THAN WALL.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - EXISTING STAINED WOOD DOOR AND CASING.
 - CARD READER.
 - REFINISH EXISTING WOOD HANDRAILS.
 - CLEAN, PREP, AND PAINT ALL EXPOSED STEEL STRINGERS, RAILING, RISERS, ETC. AT EXISTING STAIRS.
 - EXISTING LIGHT SWITCH.
 - BUTT-GLAZED GLASS PARTITION.




2 WEST CORRIDOR 203 - NORTH ELEVATION
 1/2" = 1'-0"



1 LOBBY 201 - NORTH ELEVATION
 1/2" = 1'-0"

Pipe-Wind Architects, Inc. 7/2/2012 10:46 AM J:\AutoCAD\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CORE_Sheet_A-424



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMS/AMDR
CHECKED BY	EP
REVISION DATE	DESCRIPTION

SHEET TITLE & NUMBER
INTERIOR ELEVATIONS


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-425

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
- KEY NOTES**
- PAINT EXISTING PLASTER WALL.
 - PAINT PLASTER CROWN TO MATCH WALL BUT ONE GLOSS LEVEL HIGHER THAN WALL.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - EXISTING STAINED WOOD DOOR AND CASING.
 - CARD READER.
 - EXISTING FIRE HOSE STATION.
 - PAINT ELECTRICAL PANEL TO MATCH WALL.
 - BUTT-GLAZED GLASS PARTITION.
 - DECORATIVE FAN COIL UNIT COVER. RE: #/A-5#.




2 WEST CORRIDOR 203 - SOUTH ELEVATION
 1/2" = 1'-0"



1 LOBBY 201 - SOUTH ELEVATION
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CC\CORE_Sheet\A-425
 7/2/2012 10:46 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAK/MDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION


SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-426

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
 - THOROUGHLY CLEAN ALL EXISTING MARBLE WALL PANELS AND TRIM.


- KEY NOTES**
- PAINT EXISTING PLASTER WALL.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - EXISTING STAINED WOOD DOOR AND CASING.
 - EXISTING FIRE HOSE STATION.
 - PAINT ELECTRICAL PANEL TO MATCH WALL.
 - REFINISH EXISTING WOOD HANDRAILS.
 - CLEAN, PREP, AND PAINT ALL EXPOSED STEEL STRINGERS, RAILING, RISERS, ETC. AT EXISTING STAIRS.
 - NEW DRINKING FOUNTAIN IN EXISTING MARBLE ALCOVE. RE: PLUMBING DRAWINGS. ORDER WITH EXTENDED WALL PANEL TO COVER HOLES IN MARBLE VENEER. PATCH ANY REMAINING, VISIBLE HOLES IN MARBLE WITH STONE PATCH TO MATCH MARBLE.
 - DEMO OPENING IN CLAY TILE WALL TO EXPAND OFFICE AND FINISH OFF WITH STAINED WOOD. CASING OPENING. TRIM TO MATCH EXISTING DOOR TRIM.
 - FURRED OUT WALL PER PLAN.
 - PLASTIC LAMINATE FLOOR AND WALL CABINETS.
 - SOLID SURFACE COUNTERTOP WITH 4" BACKSPLASH WITH UNDER-MOUNT SINK. RE: PLUMBING DRAWINGS.
 - UNDER-CABINET LIGHTS. RE: ELEC DRAWINGS.
 - U-LINE U-ADA151MS UNDER-COUNTER, DRAIN-FREE ICE MAKER. COORDINATE OUTLET LOCATION WITH UNIT REQUIREMENTS.
 - U-LINE ADA24RS UNDER-COUNTER REFRIGERATOR. COORDINATE OUTLET LOCATION WITH UNIT REQUIREMENTS.
 - LOCATE SWITCH FOR UNDER-CABINET LIGHTS IN NEW WALL.




4 KITCHENETTE 244 - SOUTH ELEVATION
 1/2" = 1'-0"



2 EAST CORRIDOR 202 - NORTH ELEVATION
 1/2" = 1'-0"




3 OFFICE 228 - EAST ELEVATION
 1/2" = 1'-0"




1 EAST CORRIDOR 202 - NORTH ELEVATION
 1/2" = 1'-0"

J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet_A-426
 7/2/2012 10:45 AM
 Piper-Wind Architects, Inc.




2 EAST CORRIDOR 202 - SOUTH ELEVATION
1/2" = 1'-0"



1 EAST CORRIDOR 202 - SOUTH ELEVATION
1/2" = 1'-0"

- GENERAL NOTES**
- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - B. REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - C. RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.

- KEY NOTES**
- 1 PAINT EXISTING PLASTER WALL.
 - 2 EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - 3 REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - 4 EXISTING STAINED WOOD DOOR AND CASING.
 - 5 EXISTING DUPLEX OUTLET.
 - 6 CARD READER.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
2121 CENTRAL STREET, SUITE 143
KANSAS CITY, MISSOURI 64108
TEL. (816) 474-3050
FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
PIPER-WIND ARCHITECTS, INC.

A-427



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISION DATE	DESCRIPTION


SHEET TITLE & NUMBER
INTERIOR ELEVATIONS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-428

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.

- KEY NOTES**
- BALLISTIC ALUMINUM STOREFRONT FRAMING WITH 2 1/2" WIDE EXPOSURE. MINIMUM UL T52 LEVEL 2 PROTECTION. ANODIZED ALUMINUM FINISH.
 - STAINED WOOD PANEL. 1/4" PLYWOOD WITH HARDWOOD VENEER EACH SIDE OF A UL T52 LEVEL 2, BULLET RESISTANT FIBERGLAS PANEL.
 - UL T52 LEVEL 2, BULLET RESISTANT, LAMINATED GLAZING FOR ALL GLASS LITES UP TO 7'-0" A.F.F. CLEAR.
 - SOLID SURFACE TRANSACTION COUNTER / EMPLOYEE WORK SURFACE WITH BULLET RESISTANT DEAL TRAY.
 - CIRCULAR PERFORATION PATTERN IN TRANSACTION WINDOW TO AID IN COMMUNICATIONS BETWEEN CLERK AND CUSTOMER. SIZE AND SPACING OF HOLES AS RECOMMENDED BY GLAZING MANUFACTURER.
 - ONE-WAY GLAZING TREATMENT ON SHADED LITES.
 - PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - 1'-0" HIGH RAISED FLOOR.
 - PAINTED STEEL RAIL.
 - 1" MINI-BLINDS AT EACH CASHIER AND TELLER WINDOW. INSTALL WITHIN DEPTH OF STOREFRONT SYSTEM.
 - ALUMINUM STOREFRONT FRAMING WITH 2" WIDE EXPOSURE FOR EMPLOYEE OFFICES DOES NOT NEED TO BE BULLET RESISTANT. ANODIZED ALUMINUM FINISH.
 - STAINED WOOD VENEER DOOR TO MATCH STAINED WOOD PANELS IN ALUMINUM STOREFRONT MALL.




2 WAITING 114 - SOUTH ELEVATION



1 WAITING 114 - SOUTH ELEVATION



J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\CORE_Sheet\A-428
 7/2/2012 10:44 AM
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAM/SAK/MDB
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER
**INTERIOR
 ELEVATIONS**

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-429

GENERAL NOTES


- A. DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
- B. REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
- C. RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.

KEY NOTES


- 1 BALLISTIC ALUMINUM STOREFRONT FRAMING WITH 2 1/2" WIDE EXPOSURE. MINIMUM UL 752 LEVEL 2 PROTECTION. ANODIZED ALUMINUM FINISH.
- 2 STAINED WOOD PANEL. 1/4" PLYWOOD WITH HARDWOOD VENEER EACH SIDE OF A UL 752 LEVEL 2, BULLET RESISTANT FIBERGLAS PANEL.
- 3 UL 752 LEVEL 2, BULLET RESISTANT, LAMINATED GLAZING FOR ALL GLASS LITES UP TO 7'-0" A.F.F. CLEAR.
- 4 SOLID SURFACE TRANSACTION COUNTER / EMPLOYEE WORK SURFACE WITH BULLET RESISTANT DEAL TRAY.
- 5 CIRCULAR PERFORATION PATTERN IN TRANSACTION WINDOW TO AID IN COMMUNICATIONS BETWEEN CLERK AND CUSTOMER. SIZE AND SPACING OF HOLES AS RECOMMENDED BY GLAZING MANUFACTURER.
- 6 ONE-WAY GLAZING TREATMENT ON SHADED LITES.
- 7 PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
- 8 1'-0" HIGH RAISED FLOOR.
- 9 PAINTED STEEL RAIL.
- 10 1" MINI-BLINDS AT EACH CASHIER AND TELLER WINDOW. INSTALL WITHIN DEPTH OF STOREFRONT SYSTEM.
- 11 STAINED WOOD VENEER DOOR TO MATCH STAINED WOOD PANELS IN ALUMINUM STOREFRONT WALL.
- 12 PAINT EXISTING PLASTER WALL.
- 13 EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
- 14 REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
- 15 INSTALL STAINED WOOD SHOE MOLDING TO MATCH EXISTING AT JUNCTION OF RAISED FLOOR AND VERTICAL WALLS.



2 | OPEN OFFICE 115 - NORTH ELEVATION
 1/2" = 1'-0"



1 | OPEN OFFICE 115 - NORTH ELEVATION
 1/2" = 1'-0"



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKADR
CHECKED BY	EP
REVISOR	
REVISION	
DESCRIPTION	
SHEET TITLE & NUMBER	



COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-430


- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
- KEY NOTES**
- BALLISTIC ALUMINUM STOREFRONT FRAMING WITH 2 1/2" WIDE EXPOSURE. MINIMUM UL T52 LEVEL 2 PROTECTION. ANODIZED ALUMINUM FINISH.
 - STAINED WOOD PANEL. 1/4" PLYWOOD WITH HARDWOOD VENEER EACH SIDE OF A UL T52 LEVEL 2, BULLET RESISTANT FIBERGLAS PANEL.
 - UL T52 LEVEL 2, BULLET RESISTANT, LAMINATED GLAZING FOR ALL GLASS LITES UP TO 7'-0" A.F.F. CLEAR.
 - SOLID SURFACE TRANSACTION COUNTER / EMPLOYEE WORK SURFACE WITH BULLET RESISTANT DEAL TRAY.
 - CIRCULAR PERFORATION PATTERN IN TRANSACTION WINDOW TO AID IN COMMUNICATIONS BETWEEN CLERK AND CUSTOMER. SIZE AND SPACING OF HOLES AS RECOMMENDED BY GLAZING MANUFACTURER.
 - 1'-0" HIGH RAISED FLOOR.
 - PAINTED STEEL RAIL.
 - 1" MINI-BLINDS AT EACH CASHIER AND TELLER WINDOW. INSTALL WITHIN DEPTH OF STOREFRONT SYSTEM.
 - METAL BRIDGE PLATE BETWEEN MULLIONS BY STOREFRONT MANUFACTURER. ANODIZED ALUMINUM FINISH.
 - PAINT EXISTING PLASTER WALL.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - INSTALL STAINED WOOD SHOE MOLDING TO MATCH EXISTING AT JUNCTION OF RAISED FLOOR AND VERTICAL WALLS.
 - ALUMINUM STOREFRONT FRAMING WITH 2" WIDE EXPOSURE FOR EMPLOYEE OFFICES DOES NOT NEED TO BE BULLET RESISTANT. ANODIZED ALUMINUM FINISH. 1/4" GLASS PANE OR 3/4" WOOD PANEL INFILL AS DEPICTED. TEMPERED GLASS PANES IDENTIFIED WITH A [T].
 - STAINED WOOD VENEER DOOR TO MATCH STAINED WOOD PANELS IN ALUMINUM STOREFRONT WALL.
 - STAINED WOOD PANEL. 3/4" PLYWOOD WITH HARDWOOD VENEER EACH SIDE.
 - 1/4" CLEAR FLOAT GLASS ABOVE T HORIZONTAL MULLION.
 - 1" MINI-BLINDS ON OFFICE SIDE OF WALL. INSTALL WITHIN DEPTH OF STOREFRONT SYSTEM.




2 CASHIER 115C - WEST ELEVATION




4 OFFICE 115A - NORTH WALL




6 OFFICE 115A - EAST WALL



1 WAITING 114 - EAST ELEVATION




3 OFFICE 115B - NORTH WALL



5 OFFICE 115B - WEST WALL



5/16/2012 10:25 AM J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet_A-430
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR
 CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISED DATE	DESCRIPTION
SHEET TITLE & NUMBER	


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-431


- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL. OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.
- KEY NOTES**
- ALUMINUM STOREFRONT FRAMING WITH 2" WIDE EXPOSURE FOR EMPLOYEE OFFICES DOES NOT NEED TO BE BULLET RESISTANT. ANODIZED ALUMINUM FINISH. 1/4" GLASS PANE OR 3/4" WOOD PANEL INFILL AS DEPICTED. TEMPERED GLASS PANES IDENTIFIED WITH A [T].
 - STAINED WOOD VENEER DOOR TO MATCH STAINED WOOD PANELS IN ALUMINUM STOREFRONT WALL.
 - STAINED WOOD PANEL. 3/4" PLYWOOD WITH HARDWOOD VENEER EACH SIDE.
 - PAINT EXISTING PLASTER WALL.
 - EXISTING STAINED WOOD BASE. REMOVE, REFINISH TO MATCH EXISTING, AND REINSTALL ALL SHOE MOLDING. REPLACE TO MATCH EXISTING WHERE SHOE IS DAMAGED, MISSING, OR WHERE NON-ORIGINAL SHOE HAS BEEN INSTALLED.
 - REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD. EXAMINE ALL RAILING AND RE-SECURE TO WALL WHERE LOOSE.
 - NEW ROLLER SHADE.
 - PENDANT LIGHT. RE: ELEC DRAWINGS.
 - SURFACE MOUNTED DUPLEX OUTLET AND CABLE TV CONNECTION FED FROM BELOW CONCEAL WIRES WITH SURFACE MOUNTED WIREMOLD.
 - CONTRACTOR TO INSTALL TENANT PROVIDED TV AND WALL MOUNT BRACKET (DASHED).
 - COUNTY SEAL - ONE ON NORTH WALL AND ONE ON EAST WALL (PART OF SIGNAGE ALLOWANCE).
 - DECORATIVE FAN COIL UNIT COVER.
 - DOUBLE ROLLER SHADE UNIT. OUTER ROLL CLOSEST TO WINDOW SHALL BE BLACK-OUT SHADE WITH SIDE CHANNELS AND SILL RECEIVER TO BLOCK OUT LIGHT INFILTRATION. INNER ROLL SHALL BE TYPICAL SHADE MATERIAL TO MATCH REST OF BUILDING.



2 OPEN OFFICE 144 - PARTIAL EAST ELEVATION
 1/2" = 1'-0"




3 PUBLIC MEETING ROOM 245 - NORTH ELEVATION
 1/2" = 1'-0"



1 OPEN OFFICE 144 - NORTH ELEVATION
 1/2" = 1'-0"

5/16/2012 10:25 AM
 J:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet_A-431
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE

INTERIOR RENOVATION

102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISD DATE	DESCRIPTION
SHEET TITLE & NUMBER	

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.


A-432

- GENERAL NOTES**
- DIMENSIONS ARE TO FINISH FACE OF WALL AND CL OF FIXTURE / ACCESSORY UNLESS NOTED OTHERWISE.
 - REPAIR ALL CRACKS AND DAMAGED AREAS OF EXISTING PLASTER WALLS. INSTALL NEW METAL FRAMING WITH WIRE MESH OR MASONRY IN-FILL AS NEEDED TO MATCH EXISTING SUBSTRATE WHERE MISSING.
 - RE: DOOR SCHEDULE FOR ADDITIONAL SCOPE RELATED TO DOORS AND DOOR TRIM.

- KEY NOTES**
- NEW STAINED WOOD BASE. MATCH PROFILE, SPECIES, AND FINISH OF EXISTING WOOD BASE AT FIRST AND SECOND FLOORS.
 - NEW STAINED WOOD CASING AROUND DOORS AND WINDOWS. MATCH PROFILE, SPECIES, AND FINISH OF EXISTING WOOD DOOR CASING AT LOWER LEVEL.
 - 1/4" CLEAR GLASS IN STAINED WOOD FRAME. MATCH EXISTING STAINED WOOD.
 - PENDANT LIGHT FIXTURE. RE: ELEC DRAWINGS.
 - REMOVE PAINT FROM EXISTING PICTURE RAIL. STAIN TO MATCH EXISTING STAINED WOOD.
 - NEW STAINED WOOD PICTURE RAIL TO MATCH EXISTING.
 - NEW DUCTWORK. RE: MECH DRAWINGS. PAINT TO MATCH CEILING.
 - PAINT EXISTING PLASTER WALL.
 - PAINT GYP BOARD WALL.
 - CONTRACTOR TO INSTALL TENANT PROVIDED HIGH DENSITY FILE SYSTEM.
 - CONTRACTOR SHALL CONSTRUCT RAISED FLOOR PLATFORM PER MANUFACTURER'S REQUIREMENTS FOR TENANT PROVIDED HIGH DENSITY FILE SYSTEM.
 - NEW BUTT GLAZED GLASS WALL SYSTEM.
 - EXISTING FOLDING STEEL GATE TO BE REMOVED, REFURBISHED, AND REINSTALLED.
 - NEW STAINED WOOD CASING OPENING. MATCH CASING OF LOWER LEVEL DOORS. PROVIDE STEEL LINTEL TO SUPPORT WALL ABOVE PER STRUCTURAL.
 - WALL-IN OLD DOORWAY.
 - RESILIENT WALL BASE.




2 STORAGE 002A - SOUTH ELEVATION
 1/2" = 1'-0"



1 OPEN OFFICE 002 - NORTH ELEVATION
 1/2" = 1'-0"

5/16/2012 10:25 AM
 J:\AutoCAD\Projects\Jackson City Trm Courthouse\COND\DOC\CORE_SheetA-432
 Piper-Wind Architects, Inc.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION











PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISED DATE	DESCRIPTION

SHEET TITLE & NUMBER

DETAILS

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-501



9/7/2012 9:35 AM
 P:\AutoCAD\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\A-501
 Piper-Wind Architects, Inc.

I:\Autocad\Projects\Jackson_City_Trmn_Ctr\Sheet\COND\DOC\CORE_Sheet\A-601
 Pimper-Wind Architects, Inc. 5/8/2012 4:53 PM


FIRST FLOOR FINISH SCHEDULE

ROOM NO.	ROOM NAME	HISTORIC ROOM NAME	FLOORING	BASE	WALL				CEILING		NOTES
					NORTH	EAST	SOUTH	WEST	TYPE	FINISH	
101	LOBBY	LOBBY	EXST BL	EXST STONE	NONE	NONE	NONE	NONE	-	PT-5	3
102	WEST CORRIDOR	CORRIDOR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
103	SOUTH VESTIBULE	VESTIBULE	EXST TILE	EXST TILE	PT-3	PT-3	PT-3	PT-3	-	PT-5	
104	WEST VESTIBULE	VESTIBULE	EXST TILE	EXST TILE	PT-3	PT-3	PT-3	PT-3	-	PT-5	
105	NORTH VESTIBULE	VESTIBULE	EXST TILE	EXST TILE	PT-3	PT-3	PT-3	PT-3	-	PT-5	
106	EAST CORRIDOR	CORRIDOR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
107	EAST VESTIBULE	VESTIBULE	EXST TILE	EXST TILE	PT-3	PT-3	PT-3	PT-3	-	PT-5	
108	EAST STAIR	EAST STAIR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3, 4
109	WEST STAIR	WEST STAIR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3, 4
110	TELEPHONE CLOSET	TELEPHONE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
111	SECURITY CLOSET	TELEPHONE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
112	WOMEN	MEN'S TOILET	EXST STT / STT-1	NONE	EXST / PT-1	EXST / PT-1	EXST / STP-1 / PT-1	EXST / STP-1 / PT-1	-	PT-2	5
113	JANITOR'S CLOSET	JANITOR	EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
114	WAITING	ASSESSOR'S PUBLIC SPACE	BL-1 / 2	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
115	OPEN OFFICE	ASSESSOR & COLLECTOR	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
115A	OFFICE	N/A	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
115B	OFFICE	N/A	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
115C	CASHIER	N/A	CPT-1	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
116	VAULT	VAULT	RFT-3	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
117	STORAGE	VAULT	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
118	MEETING	VAULT	CPT-1	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
119	RETAIL/VAULT	VAULT	EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
120	RETAIL/DISPLAY	COUNTY CLERK	WDF-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
121	CLOSET	CLOSET	TILE-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
122	OFFICE	COUNTY CLERK PRIVATE OFFICE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
123	ELEVATOR LOBBY	COUNTY CLERK PUBLIC SPACE	BL-1 / 2	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
124	TRUMAN COURTROOM	COUNTY COURT	EXST BL	EXST WDB	EXST PT	EXST PT	EXST PT	EXST PT	-	PT-5	3
125	JUDGE'S OFFICE	JUDGE'S OFFICE	EXST BL	EXST WDB	EXST PT	EXST PT	EXST PT	EXST PT	-	PT-5	3
126	TOILET	TOILET	BL-1	EXST WDB	EXST PT	EXST PT	EXST PT	EXST PT	-	PT-5	3
127	CLOSET	CLOSET	EXST BL	EXST WDB	EXST PT	EXST PT	EXST PT	EXST PT	-	PT-5	3
128	JUDGE'S SECRETARY	JUDGE'S SECRETARY	EXST BL	EXST WDB	EXST PT	EXST PT	EXST PT	EXST PT	-	PT-5	3
129	OFFICE	AUDITOR	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
130	OPEN OFFICE	HIGHWAY ENGINEER	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
131	OFFICE	DRAFTING ROOM	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
132	STORAGE	VAULT	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
133	WELCOME CENTER	TREASURER	WDF-1	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
134	MEN	PURCHASING AGENT	STT-1	NONE	STP-1 / PT-1	STP-1 / PT-1	STP-1 / PT-1	STP-1 / PT-1	-	PT-2	5
135	OFFICE	HIGHWAY ENGINEER'S PRIVATE OFFICE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
136	STORAGE	VAULT	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
137	CLOSET	CLOSET	TILE-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
138	MEETING/WORK ROOM	TREASURE'S PRIVATE OFFICE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
139	OFFICE	MARRIAGE BUREAU	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
140	WORK ROOM	CIGARS	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
141	CLOSET	CLOSET	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
142	OPEN OFFICE	RECORDER	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
143	STORAGE	VAULT	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
144	OPEN OFFICE	RECORDER	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
145	OFFICE	RECORDER	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
146A	OFFICE	N/A	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
146B	OFFICE	N/A	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	

LOWER LEVEL FINISH SCHEDULE

ROOM NO.	ROOM NAME	HISTORIC ROOM NAME	FLOORING	BASE	WALL				CEILING		NOTES
					NORTH	EAST	SOUTH	WEST	TYPE	FINISH	
001	EAST STAIR	-	RFT-1 / 2	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	1
001A	CLOSET	CLOSET	RFT-2	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
002	OPEN OFFICE	ELECTION COMMISSIONER'S PUBLIC SPACE	CPT-1	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
002A	STORAGE	ELECTION COMMISSIONER'S WORK SPACE	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
002B	OFFICE		CPT-1	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
002C	OFFICE		CPT-1	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
003	CORRIDOR	BOARD ROOM	RFT-1 / 2	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
003A	WOMEN		TILE-1 / 2	NONE	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	-	PT-2	
003B	MEN		TILE-1 / 2	NONE	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	-	PT-2	
004	STORAGE	FRESS	RFT-3	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
005	STORAGE	VAULT	RFT-3	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
006	COFFEE	MEN'S TOILET	TILE-1 / 2	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-2	
007	RESTROOM	WOMEN'S TOILET	TILE-1 / 2	NONE	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	-	PT-2	
008	STORAGE	STORAGE #2	RFT-3	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
008A	ELEVATOR LOBBY		RFT-1 / 2	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
009	STORAGE	PASSAGE	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
010	BOILER ROOM	BOILER ROOM	EXST CONC	NONE	PT-3	PT-3	PT-3	PT-3	-	NONE	2
010A	STORAGE	ENGINEER	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
011	TELCOM	N/A	RFT-4	NONE	NONE	PT-3	PT-3	PT-3	-	NONE	
012	PASSAGE		TILE-1 / 2	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
012A	MEN	WOMEN'S PUBLIC TOILET	TILE-1 / 2	NONE	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	-	PT-2	
012B	WOMEN	WOMEN'S PUBLIC TOILET	TILE-1 / 2	NONE	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	-	PT-2	
013	VESTIBULE	VESTIBULE	EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
014	VESTIBULE	VESTIBULE	RFT-1 / 3	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
015	JANITOR'S CLOSET	JANITOR	EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
016	CORRIDOR	CORRIDOR	EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
016A	STORAGE	STORAGE #1	EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
016B	WEST STAIR		EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
017	STORAGE	CONSTABLE'S PUBLIC SPACE	EXST CONC	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
018	ELECTRICAL ROOM	TRANSFORMER ROOM	EXST CONC	NONE	PT-3	PT-3	PT-3	PT-3	-	NONE	2
019	HALL	JAIL CORRIDOR	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
020	STORAGE	CELL #2	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
021	STORAGE	CELL #1	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
022	BREAK ROOM	RECEIVING ROOM	RFT-1 / 3	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
023	NOT USED	SHOWER	-	-	-	-	-	-	-	-	
024	NOT USED	CLOSET	-	-	-	-	-	-	-	-	
025	DINING	MEN'S PUBLIC TOILET	RFT-1 / 3	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
026	TUNNEL	N/A	EXST CONC	NONE	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
026A	ELEVATOR CLOSET	N/A	EXST CONC	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
027	STORAGE	N/A	CONC-1	RWB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
028	NORTH PIPE TUNNEL	NORTH PIPE TUNNEL	-	-	-	-	-	-	-	-	
029	SOUTH PIPE TUNNEL	SOUTH PIPE TUNNEL	-	-	-	-	-	-	-	-	

- FINISH SCHEDULE NOTES:
1. CONCRETE STEPS TO REMAIN AS THEY ARE. THOROUGHLY CLEAN AND SEAL.
 2. CLEAN AND SEAL CONCRETE FLOOR.
 3. CLEAN AND MAX LINOLEUM FLOOR.
 4. CLEAN AND MAX LINOLEUM STAIR TREADS.
 5. CLEAN AND TREAT MARBLE FLOOR WITH IMPREGNATING SEALER.



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051


HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050


ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISOR	
REVISION	

SHEET TITLE & NUMBER
 FINISH SCHEDULES

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.





ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMBR
CHECKED BY	EP
CHECKED BY	
REVISD DATE	DESCRIPTION

SHEET TITLE & NUMBER
FINISH SCHEDULES & FINISH LEGEND
 COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

A-602

ATTIC FINISH SCHEDULE

ROOM NO.	ROOM NAME	HISTORIC ROOM NAME	FLOORING	BASE	WALL				CEILING		NOTES
					NORTH	EAST	SOUTH	WEST	TYPE	FINISH	
301	EAST STAIR	EAST STAIR	EXST CONC	EXST	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
302	EAST STORAGE	EAST STORAGE	EXST CONC	NONE	NONE	NONE	NONE	NONE	-	-	
303	MECHANICAL	N/A	EXST CONC	NONE	NONE	NONE	NONE	NONE	-	-	
304	CUPOLA CATWALK	CUPOLA CATWALK	EXST W/D	NONE	NONE	NONE	NONE	NONE	-	-	
305	ATTIC	ATTIC	NA	NONE	NONE	NONE	NONE	NONE	-	-	
306	ORIGINAL ATTIC	ORIGINAL ATTIC	NA	NONE	NONE	NONE	NONE	NONE	-	-	
307	WEST STAIR	WEST STAIR	EXST CONC	EXST	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
308	WEST STORAGE	WEST STORAGE	EXST CONC	NONE	NONE	NONE	NONE	NONE	-	-	

FINISH MATERIALS LEGEND

TAG	MATERIAL	MANUFACTURER	COLOR / NUMBER	DESCRIPTION
BL-1	BATTLESHIP LINOLEUM	ARMSTRONG	UNI WALTON LINOLEUM - LP260 WARM BROWN	SHEET BATTLESHIP LINOLEUM (MAIN FIELD)
BL-2	BATTLESHIP LINOLEUM	ARMSTRONG	UNI WALTON LINOLEUM - LP280 BLACK	SHEET BATTLESHIP LINOLEUM (BOARDERS)
CONC-1	EXPOSED CONCRETE	NA	NA	CLEAN AND SEAL EXPOSED CONCRETE FLOOR
CPT-1	CARPET	BENTLEY PRINCE STREET	CITY PLANNING - COLOR T.B.D.	CARPET TILE. DIRECT GLUE DOWN.
CPT-2	CARPET	BENTLEY PRINCE STREET	CITY PLANNING - COLOR T.B.D.	CARPET TILE. DIRECT GLUE DOWN.
PT-1	PAINT	T.B.D.	T.B.D.	WATER-BORNE ACRYLIC EPOXY - SATIN FINISH. WALLS IN RESTROOMS.
PT-2	PAINT	T.B.D.	T.B.D.	WATER-BORNE ACRYLIC EPOXY - SATIN FINISH. CEILING IN RESTROOMS.
PT-3	PAINT	T.B.D.	T.B.D.	LATEX - EGGSHELL FINISH. WALLS
PT-4	PAINT	T.B.D.	T.B.D.	LATEX - EGGSHELL FINISH. WALLS
PT-5	PAINT	T.B.D.	T.B.D.	LATEX - EGGSHELL FINISH. CEILING.
PLAM-1	PLASTIC LAMINATE	T.B.D.	T.B.D.	CABINETRY VENEER
RMB-1	RESILIENT WALL BASE	JOHNSONITE	T.B.D.	4" TALL. INTEGRAL COVE AT HARD FLOORING. NO COVE AT CARPET.
RFT-1	RESILIENT FLOOR TILE	JOHNSONITE	MELODIA - 605 EBONY	24"x24" HOMOGENEOUS VINYL FLOOR TILE (BORDER TILE). DIRECT GLUE DOWN.
RFT-2	RESILIENT FLOOR TILE	JOHNSONITE	GRANIT - 424 CHOCOLATE TRUFFLE	24"x24" HOMOGENEOUS VINYL FLOOR TILE. DIRECT GLUE DOWN.
RFT-3	RESILIENT FLOOR TILE	JOHNSONITE	MELODIA - 611 WALTZ	24"x24" HOMOGENEOUS VINYL FLOOR TILE. DIRECT GLUE DOWN.
RFT-4	STATIC DISSIPATIVE RESILIENT FLOOR TILE	JOHNSONITE	GRANIT SD - 722 FLANNEL BLANKET	24"x24" HOMOGENEOUS STATIC DISSIPATIVE VINYL FLOOR TILE. DIRECT GLUE DOWN.
SS-1	SOLID SURFACE	T.B.D.	T.B.D.	TRANSACTION COUNTER / WORK SURFACE. 1/2" THICK.
SS-2	SOLID SURFACE	T.B.D.	T.B.D.	COUNTERTOPS. 1/2" THICK.
STT-1	STONE TILE	TENNESSEE MARBLE CO	MATCH EXISTING (LAWSON PINK)	8"x8" MARBLE FLOOR TILE AND LINEAR BORDER. BORDER WIDTH VARIES.
STP-1	STONE PANEL	CARTHAGE MARBLE	MATCH EXISTING	MARBLE WALL PANELS AND TOILET PARTITIONS.
TILE-1	FLOOR TILE	DALTILE	DIAMANTE - P033 CORDA	12"x12" PORCELAIN TILE. UNPOLISHED. THIN-SET OVER SLIP SHEET.
TILE-2	FLOOR TILE	DALTILE	DIAMANTE - P033 CORDA	12"x24" PORCELAIN TILE (BORDER TILE). UNPOLISHED. THIN-SET OVER SLIP SHEET. CUT WIDTH AS NEEDED PER PLANS.
TILE-3	WALL TILE	DALTILE	DIAMANTE - P033 CORDA	12"x24" PORCELAIN TILE. POLISHED. THIN-SET.
WDB-1	WOOD BASE	NA	MATCH EXISTING	WOOD SPECIES, PROFILE, AND STAIN TO MATCH EXISTING.
WDF-1	WOOD FLOOR	EXISTING	MATCH EXISTING STAINED WOOD TRIM	SAND, STAIN, AND CLEARCOAT EXISTING WOOD FLOORING. PATCH WITH NEW BOARDS TO MATCH EXISTING AS NEEDED TO REPLACE DAMAGED OR MISSING BOARDS.

REFER TO FLOOR PLANS, INTERIOR ELEVATIONS, AND CASEWORK SECTIONS FOR ADDITIONAL INFORMATION ON FINISH LOCATIONS.

SECOND FLOOR FINISH SCHEDULE

ROOM NO.	ROOM NAME	HISTORIC ROOM NAME	FLOORING	BASE	WALL				CEILING		NOTES
					NORTH	EAST	SOUTH	WEST	TYPE	FINISH	
201	LOBBY	LOBBY	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
202	EAST CORRIDOR	EAST CORRIDOR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
202A	EAST CORRIDOR	N/A	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
203	WEST CORRIDOR	WEST CORRIDOR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
203A	WEST CORRIDOR	N/A	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
204	EAST STAIR LANDING	EAST STAIR LANDING	EXST BL	EXST	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
205	EAST STAIR	EAST STAIR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	4
206	WEST STAIR	WEST STAIR	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	4
207	WEST STAIR LANDING	WEST STAIR LANDING	EXST BL	EXST	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
208	JANITOR CLOSET	JANITOR	RFT-2	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
209	JANITOR CLOSET	JANITOR	RFT-2	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
210	WOMEN	MEN'S TOILET	EXST STT	NONE	PT-3	PT-3	PT-3	PT-3	-	PT-2	5
211	TELEPHONE CLOSET	TELEPHONE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
212	MEN	LADIES' RESTROOM	EXST STT / STT-1	NONE	EXST / TILE-3 / PT-1	EXST / TILE-3 / PT-1	EXST / TILE-3 / PT-1	EXST / TILE-3 / PT-1	-	PT-2	5
213	NOT USED	LADIES' TOILET	-	-	-	-	-	-	-	-	
214	WOMEN	COURT REPORTER	STT-1	NONE	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	TILE-3 / PT-1	-	PT-2	5
215	GALLERY DISPLAY	SHERIFF	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
216	CIRCUIT (BRADY) COURTROOM	CIRCUIT COURTROOM	EXST BL	EXST WDB	EXST	EXST	EXST	EXST	-	PT-5	3
217	CIRCUIT (BRADY) COURTROOM	CIRCUIT COURTROOM	EXST BL	EXST WDB	EXST	EXST	EXST	EXST	-	PT-5	3
218	PASSAGE	PASSAGE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
219	OFFICE	TELEPHONE EXCHANGE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
220	VESTIBULE	VESTIBULE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
221	RESTROOM	JUDGE'S TOILET	EXST STT	NONE	EXST / PT-1	EXST / PT-1	EXST / PT-1	EXST / PT-1	-	PT-2	5
222	NOT USED	NOT USED	-	-	-	-	-	-	-	-	
223	CONFERENCE	CIRCUIT COURT JURY ROOM	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
224	OFFICE	FARM BUREAU PRIVATE OFFICE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
225	WORK ROOM	FARM BUREAU RECEPTION ROOM	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
226	HALL	PASSAGE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
227	NOT USED	FARM BUREAU PRIVATE OFFICE	-	-	-	-	-	-	-	-	
228	OFFICE	FARM BUREAU PRIVATE OFFICE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
229	GALLERY DISPLAY	PROBATE COURTROOM	EXST BL	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
229A	OFFICE	PROBATE COURTROOM	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
229B	OFFICE	PROBATE COURTROOM	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
229C	OFFICE	PROBATE COURTROOM	CPT-1	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
230	NOT USED	PROBATE COURTROOM	-	-	-	-	-	-	-	-	
231	PASSAGE	PASSAGE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
232	RESTROOM	TOILET	TILE-1 / 2	EXST WDB	PT-1	PT-1	PT-1	PT-1	-	PT-2	
233	RESTROOM	TOILET	TILE-1 / 2	EXST WDB	PT-1	PT-1	PT-1	PT-1	-	PT-2	
234	GALLERY DISPLAY	PROBATE COURT JURY ROOM	EXST BL	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
235	GALLERY DISPLAY	JUDGE'S OFFICE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
236	NOT USED	PROBATE COURT JURY ROOM	-	-	-	-	-	-	-	-	
237	NOT USED	PROBATE COURT JURY ROOM	-	-	-	-	-	-	-	-	
238	GALLERY DISPLAY	PROBATE COURT CLERK'S OFFICE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
239	GALLERY DISPLAY	VAULT	EXST BL	WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
240	GALLERY DISPLAY	SHERIFF'S PRIVATE OFFICE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
241	PASSAGE	PASSAGE	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
242	RESTROOM	JUDGE'S TOILET	TILE-1 / 2	EXST WDB	PT-1	PT-1	PT-1	PT-1	-	PT-2	
243	CONFERENCE ROOM	CIRCUIT JUDGE'S CHAMBERS	CPT-1	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	
244	KITCHENETTE	LIBRARY	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
245	PUBLIC MEETING ROOM	LIBRARY	EXST BL	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
246	STORAGE	ATTORNEY'S ROOM	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
247	WORK ROOM	PRIVATE OFFICE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
248	OFFICE	SUPERINTENDANT OF SCHOOLS RECEPTION ROOM	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
249	ENTRY	RECEPTION & PRIVATE OFFICE	EXST BL	EXST WDB	PT-3	PT-3	PT-3	PT-3	-	PT-5	3
250	STORAGE	VAULT	EXST CONC	RMB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	2
251	ELEVATOR LOBBY	CIRCUIT CLERK'S OFFICE	BL-1 / 2	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	
252	RESEARCH ROOM	HEALTH BUREAU	EXST BL	EXST WDB / WDB-1	PT-3	PT-3	PT-3	PT-3	-	PT-5	3



I:\Autocad\Projects\Jackson_City_Trmn_Ctrhs\A-COND\DOC\CORE_Sheet\A-602
 Piper-Wind Architects, Inc. 5/8/2012 4:53 PM

FIRST FLOOR DOOR SCHEDULE

DOOR NO.	ROOM NAME	DOOR			FRAME		HARDWARE GROUP (SEE SPEC)	REMARKS	DOOR SCHEDULE NOTES
		SIZE (N X H X T)	TYPE	FINISH	FIRE RATING	TYPE			
102	WEST CORRIDOR	PR 3'-0" x 7'-0"	E	NA	-	NA	NA	11	-
103a	SOUTH VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	PT	-	EXST WD	EXST STN	1	TRANSOM
103b	SOUTH VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	EXST STN	-	EXST WD	EXST STN	2	GLASS LITE
104a	WEST VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	PT	-	EXST WD	EXST STN	4	TRANSOM
104b	WEST VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE
105a	NORTH VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	PT	-	EXST WD	EXST STN	3	TRANSOM
105b	NORTH VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE
107a	EAST VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	PT	-	EXST WD	EXST STN	3	TRANSOM
107b	EAST VESTIBULE	PR 2'-6" x 8'-6" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE
110	TELEPHONE	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE
111	TELEPHONE	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	18	-
112	WOMEN'S RESTROOM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	19	-
113	JANITOR	2'-6" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	23	-
114a	WAITING	PR 2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	6	GLASS LITE & TRANSOM
114b	WAITING	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM
114c	WAITING	PR 2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM
115	OPEN OFFICE	3'-0" x 7'-0" x 1 3/4"	F	NA	-	NA	NA	14	STOREFRONT
115a	OFFICE	3'-0" x 7'-0" x 1 3/4"	F	NA	-	NA	NA	15	STOREFRONT
115b	OFFICE	3'-0" x 7'-0" x 1 3/4"	F	NA	-	NA	NA	15	STOREFRONT
116	VAULT	3'-0" x 7'-0" x 4"	G	NA	-	STL	NA	-	VAULT DOOR
117a	STORAGE	2'-6" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
117b	STORAGE	PR 1'-2" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
118a	MEETING	PR 1'-8" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
118b	MEETING	PR 1'-8" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
119a	RETAIL	2'-4" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
119b	RETAIL	PR 1'-2" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
120a	RETAIL/DISPLAY	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	9	GLASS LITE & TRANSOM
120b	RETAIL/DISPLAY	3'-0" x 7'-0" x 1 3/4"	A	STN	-	EXST WD	EXST STN	27	-
121	CLOSET	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
122	OFFICE	2'-6" x 7'-0" x 1 3/4"	B	STN	-	EXST WD	EXST STN	15	-
123	ELEVATOR LOBBY	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	21	GLASS LITE & TRANSOM
124a	COUNTY (TRUMAN) COURTROOM	PR 2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE & TRANSOM
124b	COUNTY (TRUMAN) COURTROOM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	27	-
125	JUDGE'S OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
126	TOILET	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
127	CLOSET	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
128a	JUDGE'S SECRETARY	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM
128b	JUDGE'S SECRETARY	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
129a	OFFICE	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM
129b	OFFICE	3'-0" x 7'-0" x 1 3/4"	B	STN	-	WD	STN	15	-
130	OPEN OFFICE	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	10	GLASS LITE & TRANSOM
131	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
132	STORAGE	2'-4" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
133	WELCOME CENTER	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	10	GLASS LITE & TRANSOM
134	MEN'S RESTROOM	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	19	GLASS LITE
135	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	18	-
136a	STORAGE	2'-4" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
136b	STORAGE	PR 1'-4" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
137	CLOSET	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
138	MEETING/WORK ROOM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
140	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	10	GLASS LITE & TRANSOM
141	CLOSET	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
142	OPEN OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
143a	OFFICE	PR 1'-8" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
143b	OFFICE	PR 1'-8" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
144	OPEN OFFICE	PR 2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	6	GLASS LITE & TRANSOM
145a	OFFICE	3'-0" x 7'-0" (EXST)	A	STN	-	EXST WD	EXST STN	15	-
145b	OFFICE	3'-4" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	15	-
146A	OFFICE	3'-0" x 7'-0" x 1 3/4"	F	NA	-	NA	NA	15	STOREFRONT
146B	OFFICE	3'-0" x 7'-0" x 1 3/4"	F	NA	-	NA	NA	15	STOREFRONT

LOWER LEVEL DOOR SCHEDULE

DOOR NO.	ROOM NAME	DOOR			FRAME		HARDWARE GROUP (SEE SPEC)	REMARKS	DOOR SCHEDULE NOTES
		SIZE (N X H X T)	TYPE	FINISH	FIRE RATING	TYPE			
001	CLOSET	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
002	OPEN OFFICE	3'-0" x 7'-0"	E	NA	-	NA	NA	11	-
002a	STORAGE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	23	-
002b	OFFICE	3'-0" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	15	-
002c	OFFICE	3'-0" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	15	-
003a	WOMEN'S RESTROOM	3'-0" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	16	-
003b	MEN'S RESTROOM	3'-0" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	16	-
004	STORAGE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
005a	STORAGE	2'-6" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
005b	STORAGE	PR 1'-2" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR
007	UNISEX RESTROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
008	STORAGE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
009	STORAGE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	10	GLASS LITE & TRANSOM
010a	STORAGE	3'-0" x 7'-0" (EXST)	-	PT	20 MIN	EXST STL	PT	25	TIN GLAD
010b	STORAGE	3'-0" x 7'-0" x 1 3/4"	D	PT	20 MIN	H.M.	PT	14	-
011	TELCOM	3'-0" x 7'-0" (EXST)	-	EXST PT	-	EXST WD	EXST PT	7	-
012a	MEN'S RESTROOM	3'-0" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	16	-
012b	WOMEN'S RESTROOM	3'-0" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	16	-
013a	VESTIBULE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	23	GLASS LITE & TRANSOM
013b	VESTIBULE	3'-0" x 6'-8" x 1 3/4"	C	STN	-	EXST WD	EXST STN	5	EXST TRANSOM
014a	VESTIBULE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM
014b	VESTIBULE	3'-0" x 6'-8" x 1 3/4"	C	STN	-	EXST WD	EXST STN	5	EXST TRANSOM
015	JANITOR CLOSET	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
016a	STORAGE	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
016b	CORRIDOR	PR 3'-0" x 7'-0"	E	NA	-	NA	NA	11	-
017	STORAGE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	23	TRANSOM
018	ELECTRICAL ROOM	3'-0" x 7'-0" (EXST)	-	PT	20 MIN	EXST STL	PT	25	TIN GLAD
019a	HALL	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	-
019b	HALL	2'-0" x 6'-0" (EXST)	-	PT	-	EXST STL	PT	25	STEEL
020	STORAGE	2'-4" x 6'-8" (EXST)	-	PT	-	EXST STL	PT	25	STEEL
021	STORAGE	2'-4" x 6'-8" (EXST)	-	PT	-	EXST STL	PT	25	STEEL
022a	BREAK ROOM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	27	-
022b	BREAK ROOM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	23	TRANSOM
026a	TUNNEL	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	7	-
026b	TUNNEL	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	7	-
026c	ELEVATOR CLOSET	PR 3'-0" x 7'-0" x 1 3/4"	D	PT	20 MIN	H.M.	PT	12	-
027	STORAGE	3'-0" x 7'-0" x 1 3/4"	A	STN	-	WD	STN	13	-



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64109
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION


PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
CHECKED BY	
REVISION DATE	DESCRIPTION

SHEET TITLE & NUMBER
 DOOR SCHEDULE


COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

THIRD FLOOR DOOR SCHEDULE


DOOR NO.	ROOM NAME	DOOR				FRAME		HARDWARE GROUP (SEE SPEC)	REMARKS	DOOR SCHEDULE NOTES
		ORIGINAL SIZE (N x H x T)	TYPE	FINISH	FIRE RATING	TYPE	FINISH			
301	EAST STAIR	2'-6" x 5'-0" (EXST)	-	PT	20 MIN	EXST MTL	PT	4	TIN CLAD	
302a	EAST STORAGE	3'-0" x 6'-8" (EXST)	-	EXST STN EXST PT	-	EXST WD	EXST STN EXST PT	10		
302b	EAST STORAGE	2'-6" x 3'-6" (EXST)	-	NA	-	EXST WD EXST MTL	NA	25	ROOF ACCESS	
308a	WEST STORAGE	2'-6" x 6'-8" (EXST)	-	EXST STN EXST PT	-	EXST WD	EXST STN EXST PT	10		
308b	WEST STORAGE	2'-6" x 3'-6" (EXST)	-	NA	-	EXST WD EXST MTL	NA	25	ROOF ACCESS	




DOOR TYPE A




DOOR TYPE B




DOOR TYPE C



DOOR TYPE D




DOOR TYPE E



DOOR TYPE F

SECOND FLOOR DOOR SCHEDULE

DOOR NO.	ROOM NAME	DOOR				FRAME		HARDWARE GROUP (SEE SPEC)	REMARKS	DOOR SCHEDULE NOTES
		ORIGINAL SIZE (N x H x T)	TYPE	FINISH	FIRE RATING	TYPE	FINISH			
201a	LOBBY	PR. 2'-6" x 8'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE & TRANSOM	
201b	LOBBY	PR. 2'-6" x 8'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LIGHT & TRANSOM	
201c	LOBBY	PR. 2'-6" x 8'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE & TRANSOM	
203	WEST CORRIDOR	3'-0" x 7'-0"	E	NA	-	NA	NA	11		
207	WEST STAIR LANDING	3'-0" x 7'-0"	E	NA	-	NA	NA	11		
208	JANITOR	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
209	JANITOR	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
210	WOMEN'S RESTROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
211	TELEPHONE	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE	
212	MEN'S RESTROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	20		
214	WOMEN'S RESTROOM	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	19	GLASS LITE & TRANSOM	
215	GALLERY	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	9	GLASS LITE & TRANSOM	
216a	CIRCUIT (BRADY) COURTROOM	PR. 2'-1" x 8'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE & TRANSOM	
216b	CIRCUIT (BRADY) COURTROOM	PR. 2'-1" x 8'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	22	GLASS LITE & TRANSOM	
219	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	10		
220	VESTIBULE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	10		
221	RESTROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	20		
223a	CONFERENCE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	17		
223b	CONFERENCE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
224	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
225a	WORK ROOM	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	10	GLASS LITE & TRANSOM	
225b	WORK ROOM	3'-0" x 7'-0" x 1 3/4"	B	STN	-	EXST WD	EXST STN	17	GLASS LITE	
226	HALL	2'-10" x 6'-8" x 1 3/4"	A	STN	-	WD	STN	15		
228a	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
228b	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
229a	OPEN OFFICE	PR. 2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	6	GLASS LITE & TRANSOM	
229b	OFFICE	3'-0" x 7'-0" x 1 3/4"	B	STN	-	WD	STN	15	GLASS LITE	
229c	OFFICE	3'-0" x 7'-0" x 1 3/4"	B	STN	-	WD	STN	15	GLASS LITE	
231	PASSAGE	NO DOOR	-	NA	-	EXST WD	EXST STN	-		
232	RESTROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
233	RESTROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
234a	GALLERY	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
234b	GALLERY	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
235a	GALLERY	3'-0" x 7'-0" x 1 3/4"	A	STN	-	EXST WD	EXST STN	15		
235b	GALLERY	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
238a	GALLERY	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	9	GLASS LITE & TRANSOM	
238b	GALLERY	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM	
239A	GALLERY	3'-0" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR	
239B	GALLERY	PR. 1'-6" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR	
240	GALLERY	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
241	PASSAGE	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM	
242	RESTROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
243a	CONFERENCE ROOM	2'-6" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
243b	CONFERENCE ROOM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
243c	CONFERENCE ROOM	3'-0" x 7'-0" x 1 3/4"	A	STN	-	EXST WD	EXST STN	15		
245a	PUBLIC MEETING RM	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM	
245b	PUBLIC MEETING RM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
246	STORAGE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
247	WORK ROOM	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
248a	OFFICE	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24	GLASS LITE & TRANSOM	
248b	OFFICE	3'-0" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	24		
249	ENTRY	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	9	GLASS LITE & TRANSOM	
250a	STORAGE	2'-4" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR	
250b	STORAGE	PR. 1'-2" x 7'-0" (EXST)	-	EXST PT	-	EXST STL	EXST PT	25	VAULT DOOR	
251	ELEVATOR LOBBY	3'-4" x 7'-0" (EXST)	-	EXST STN	-	EXST WD	EXST STN	21	GLASS LITE & TRANSOM	



ARCHITECT:
PIPER-WIND ARCHITECTS, INC.
 2121 CENTRAL STREET, SUITE 143
 KANSAS CITY, MISSOURI 64108
 TEL. (816) 474-3050
 FAX. (816) 474-3051

HISTORIC TRUMAN COURTHOUSE
 INTERIOR RENOVATION
 102 NORTH MAIN STREET, INDEPENDENCE, MISSOURI 64050

ISSUED FOR CONSTRUCTION

PROJECT NO.	3811
DATE	10-19-2012
DRAWN BY	CAMSAKMDR
CHECKED BY	EP
REVISOR	
REVISION DATE	
DESCRIPTION	

SHEET TITLE & NUMBER
 DOOR SCHEDULE

COPYRIGHT © 2012
 PIPER-WIND ARCHITECTS, INC.

J:\Autocad\Projects\Jackson_City_Trmn_Ctrse\COND\DOCC\CORE_Sheet\A-604
 5/8/2012 4:53 PM
 Piper-Wind Architects, Inc.